


Session 3: Aircraft Noise Re-certification
Worked example of applying assessment
criteria

Re-certification "Roadmap"


→ Appendix 8 of the ETM contains a "roadmap" describing the process for the re-certification of sub-sonic jet aeroplanes from Chapter 3 to Chapter 4



Aircraft "A"

Do the existing (Chapter 3) noise levels meet Annex 16 Chapter 4 margin & trade-off requirements?

- Minimum of 10 EPNdB cumulative margin re Chapter 3 limits
- •Minimum of 2 EPNdB at any two certification points
- No trade-off



Montreal, October 2004


Aircraft "A" Compliance with Chapter 4 Noise Criteria?

AIRCRAFT "A"				
POSITION	CHAPTER 3 NOISE LIMIT (EPNdB)	CERTIFICATION NOISE LEVEL (EPNdB)	CHAPTER 3 MARGIN (EPNdB)	
Lateral	94.8	88.9	5.9	
Flyover	93.4	86.0	7.4	
Approach	98.7	95.2	3.5	
Chapter 4, 4.4.1 No Chapter 3	Compliant			
Chapter 4, 4.4.1.1 Cumulative Margin not less than 10EPNdB			16.8 Compliant	
Chapter 4, 4.4.1.2 Sum of the differences at any two points not less than 2 EPNdB (least value shown)			9.4 Compliant	

Aircraft "A"

Is the original certification basis Annex 16, Volume I, Amendment 5 or higher?


•For aeroplanes which were approved in accordance with Amendment 5 or higher of Annex 16, Volume I, a reassessment is not required.



Aircraft "A"

Aircraft "A" was approved against Amendment 3 of Annex 16, Volume I

•For aeroplanes which were approved in accordance with Amendment 4 or lower of Annex 16, Volume I...the applicant should be required to show that the existing approved Chapter 3 (or Chapter 5) noise levels are equivalent to those approved to Amendment 5 by answering the re-assessment questions.




Aircraft "A" Compliance with Appendix 8 Re-assessment Criteria

App. 8 2.2.2	RE-CERTIFICATION CRITERIA	COMPLIANCE STATEMENT
а	Was full take-off power used throughout the reference flight path in the determination of the lateral noise level?	COMPLIANT Full t/o power was used throughout the ref. flt path to determine the lateral noise levels as specified in Reference 6, Volume 1, Section 3.3.1(a)`
٥	Was the "average engine" rather than the "minimum engine" thrust or power used in the calculation of the take-off reference flight path?	COMPLIANT Thrust is controlled by the Thrust Management System to always give the required AFM standard thrust which is consistent with the standard used in the derivation of the reference profiles
etc.	etc.	etc.

Aircraft "A"

- Meets Chapter 4 margin and trade-off requirements
- •Certification basis is Annex 16, Volume I, Amendment 3
- Meets all relevant reassessment criteria


Aircraft "A" is therefore approved to be compliant with Chapter 4



Aircraft "B"

Do the existing (Chapter 3) noise levels meet Annex 16 Chapter 4 margin & trade-off requirements?

- Minimum of 10 EPNdB cumulative margin re Chapter 3 limits
- Minimum of 2 EPNdB at any two certification points
- No trade-off




Aircraft "B" Compliance with Chapter 4 Noise Criteria?

AIRCRAFT "B"				
POSITION	CHAPTER 3 NOISE LIMIT (EPNdB)	CERTIFICATION NOISE LEVEL (EPNdB)	CHAPTER 3 MARGIN (EPNdB)	
Lateral	94.0	89.1	4.9	
Flyover	92.1	87.1	5.0	
Approach	98.0	97.4	0.6	
Chapter 4, 4.4.1 No Chapter 3 exceedances			Compliant	
Chapter 4, 4.4.1.1 Cumulative Margin not less than 10EPNdB			10.5 Compliant	
Chapter 4, 4.4.1.2 Sum of the differences at any two points not less than 2 EPNdB (least value shown)			5.5 Compliant	

Aircraft "B"

Is the original certification basis Annex 16, Volume I Amendment 5 or higher?


•For aeroplanes which were approved in accordance with Amendment 5 or higher of Annex 16, Volume I, a reassessment is not required.



Aircraft "B"

Aircraft "B" was approved against Annex 16, 1st Edition, Amendment 5.

•For aeroplanes which were approved in accordance with Amendment 4 or lower of Annex 16, Volume I...the applicant should be required to show that the existing approved Chapter 3 (or Chapter 5) noise levels are equivalent to those approved to Amendment 5 by answering the re-assessment questions.




Aircraft "B" Compliance with Appendix 8 Re-assessment Criteria

App. 8 2.2.2	RE-CERTIFICATION CRITERIA	COMPLIANCE STATEMENT
a	Was full take-off power used throughout the reference flight path in the determination of the lateral noise level?	COMPLIANT Full t/o power was used throughout the ref. flt path to determine the lateral noise levels as specified in Reference 6, Volume 1, Section 3.3.1(a)`
b	Was the "average engine" rather than the "minimum engine" thrust or power used in the calculation of the take-off reference flight path?	COMPLIANT Thrust is controlled by the Thrust Management System to always give the required AFM standard thrust which is consistent with the standard used in the derivation of the reference profiles
С	Was the "simplified" method of adjustment defined in Appendix 2 of the Annex used and, if so, was –7.5 used as the factor for the calculation of the noise propagation path duration correction term?	NON-COMPLIANT The "simplified" method was used. However a -10 instead of a -7.5 factor was used.
etc	etc	etc
- 610		Cio

Aircraft "B"

Aircraft "B" does not meet re-assessment criterion 2.2.2c.

Applicant proposes to the certificating Authority the following method to resolve the criterion that is not met....



Annex 16, Volume I, Appendix 2 at Amendment 5 specifies that the adjustment for the duration correction shall be determined according to:

$$\Delta 2 = -7.5 \log (QK/QrKr)$$
 Equation 1

The "Chapter 3" noise levels of Aircraft "B" were derived using the following expression for duration correction:

$$\Delta 2 = -10 \log (QK/QrKr)$$
 Equation 2

It is proposed to derive the Chapter 4 noise levels by adjusting each of the Aircraft "B" certification events using Equation 1.

Aircraft "B" The "Chapter 4" noise levels after re-calculation

AIRCRAFT "B"				
POSITION	CHAPTER 3 NOISE LIMIT (EPNdB)	CERTIFICATION NOISE LEVEL (EPNdB)	CHAPTER 3 MARGIN (EPNdB)	
Lateral	94.0	89.1	4.9	
Flyover	92.1	87.7	4.4	
Approach	98.0	97.3	0.7	
Chapter 4, 4.4.1 No Chapter 3 exceedances			Compliant	
Chapter 4, 4.4.1.1 Cumulative Margin not less than 10EPNdB			10.0 Compliant	
Chapter 4, 4.4.1.2 Sum of the differences at any two points not less than 2 EPNdB (least value shown)			5.1 Compliant	

Aircraft "B"

- •All non-compliant reassessment criteria are resolved and "Chapter 4" noise levels recomputed
- Meets Chapter 4 margin and trade-off requirements

Aircraft "B" is therefore approved to be compliant with Chapter 4

