



Agenda Item 2: ATM Developments
**2.3 Follow-up on Activities Relating to Air Traffic Flow Management
Implementation (ATFM)**

**AIR TRAFFIC FLOW MANAGEMENT IN THE NORTH AMERICAN AND CARIBBEAN
REGIONS**

(Presented by the United States of America)

SUMMARY

This paper describes the excellent work accomplished by the Air Traffic Flow Management (ATFM) Task Force in preparing the Caribbean/South American ATFM Concept of Operations (CAR/SAM ATFM CONOPS). The Task Force identified and organized the vast majority of elements that form an ATFM system. This paper strives to build on the Task Force's work by highlighting the fact that many of these ATFM elements have been successfully developed, tested, and implemented in other States and regions. Both Air Traffic Service Providers and customers in the CAR/SAM regions can now take advantage of the ATFM development work, lessons learned, and operational benefits of other States and regions.

An **Appendix** has been included with further details.

1 Introduction

1.1 At the second meeting of the ATFM Task Force of the GREPECAS ATM/CNS Subgroup, ATM Committee, the group prepared the final version of the CAR/SAM ATFM CONOPS. The document was presented as a Working Paper in April 2007 at GREPECAS in San Jose, Costa Rica. The CAR/SAM ATFM CONOPS is a high-level document that will assist and guide planners in the design and development of ATFM in the CAR/SAM regions.

1.2 This paper endeavors to build on the Task Force's excellent work by highlighting the fact that many elements of ATFM have been successfully developed, tested, and implemented in other States and regions. Air Traffic Service Providers, customers, and other system stakeholders in the CAR/SAM regions can now benefit from the ATFM development work and lessons learned by other States and regions. Some of these key lessons learned, as well as some of the significant operational benefits, are listed below. This information is drawn from the ATFM work and coordination accomplished to date between Piarco ACC, Centro de Control de Flujo de Mexico (CCFMEX), NAV CANADA National Operations Centre (NOC), and the Federal Aviation Administration's Air Traffic Control System Command Center (ATCSCC).

1.3 Again, this paper highlights the important “lessons learned” and also notes the operational benefits that have been realized, to date, by other States and regions. The Meeting is invited to endorse and support the further development of the CAR/SAM ATFM CONOPS taking into consideration the lessons learned.

2 Operational Benefits

2.1 The ATFM system in the NAM/CAR regions has realized a number of operational benefits. These include:

- a. Increased information flow to customers regarding system constraints, route options, and terminal delays.
- b. Reduced operating costs for customers through fuel savings and crew scheduling due to the type and amount of ATFM information available on a real-time basis.
- c. Increased situational awareness by the ATFM Command Centers and Flow Management Units regarding air traffic flows and weather conditions. This has contributed significantly to enhancing system safety.
- d. Increased operational communication and coordination between the ATFM Command Centers and Flow Management Units in the NAM/CAR regions. This has contributed to a more efficient use of airspace and the reduction of operational delays.
- e. Enhanced management of trans-regional flows of air traffic, especially during periods of convective activity, during hurricane events, or during periods of reduced terminal capacity.

3 Lessons learned

3.1 The primary lessons learned during the development and implementation of ATFM between Piarco ACC, CCFMEX, NOC, and ATCSCC include:

- a. Involve the customers, airport authorities, and other system stakeholders very early in the ATFM development process.

This is the essence of the Collaborative Decision Making (CDM).

For example, the ACC's, customers and airport authorities have contributed numerous ideas and suggestions regarding the management of flights into key destination airports such as: Port of Spain and Grantley Adams during the 2007 Cricket World Cup games; St. Maarten, Cancun and Los Cabos during the 2008 winter vacation season. By considering their input, we have been able to minimize delays and maximize airport throughput.

- b. Utilize a common suite of ATFM tools to evaluate air traffic flows, weather conditions, demand, and capacity.

As traffic managers in the NAM/CAR regions, we have come to rely very heavily on the Enhanced Traffic Management System (ETMS). Based on input from system stakeholders, ETMS has developed into a very comprehensive tool that accepts an array of flight plan messages, applies aircraft performance information, displays weather information, and models demand/capacity information.

Customers that participate in the CDM process have direct access to ETMS through an interface designed specifically for them known as the Common Constraint System Display (CCSD).

- c. Develop ATFM with the neighboring States first. Then develop a regional approach to ATFM.

We have learned that the greatest traffic flow challenges exist with the first-tier (neighboring) States. As a result, it is important to develop, coordinate, test, and implement procedures for managing these traffic flows. These procedures then become the basis for bilateral ATFM Letters of Agreement with the first-tier States.

This tier-based approach to ATFM allows States the flexibility they need to address specific traffic flow issues and to develop the procedures needed to manage the traffic.

- d. Allow flexible timeframes in which to implement the various aspects of ATFM.

We have learned that the development of ATFM is not always a linear process. What looks good in theory is not always feasible in practice. For example, what seemed to be a simple process of flowing traffic smoothly to airports in first-tier States has been impacted by both State regulations and airport management requirements. Consequently, customer concerns and airport management issues had to be evaluated and addressed before flow solutions could be reached.

4 Conclusion

4.1 The ATFM/TF/3 created a comprehensive CAR/SAM ATFM CONOPS. The Task Force identified and organized the vast majority of elements that form an ATFM system. An important next step is to recognize the fact that many of these ATFM elements have been successfully developed, tested, and implemented in other States and regions. Air Traffic Service Providers and customers in the CAR/SAM regions can take advantage of the ATFM development work and lessons learned that have already been accomplished in other regions.

5. Recommendation

5.1 The Meeting is invited to:

- a) review the:
 - 1) the ATFM lessons learned; and
 - 2) operational benefits already realized by the NAM/CAR regions;
- b) identify and adopt a regional model for determining:
 - 1) aerodrome acceptance rate (AAR); and
 - 2) enroute sector capacity;
- c) establish a regional database that includes:
 - 1) enroute capacity;
 - 2) apron/parking capacity at aerodromes;
 - 3) aerodrome acceptance rate; and
 - 4) remarks.

- d) establish a regional database of city pair route alternatives for customer use; and
- e) identify a regional facility to serve as host of the daily 1315 UTC Caribbean ATFM telcon.

APPENDIX

The Appendix to this paper follows the same content format as the ATFM/TF/3 CAR/SAM ATFM CONOPS which includes sections on:

1. **Objectives of a Centralized ATFM Command Center;**
2. **Principles in Which ATFM Will Be Based;**
3. **Functions of a Centralized ATFM Command Center;**
4. **Equipment and Personnel Requirements for Flow Management Unit/Flow Management Position (FMU/FMP) and the Centralized ATFM;** and
5. **Operational Procedures.**

Each section of the Appendix contains information on the key elements of lessons learned in the NAM/CAR regions and draws on the experience of the coordination between Piarco ACC, CCFMEX, NOC, and ATCSCC.

1. Objectives of a Centralized ATFM Command Center

- 1.1 From the perspective of ATFM developments in the NAM region:
 The purpose of the ATFM system is to enhance air traffic safety by balancing demand with capacity and ensuring efficient utilization of the ATC system.
 The objective of a centralized ATFM Command Center is to produce a safe, orderly, and expeditious flow of air traffic while making every effort to minimize delays. This is fostered through continual analysis, coordination, communication, and dynamic use of traffic management initiatives and programs.

2. Principles in Which ATFM Will Be Based

- 2.1 From the perspective of ATFM developments in the NAM/CAR regions:

One of the primary foundations of ATFM in the NAM/CAR regions is the CDM process.

CDM definition

CDM is sponsored by the Air Transport Association and is an operational philosophy – along with associated technologies -- that enable the Air Traffic Service Providers and aviation industry to respond collaboratively to real-time operational constraints in the National Airspace System.

CDM structure

CDM Stakeholder Group

Oversees the general direction and mission of CDM

Provides prioritization and tasking on possible technology and communication tools for attaining system efficiencies

Establishes work groups as needed

CDM work groups

Completes specific tasks

Provides recommendations for technology, communication tools, etc.

ATFM system stakeholders include:

Enroute Centers, Terminal Approach Controls, Control Towers

Customers

Air Carriers

Air Taxi

General Aviation

Military

Airport Authorities

NOTE: This list is not all inclusive

ATFM uses automated tools that provide common air traffic and weather situational awareness to all system stakeholders.

ATFM facilities are accountable to the system stakeholders.

The ATFM system in the FAA is under constant review for quality management purposes with a goal of continuous improvement. The quality assurance function includes an analysis of sector demand, sector flows, sector loading points, normal initiatives necessary to prevent sector saturation, alternatives to prevent sector saturation and relieve congestion points.

3. Functions of a Centralized ATFM Command Center

3.1 From the perspective of ATFM developments in the NAM/CAR regions:

By directives (FAA Order 7210.3 for example), the ATFM national Command Centers are given the authority to monitor, direct, and manage the daily flows of air traffic through their national airspace.

The ATFM national Command Centers work in conjunction with system stakeholders to:

Monitor and analyze weather patterns for system impact.

Implement national traffic management programs.


Determine when national airspace capacity is, or will likely be, reduced to the extent that implementation of national traffic management initiatives will be required.

Implement national traffic management initiatives, when necessary, to ensure an orderly flow of traffic throughout the national airspace.

Monitor traffic management initiatives issued throughout the system for effectiveness and take action to modify or cancel traffic management initiatives, when appropriate.

Serve as the final approving authority for all inter-facility traffic management initiatives

All field traffic management units (TMUs) report to and assist the national Command Centers with ensuring system safety, efficiency, and effectiveness.




In day-to-day operations, and in most circumstances:

Enroute Center TMUs coordinate through the national Command Center to implement traffic management initiatives that impact adjoining enroute centers.

Approach Control TMUs coordinate traffic management initiatives through the overlying Enroute Center.

Control Tower TMUs coordinate traffic management initiatives through the overlying Approach Control TMU.



The national Command Center, however, has the authority to coordinate directly with the TMUs at Enroute centers, Approach Controls, and Control Towers.

Based on a bilateral agreement with NAVCANADA, the NOC serves as the sole point of contact with the ATCSCC for the coordination of cross-border ATFM initiatives between Canada and the United States.

Based on a bilateral agreement with SENEAM, the CCFMEX serves as the sole point of contact with the ATCSCC for the coordination of cross-border ATFM initiatives between Mexico and the United States.

4. Equipment and Personnel Requirements for FMU/FMP and the Centralized ATFM

4.1 From the perspective of ATFM developments in the NAM/CAR regions, the equipment and personnel requirements include:

National ATFM Command Center (**CCFMEX**)

Equipment: Enhanced Traffic Management System (ETMS), Flight Schedule Monitor (FSM), conference phone system, access to the internet.

Operational personnel: ATFM Supervisor -- responsible for oversight of the entire ATFM operation. Staffed day and evening shifts.

Enroute Center Traffic Management Unit (**PIARCO ACC, NAV CANADA and FAA**)

Equipment: ETMS, operational phone system, access to the internet, access to live radar data.

Operational personnel: ATFM Supervisor -- responsible for the oversight of the traffic management unit operations and interface with the national Command Center. Traffic Management Coordinator -- interfaces with the operational control room and with delegated approach control TMUs.

Approach Control and Control Tower TMUs (**NAV CANADA and FAA**)

Equipment: ETMS, FSM, operational phone system, access to the internet, access to live radar data.

Operational personnel: ATFM Supervisor -- responsible for the oversight of the traffic management unit operations and interface with the national Command Center. Traffic Management Coordinator -- interfaces with the operational control room and with delegated control tower TMUs.

5. Operational procedures

5.1 Although the NAM/CAR regions air traffic service providers have varying levels of ATFM implementation, the following provides an example of operational procedures in use:

All facility TMUs:

Assist the national Command Center, as directed, to ensure air traffic system efficiency and effectiveness without compromising safety.

Develop directives that address standard operating procedures regarding internal and inter-facility traffic management procedures.

Ensure the TMU is operated during the hours of peak traffic periods and the associated time to complete the logging and reporting requirements.

Coordinate and communicate traffic management initiatives with adjacent TMUs through the national Command Center.

Enter a full description of all traffic management initiatives and actions in the TMU log.

Ensure air traffic delays are reported in accordance with national directives.

Report all known equipment outages that could have an impact on the national system.

Enroute Center TMUs

Actively utilize the Traffic Situation Display and the monitor and alert function of ETMS to adjust enroute sector traffic flows on a proactive basis.

In conjunction with Terminal TMUs, develop arrival strategies and deliver arrival aircraft to achieve the aerodrome acceptance rate (AAR).

Designate a traffic management representative to serve as an interface with the facility Weather Service Unit.

Establish an analysis and quality assurance function.

Approach Control and Control Tower TMUs

Balance the arrival flow and tower enroute flow by coordinating with the Enroute Center TMU and any adjoining Approach Control TMUs to ensure that demand does not exceed capacity.

Establish the AAR and coordinate with the Enroute Center TMU and any adjoining Approach Control TMUs to meet the rate.

Manage departure fix balancing to ensure sector efficiency entering the next facility's airspace.

Implement gate hold procedures as required to manage airport surface congestion.

Analyze and review traffic management procedures to ensure effectiveness and adherence to national programs.