

1 Introduction

- 1.1 With respect to the Mode S transponder capability of aircraft operating in the Region, States, Territories and International Organizations should apply the procedure established by ICAO for aircraft identification [Assignment of 24-bits aircraft addresses as stipulated in Annex 10, Volume III, Part I, Appendix to Chapter 9 (*Global Plan for the allocation, assignment and application of aircraft addresses*)], considering that it would be beneficial to implement national data bases containing standardized information on aircraft with assigned 24-bits s addresses, which would give surveillance service providers updated aircraft identification information, especially for radar processing systems.
- 1.2 In this regard, these guidelines are drafted to help AFI States, Territories and International Organizations standardize 24-bits s address assignment registration information for the identification of aircraft with Mode S transponders.

2 Guidelines and considerations for standardized registration of aircraft with Mode S transponders

Concept of the 24-bits address

- **2.1** ICAO 24-bits address: Each aircraft will be identified unequivocally through an invariable 24-bits identifier assigned by the State where an aircraft is registered in accordance with standards established by ICAO for Mode S transponders. Mode S transponders with their 24-bits addresses are oriented towards the application of ACAS, ELT, SSR Mode S, and ATN with VDL, AMSS, and other functions.
- 2.2 The aircraft address will be one of the 16,777,214 24-bits aircraft addresses allocated by ICAO to the State of Registry or the common mark registering authority and assigned as indicated in the procedure detailed in Annex 10, Volume III, Part I, Chapter 9. The 24-bits aircraft addresses should be assigned and applied in accordance with the guidelines contained in this procedure.

Procedure for assigning 24-bits aircraft addresses (Ref.: Annex 10, Volume III, Part I, Chapter 9)

- **2.3** Global plan for the allocation, assignment and application of aircraft addresses: The use of global communications, navigation and surveillance systems will be based on the assignment of exclusive 24-bits aircraft addresses. In no case will an aircraft address be assigned to more than one aircraft.
- **2.4 Appendix A** to this paper lists the consecutive address blocks available to States for assignment to aircraft. Each block is defined based on a fixed pattern of the first 4, 6, 9, 12 or 14 bits of the 24-bits address. Accordingly, blocks can be of different sizes (1 048 576, 262 144, 32 768, 4 096 and 1 024 consecutive addresses, respectively).

ICAO will manage the plan to maintain appropriate international distribution of aircraft addresses.

- 2.5 As explained in detail in the procedure, the relevant State of Registry or common mark registering authority will assign aircraft unique addresses within each block when required for use by duly equipped aircraft registered in a national or international registry. That assigned address will be a part of the aircraft registry and should not represent another different registry, and for purposes of its use by surveillance service providers, this updated aircraft identification information should come from this registry or be directly associated with it to avoid duplication of information or use of information that is out of date.
- 2.6 Address assignment may be sequential within the corresponding range or based on the use of a particular criterion by the State or authority responsible for the registry, the important fact being that only one 24-bits address will be assigned to each aircraft. Special care must be taken when an address is released for reassignment.

2.7 At least the following fields should be associated with each address assigned within the aircraft registry:

Aircraft data:

- 1) Nationality
- 2) Brand/manufacturer
- 3) Model
- 4) Registration
- 5) Aircraft serial number

Address assignment:

The 24-bits address assigned, expressed in binary/octal/hexadecimal format

Control and follow-up data:

- 1) Date of registry (date on which the 24-bits address was assigned)
- 2) Date of de-registry (date on which the assigned address ceased to be used)
- 2.8 These data in the Aircraft Registry can be associated with other information like aircraft owner, contact data of the owner, Mode S transponder data (manufacturer, model, serial number, part number), type of authorized operations, control data (party applying, party assigning, date of application, etc.).
- 2.9 As an assignment control and verification measure, it would be advisable for these addresses to be verified periodically, either through field monitoring or by using ramp tests. These verifications should also be made following a major maintenance check or when an aircraft has changed its registry, to ensure that the new addresses assigned have been properly configured.
- **2.10** It should be noted that there are occasions when aircraft show an incorrect 24-bits address due to its installation or internal lay within the aircraft itself. This can occur not only during the first installation of a Mode S transponder, but also when a major modification is made to the Mode S equipment, followed by a change in registry. Incorrect installation, such as the setting of the address to all zeros or an inadvertent duplication of an address can represent a flight safety risk. The ACAS II system, in particular, operates on the assumption that each aircraft has a single unique 24-bits address. An incorrect or duplicated aircraft address can seriously degrade ACAS II performance and in some cases even disable it, as well as degrade the efficiency of Mode S radar-based surveillance services.
- **2.11** States and Territories should notify their users through appropriate publications about the criteria and considerations for the assignment, registry, and reporting of these addresses. **Appendix B** to this working paper offers a model of AIC in this regard.
- **2.12** This information on the assignment of 24-bits addresses should be available to users and contained in the aircraft registry database maintained by the State or the respective authority.

APPENDIX A

Table 9-1. Allocation of aircraft addresses to States

Note.— The left-hand column of the 24-bits address patterns represents the most significant bit (MSB) of the address.

		Numbe	r of addre	esses in blo	ck						
Come	1 024	4 096	32 768	262 144	1 048 576			Allocation of			
State							dash re	presents a	bit value e	qual to	0 or 1)
Afghanistan		*				0111	0 0	000	000		
Albania	*					0101	0 0	000	001	0 0	
Algeria			*			0000	10	100			
Angola		*				0000	10	010	000		
Antigua and Barbuda	*					0000	1 1	0 0 1	010	0 0	
Argentina				*		1110	0 0				
Armenia	*					0110	0 0	000	000	0 0	
Australia				*		0 1 1 1	1 1				
Austria			*			0100	0 1	000			
Azerbaijan	*					0110	0 0	000	000	10	
Bahamas		*				0000	10	101	000		
Bahrain		*				$1\ 0\ 0\ 0$	10	010	100		
Bangladesh		*				0 1 1 1	0 0	000	010		
Barbados	*					$0\ 0\ 0\ 0$	10	101	010	0 0	
Belarus	*					0101	0 0	010	000	0 0	
Belgium			*			0100	0 1	0 0 1			
Belize	*					0000	10	101	0 1 1	0 0	
Benin	*					0000	10	010	100	0 0	
Bhutan	*					0110	10	000	000	0 0	
Bolivia		*				1110	10	010	100		
Bosnia and Herzegovina	*					0101	0 0	010	011	0 0	
Botswana	*					$0\ 0\ 0\ 0$	0 0	110	000	0 0	
Brazil				*		1110	0 1				
Brunei Darussalam	*					1000	10	010	1 0 1	0 0	
Bulgaria			*			0100	0 1	010			
Burkina Faso		*				0000	10	0 1 1	100		
Burundi		*				0000	0 0	110	010		
Cambodia		*				0 1 1 1	0 0	0 0 1	110		
Cameroon		*				0000	0 0	1 1 0	100		
Canada				*		1100	0.0				

*					0000	10	010	110	0.0	
	*				0000	0 1	101	100		
	*				0000	10	000	100		
	*				1110	10	000	000		
			*		0 1 1 1	10				
	*				0000	1.0	1.0.1	100		
*					0000	0 0	110	101	0 0	
	*				0000	0 0	110	110		
*					1001	0 0	000	0 0 1	0 0	
	*				0000	10	101	110		
	*				0000	0 0	111	000		
*					0101	0 0	000	0 0 1	1 1	
	*				0000	10	110	000		
*					0100	1 1	0 0 1	000	0 0	
		*			0100	10	0 1 1			
	*	* * * * * * *	* * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * *

- A2 -

Annex 10 — Aeronautical Communications Volume III

		r of addre	esses in blo	ock							
State	1 024	4 096	32 768	262 144	1 048 576			Allocation e presents a			
Democratic People's Republic of Korea			*			0111	0 0	100			
Democratic Republic of the Congo		*				0000	10	0 0 1	100		
Denmark			*			0100	0 1	0 1 1			
Djibouti	*					0000	10	0 1 1	0 0 0	0 0	
Dominican Republic		*				0000	1 1	0 0 0	100		
Ecuador		*				1110	10	000	100		
Egypt			*			0000	0 0	010			
El Salvador		*				0000	10	110	010		
Equatorial Guinea		*				0000	0 1	000	010		
Eritrea	*					0010	0 0	000	010	0 0	
Estonia	*					0101	0 0	010	0 0 1	0 0	
Ethiopia		*				0000	0 1	000	000		
Fiji		*				1100	10	0 0 1	000		
Finland			*			0100	0 1	100			
France				*		0011	10				
Gabon		*				0000	0 0	111	110		
Gambia		*				0000	10	011	010		
Georgia	*					0101	0 0	010	100	0 0	
Germany				*		0011	1 1				

Part I							Annex	IU-A	eronai	ıtical Communi
Ghana		*			0000	0 1	000	100		
Greece			*		0100	0 1	101			
	*									
Grenada	*	at.			0000	11	001	100	0 0	
Guatemala		*			0000	10	110	100		
Guinea		*			0000	0 1	0 0 0	110		
Guinea-Bissau	*				0000	0 1	0 0 1	0 0 0	0 0	
Guyana		*			0000	10	110	110		
Haiti		*			0000	10	111	000		
Honduras		*			0000	10	111	010		
Hungary			*		0100	0 1	110			
Iceland		*			0100	1 1	0 0 1	100		
India				*	1000	0 0				
Indonesia			*		1000	10	100			
Iran, Islamic Republic of			*		0111	0 0	110			
Iraq			*		0111	0 0	101			
Ireland		*			0100	1 1	0 0 1	010		
Israel			*		0111	0 0	111			
Italy				*	0011	0 0				
Jamaica		*			0000	10	111	110		
Japan				*	1000	0 1				
Jordan			*		0111	0 1	0 0 0			
V1-1	*				0.1.1.0	1.0	0.00	0.1.1	0.0	
Kazakhstan	~				0110	10	000	011	0 0	
Kenya		*			0000	0 1	0 0 1	100		
Kiribati	*				1100	10	0 0 1	110	0 0	
Kuwait		*			0 1 1 1	0 0	0 0 0	110		
Kyrgyzstan	*				0110	0 0	0 0 0	0 0 1	0 0	
Lao People's Democratic Republic		*			0111	0 0	0 0 1	000		
Latvia	*				0101	0 0	000	010	1 1	

- A3 -

		Numbe	r of addre	esses in blo	ock						
State	1 024	4 096	32 768	262 144	1 048 576				of blocks of bit value e		,
Lebanon			*			0111	0 1	0 0 1			
Lesotho	*					0000	0 1	0 0 1	010	0 0	
Liberia		*				0000	0 1	010	000		

Libyan Arab Jamahiriya			*	0.00	0.0	0 1 1			
Lithuania	*			0 1 0	0 0	0 0 0	0 1 1	1 1	
Luxembourg	*			010	0 0 1 1	010	000	0 0	
Madagascar		*		000	0 0 0 1	010	100		
Malawi		*		000	0 0 0 1	0 1 1	000		
Malaysia			*	0.1	1 01	010			
Maldives	*			000	0 0 0 1	0 1 1	010	0 0	
Mali		*		000	0 0 0 1	0 1 1	100		
Malta	*			0 1 0	0 0 1 1	010	010	0 0	
Marshall Islands	*			100	0 0	000	000	0 0	
Mauritania	*			000	00 01	011	110	0 0	
Mauritius	*			000		100	000	0 0	
Mexico			*	000		010			
Micronesia, Federated	*			011		000	0 0 1	0 0	
States of					. 5 10	000	001	0.0	_ _
Monaco	*			010	0 0 1 1	010	100	0 0	
Mongolia	*			0.1	0 10	000	010	0 0	
Morocco			*	000	0 0 0 0	100			
Mozambique		*		000		000	110		
Myanmar		*		011		000	100		
Namibia	*			00		000	0 0 1	0 0	
Nauru	*			110	0 0 1 0	0 0 1	010	0 0	
Nepal		*		0.1	1 00	0 0 1	010		
Netherlands, Kingdom of the			*	010	0 0 1 0	000			
New Zealand			*	110	0 0 1 0	0 0 0			
Nicaragua		*		000	0 0 1 1	000	000		
Niger Nigeria		*		000		1 0 0 1 0 0	$0\ 1\ 0$ $1\ 0\ 0$		
Nigeria			*						
Norway	*		*1*	010		111	1.0.0		
Oman	ጥ		*	011		001	100	0 0	
Pakistan			*	011	1 01	100			
Palau	*			0.1	0 10	000	100	0 0	
Panama		*		000	0 0 1 1	000	010		
Papua New Guinea		*		100	0 0 1 0	011	000		
Paraguay		*		111	0 10	0 0 1	000		
Peru		*		111	0 10	0 0 1	100		
Philippines Poland			*	011		0 1 1 0 0 1			
Portugal			*	010		010			
_	*		·						
Qatar	•			0.00	0 0 0 1	101	010	0.0	

Part I

Republic of Korea			*		0 1 1 1	0 0	0 1 1			
Republic of Moldova	*				0101	0 0	000	100	1 1	
Romania			*		0100	10	100			
Russian Federation				*	0001					
Rwanda		*			0000	0 1	101	110		
Saint Lucia	*				1100	10	0 0 1	100	0 0	

- A4 -

Annex 10 — Aeronautical Communications Volume III

		Numbe	r of addre	esses in blo	ock							
G	1 024	4 096	32 768	262 144	1 048 576	Allocation of blocks of addresses (a dash represents a bit value equal to 0 or 1)						
State							dash re	presents a	bit value e	equal to	0 or 1)	
Saint Vincent and the Grenadines	*					0000	10	111	100	0 0		
Samoa	*					1001	0 0	000	010	0.0		
San Marino	*					0 1 0 1	0 0	000	000	0 0		
Sao Tome and Principe	*					$0\ 0\ 0\ 0$	10	0 1 1	110	0.0		
Saudi Arabia			*			0 1 1 1	0 0	010				
Senegal		*				0000	0 1	110	000			
Seychelles	*					0000	0 1	110	100	0 0		
Sierra Leone	*					0000	0 1	110	110	0 0		
Singapore			*			0 1 1 1	0 1	101				
Slovakia	*					0101	0 0	000	1 0 1	11		
Slovenia	*					0101	0 0	000	110	11		
Solomon Islands	*					1000	10	010	111	0 0		
Somalia		*				0000	0 1	111	000			
South Africa			*			0000	0 0	001				
Spain				*		0 0 1 1	0 1					
Sri Lanka			*			0111	0 1	110				
Sudan		*				0000	0 1	111	100			
Suriname		*				$0\ 0\ 0\ 0$	1 1	0 0 1	000			
Swaziland	*					0000	0 1	111	010	0 0		
Sweden			*			0100	10	101				
Switzerland			*			0100	10	110				
Syrian Arab Republic			*			0 1 1 1	0 1	111				
Tajikistan	*					0101	0 0	010	1 0 1	0 0		
Thailand			*			1000	10	000				
The former Yugoslav Republic of Macedonia	*					0101	0 0	010	010	0 0		
Togo		*				0000	10	0 0 1	000			

Tonga	*					1100	10	0 0 1	101	0.0	
Trinidad and Tobago		*				0000	1 1	000	110		
Tunisia			*			0000	0 0	101			
Turkey			*			0100	10	111			
Turkmenistan	*					0110	0 0	000	0 0 1	10	
Uganda		*				0000	0 1	1 0 1	000		
Ukraine			*			0101	0 0	0 0 1			
United Arab Emirates		*				1000	10	010	110		
United Kingdom				*		0100	0 0				
United Republic of Tanzania United States		*			*	0000	10	000	000		
Uruguay		*				1110	10	010	000		
Uzbekistan	*					0101	0 0	000	111	1 1	
Vanuatu	*					1100	10	010	000	0 0	
Venezuela			*			0000	1 1	0 1 1			
Viet Nam			*			1000	10	0 0 1			
Yemen		*				1000	10	010	000		
Yugoslavia			*			0100	11	000			
Zambia		*				0000	10	001	010		
Zimbabwe	*					0000	0.0	000	100	0.0	

- A5 -

		Numbe	r of addre	esses in blo	ock						
State	1 024	4 096	32 768	262 144	1 048 576			Allocation o			
Other allocations							0 0	000			
			*			1111					
ICAO ¹	*					1000	1.0	0.1.1	0.0.1	0.0	
ICAO ²	*					1000	10	0 1 1	0 0 1	0 0	
ICAO ²	*					1111	0.0	0 0 1	0 0 1	0.0	

^{1.} ICAO administers this block for assigning temporary aircraft addresses as described in section 7.

^{2.} Block allocated for special use in the interest of flight safety.

APPENDIX B

SAMPLE AERONAUTICAL INFORMATION CIRCULAR (AIC) RECOMMENDED TEXT OF STATE AIC

Notes	ICAO 24-bits Aircraft Addresses and Aircraft Identification Reporting
1. State to insert date	1 INTRODUCTION
and reference of last circular issued for Mode S Surveillance, if applicable.	1.1 The provision of air traffic services (ATS) using SSR Mode S will rely on a unique ICAO 24-bits aircraft address for selective interrogation of individual aircraft. The 24-bits aircraft address is also an essential element of the airborne collision and avoidance system, ACAS II. In addition, Mode S surveillance requires the reporting of aircraft identification as stated in previous circulars concerning Mode S airborne equipment requirements. (note 1).
	The aircraft address shall be one of 16 777 214 twenty-four-bit aircraft addresses allocated by ICAO to the State of Registry or common mark registering authority and assigned as prescribed in the Appendix to Chapter 9, Part I, Volume III, ICAO Annex 10.
	All Mode S equipped aircraft engaged in international civil aviation are required to have an aircraft identification feature as prescribed in ICAO Annex 10, Volume IV, Chapter 2, 2.1.5.2. 1.4 This circular provides guidance to ensure consistency regarding 24-bits aircraft addresses and the reporting of aircraft identification relevant to the operational introduction of Mode S Elementary and Enhanced Surveillance. In particular:
	 a) Adherence to the world-wide scheme for assignment of ICAO 24-bits Aircraft Addresses. b) Correct setting of Aircraft Identification by flight crew. THE ICAO 24-bits AIRCRAFT ADDRESS
	2.1 Instances occur of incorrect 24-bits aircraft addresses being installed/hard-wired on individual aircraft. This has happened not only on first installation of a Mode S transponder but also when a major modification has been made to the Mode S equipment and following a change of State of Registration. Incorrect installation, such as setting the address to all zeros, or inadvertent duplication of an address can pose a severe risk to flight safety. In particular, the airborne collision avoidance system, ACAS II, performs on the assumption that only a single, unique 24-bits aircraft address per airframe exists. The performance of ACAS II can be seriously degraded and, in some instances, disabled if an incorrect or duplicate address is installed on an aircraft.
	Incorrect or duplicated 24-bits aircraft addresses will also undermine the effectiveness of surveillance services based on SSR Mode S. 2.3
2. Insert name of State and title of applicable	It is essential that aircraft operators comply with the aircraft address assignment procedures of the State regulatory authority to which blocks of addresses have been allocated by ICAO (note 2). 2.4
organisation responsible for 24-bits aircraft address assignment	The world-wide addressing scheme has been designed so that, at any one time, no address is assigned to more than one aircraft. Only one address can be assigned to an aircraft and it cannot be changed except under exceptional circumstances authorized by the State regulatory authority concerned.
	2.5 When an aircraft changes its State of Registry, the previously assigned address is to be relinquished and a new address assigned by the new registering

Notes		ICAO 24-bits Aircraft Addresses and Aircraft Identification Reporting
		authority.
	2.6	It is essential that the aircraft address is periodically verified using ramp tests. Such checks must also be conducted when a major maintenance check has taken place and when the aircraft has changed registration, to ensure that a newly assigned address has been properly set.
	3	CORRECT SETTING OF AIRCRAFT IDENTIFICATION
	3.1	To comply with European airborne equipment requirements, Mode S transponder equipped aircraft must incorporate an Aircraft Identification Feature. Correct setting of aircraft identification is essential for the correlation of radar tracks with flight plan data in the ATM and Airport Operator ground systems. Initial operational trials using SSR Mode S have shown that many aircraft are transmitting incorrect aircraft identification, e.g. BC_1234 instead of ABC1234. Such erroneous settings of aircraft identification prohibit automatic flight plan correlation and, if perpetuated, will severely limit the effectiveness of Mode S to relieve the shortage of SSR codes.
	3.2	In accordance with ICAO Doc 8168 [PANS-OPS] Vol. I, Part VIII, 1.3, flight crew of aircraft equipped with Mode S having an aircraft identification feature shall set the aircraft identification in the transponder. This setting shall correspond to the aircraft identification specified in item 7 of the ICAO flight plan, or, if no flight plan has been filed, the aircraft registration.
	3.3	Aircraft Identification, not exceeding 7 characters is to be entered in item 7 of the flight plan and set in the aircraft as follows:
		Either,
		a) The ICAO three-letter designator for the aircraft operating agency followed by the flight identification (e.g. KLM511, BAW213, JTR25), when:
		in radiotelephony the callsign used consists of the ICAO telephony designator for the operating agency followed by the flight identification (e.g. KLM 511, SPEEDBIRD 213, HERBIE 25).
		Or,
		b) The registration marking of the aircraft (e.g. EIAKO, 4XBCD, OOTEK), when:
		1) in radiotelephony the callsign used consists of the registration marking alone (e.g. EIAKO), or preceded by the ICAO telephony designator for the operating agency (e.g. SVENAIR EIAKO), 2) the aircraft is not equipped with radio.
		Note 1 No zeros, dashes or spaces are to be added when the Aircraft Identification consists of less than 7 characters.
		Note 2 Appendix 2 to ICAO Doc 4444 [PANS-ATM], refers. ICAO designators and telephony designators for aircraft operating agencies are contained in ICAO Doc 8585.
	4	FURTHER INFORMATION
		Further information or guidance may be obtained from
3. State to insert local points of contact		CAAs contact information or Website