

INTERNATIONAL CIVIL AVIATION ORGANIZATION

# TWENTY SEVENTH MEETING OF THE ASIA/PACIFIC AIR NAVIGATION PLANNING AND IMPLEMENTATION REGIONAL GROUP (APANPIRG/27)

Bangkok, Thailand, 5 to 8 September 2016

Agenda Item 3: Performance Framework for Regional Air Navigation Planning and

**Implementation** 

3.4: CNS

# A PROPOSAL TO DEVELOPMENT FOR THE GUIDANCE MATERIAL OF CERTIFICATION & DEVELOPMENT PROCEDURES ON CNS/ATM SYSTEMS

(Presented by Republic of Korea)

### **SUMMARY**

With the technology development and diversification of the Communications, Navigation and Surveillance/Air Traffic Management (CNS/ATM) systems, the certification such as safety and compatibility has become important. Therefore, it is recommended that ICAO establish the guidance material to certification & development procedures to assist the Member States. In this paper, development for the guidance material of the certification and development procedures for the international application on the CNS/ATM systems is proposed.

Strategic Objectives:

A: Safety – Enhance global civil aviation safety

#### 1. INTRODUCTION

- 1.1 It is important to operate safe and reliable CNS/ATM systems for the safe navigation of airplanes. Today, ICAO Annex 10 and Doc 8071 address international standard and manual on the technology and performance test. However, as there are no internationally recognizable development and certification procedures in the CNS/ATM systems like the aircraft certification, the CNS/ATM systems certified in the exporting countries should get a new certification for operation in accordance with the certification procedures and criteria of the importing countries. Maybe, it is a burden for the equipment developer without having internationally recognized development and certification process.
- 1.2 It is important for the modern complex and advanced systems to have the safety, consistency and compatibility for the performance certification. In addition, the CNS/ATM systems are facilities used by aircrafts. Today, a number of member states as well as the Republic of Korea develop their own CNS/ATM systems or importing from other countries. A few states require to get the certification from their approval authority and only the certified equipment can be installed for operation.

#### 2. DISCUSSION

- 2.1 Currently, a few of member states may have many difficulty to develop own procedures for certification on CNS/ATM systems from the absence of ICAO guidance material. Therefore, it is necessary that ICAO consider to develop the guidance material with internationally recognizable certification and development procedures for the developers and the authorities.
- 2.2 The main contents certifying CNS/ATM systems may be composed of, at first, designing to satisfy requirements for suitable equipment, second, developing in proportion to design assurance level, third, satisfying system performance requirements of developed equipment.
- 2.3 The recognizable processes to system certification & development may include:
  - a) Safety inspection of equipment
  - b) Inspection of related matters such as requirement
  - c) Inspection of the suitability for test procedure, test procedure and test results
  - d) Inspection of software development and design assurance system
  - e) Inspection of hardware development and design assurance system
  - f) Inspection of user manual
  - g) Inspection of education, training and data
- 2.4 In accordance with ICAO guidance material, the member states can adopt and apply in the process of certification and development on CNS/ATM systems which will lead to improving the aviation safety and reliability. And it can be reduced the trial and errors for the certification authorities and manufacturers.
- 2.5 In addition, it brings the simplification of the certification process and cost-effective and time saving for the certification based on the trust among Member States.

#### 3. ACTION BY THE MEETING

- 3.1 The Meeting is invited to:
  - a) Note the information contained in this paper;
  - b) Consider that the ICAO develops the guidance material of certification and development on CNS/ATM systems.

#### **REFERENCE**

ICAO Annex 10 Volume I Radio Navigation Aids

ICAO Annex 10 Volume III Communications Systems

ICAO Annex 10 Volume VI Surveillance Radar and Collision Avoidance Systems

ICAO Doc.8071 Manual on Testing of Radio Navigation Aids

SAE ARP-4754 /4761

EUROCAE ED-79A/ ED-135

RTCA DO-278A/178C/254

EUROCAE ED-109/ED-12C/ED-80

SAE ARP-4754 / EUROCAE ED-79A Guidelines for Development of Civil Aircraft and Systems

SAE ARP-4761/EUROCAE ED-135 Guidelines and Methods for Conducting the Safety Assessment Process on Civil Airborne Systems and Equipment

RTCA DO-278A Guidelines for Communication, Navigation, Surveillance and Air Traffic Management (CNS/ATM) Systems Software Integrity Assurance

RTCA DO-178C/EUROCAE ED-12C Software Considerations in Airborne Systems and Equipment Certification

EUROCAE ED-109 Software Integrity Assurance Considerations for Communication, Navigation, Surveillance and Air Traffic Management (CNS/ATM) Systems

RTCA DO-254/EUROCAE ED-80 Design Assurance Guidance for Airborne Electronic Hardware

\_\_ \_ \_ \_ \_ \_ \_ \_ \_

#### Attachment A

## Detailed description of paragraph 2.3 for inspection procedures

a) <u>Safety inspection of equipment</u>: The certification authority shall confirm safety level by checking its safety assessment process and safety result report submitted by developer.

Inspection Items	Inspection Contents
Hazard evaluation	It should be hazard elements identified and defined for the failure of the
system functions	system function.
Safety assessment of	Safety requirements for all items constituting a system based on the results
backup system	of its elements evaluation for system function are identified and defined.
System safety	Developed system should satisfy all safety requirements.
assessment	
Analysis of failure	The influences of impact on system configuration and system by failure of
mode effect	function are analysis and quantifiable.
Analysis of common	The safety analysis of the failure broken by external factors, independent
factor	area and common factor should be analysis.

**b)** Inspection of items associated requirements: The certification authority shall perform the inspection on document of requirement for equipment, configuration management, validation request, equipment list, development plan, hardware and software composition, result of equipment demonstrated, equipment design and date of production approval.

Inspection Items	Inspection Contents
Verification of system	System development and integration process shall be defines the conditions
development plan	and verified completion of the criteria and activities.
System requirement	System requirement should be defines the considerations of architecture, software and hardware interface and include all the functional requirements of the subsystems
Definition of safety	The results of the safety assessment should be quantified and analyzed safety assessments consist of FHA, FTA, FMEA, CCA.
Design of system architecture	The design considerations for the configuration of subsystems, interfaces, constraints should be defined and possible to verify.
System implementation	System should be implemented to meet the functional and safety requirements. Also, it should be considered countermeasures for the exception and demonstrated the test procedures.
System safety	SSA should be defined in the procedure and method and analyzed
assessment	quantifying evaluation results.
Configuration management	Configuration management should be defined configuration item, properly managed baseline and record configuration management history. Also, it should be systematically managed to configuration change, recovery and release.
Operational test and evaluation	The operation testing procedures and standards are developed consistently in the software development life cycle, the verification is possible, quantify the results of the evaluation shall be analyzed.
Access control	The access control should be established policy including access control area, scope, rules and methods. Therefore, the unauthorized access should be controlled.
Audit record	Audit log for access to the track should be recorded
Data management	It should be safely managed data using a technique such as a transport and storage of the encrypted sensitive data.

Integrity	Integrity for the data should be ensured by using a technique such as method of protection data against forgery when data transmission and reception.
Enhanced security	It is should be established security measures for security vulnerabilities.

c) <u>Inspections of the propriety of test results and procedure</u>: The certification authorities should identify Standard test evaluation document, test evaluation document, exemptions and mitigation document, compliance certification document, Flight tests result documents submitted by the applicant.

Inspection Items	Inspection Contents
Interoperability	It should be defined the necessary standards and requirements for
requirements definition	interoperability with other aircraft or facilities.
Interoperability Test	It should be established the plan of the testing items, environments,
and Evaluation Plan	schedules, etc. in accordance with the interoperability requirement.
Interoperability Test	It should comply with the interoperability tests and conduct an evaluation
and evaluation	test in accordance with test and evaluation plan.
Miscellaneous requirements for test evaluation	Test and evaluation of the requirements should be defined in order to properly operate CNS/ATM except for the minimum performance, interoperability, security. Then, the test results should be operating normally.

**d)** Inspection of software development and design assurance system: The certification authority shall ensure a system of software development and design assurance upon result of standard test evaluation for software approval and standard evaluation for software test and assessment submitted by developer.

Inspection Items	Inspection Contents
Software development process	Software life cycle processes completed by activity, completion conditions and development/verification environment shall be defined.
Software requirements definition	High-level requirements are produced through analysis of system requirements, accuracy, standards compliance, and object equipment can be verified, and algorithm shall be accurate
Software design	The architecture and lower-level requirements correspond to higher-level requirement, accuracy, standards compliance, and object equipment can be verified, algorithm shall be accurate, and architecture shell designed exactly.
Software coding and integration	The source code requirements correspond to lower-level requirements and architecture, accuracy, standards compliance, and object equipment can be verified, and software development file and validated data shall be correct.
Software testing	The file permissions correspond to lower-level and high-level requirements, the test procedure and the results are correct, and test coverage standards for system shall be defined and corrected.
Software configuration management	The configuration is defined, baseline managed properly, the configuration management have recorded, and the systematic control about change, repair and distribution of configuration should be made.
Software quality assurance	The quality assurance activity is carried out as planned, evaluated and supplemented to the defined step-by-step completion condition.

e) <u>Inspections of hardware and design assurance</u>: The certification authority shall ensure a system of hardware development and design assurance upon result of standard test evaluation for H/W approval and standard evaluation for hardware test and assessment submitted by developer.

Inspection Items	Inspection Contents
Planning	It should be defined The hardware lifecycle and process-specific activity, step completion conditions, development / verification environment.
Requirements definition	It should be defined only hardware requirements and should be reflected in the safety assessment.
Preliminary design or concept design	It should be verified design and review results based on the requirement and provided with a solution according to the requirements of error and omission.
Critical design	It should be reflected Preliminary design and hardware considerations, and provided with a solution according to the requirements of error and omission and verified design and review results based on the requirement.
Development	It should be reflected sufficient for critical design, and provided in development, installation and assembling the data.
Production conversion	It should be reflected design result of the hardware components, and established sufficiently the production requirements and the manufacturing procedure related to the safety.
Hardware verification	The result of safety analysis should be reflected in the hardware components that is shall be fully. Also. Hardware verification should be defined to develop evidence and arguments that guarantee test criteria based on the requirements.
Configuration management	It should be systematically managed to change shape, recovery and distribution, and defined configuration management item and history record.
Quality Assurance	It should be conducted acceptance test to verify whether the conditions to satisfy the complete step-by-step, maintained the results, and carried out level of quality assurance activities.

f) <u>Inspection of user manual</u>: The certification authority shall ensure a user manual upon instruction manual submitted of installation and operation.

Inspection Item	Inspection Content
Guideline	The document such as instructions for use and maintenance instructions should
provision	provide for normal operation of CNS/ATM system.

g) <u>Inspection of training and data for education</u>: The certification authority shall ensure appropriate and adequate training has been accomplished upon training data submitted.

Inspection Item	Inspection Content
Guideline	The document such as related training materials should provide for normal
provision	operation of CNS/ATM system.