



International Civil Aviation Organization

**MIDANPIRG Meteorology Sub-Group
Seventh Meeting (MET SG/7)**

(Cairo, Egypt, 14-16 November 2017)

**Agenda Item 4.3: Review of Requirements for OPMET Data and Status of
Implementation of a Regional OPMET Centre (ROC) Jeddah and
back-up ROC Bahrain as well as IWXXM Implementation**

GUIDELINES FOR THE IMPLEMENTATION OF OPMET DATA EXCHANGE USING IWXXM

(Presented by the Secretariat)

SUMMARY

This paper proposes endorsing the document *Guidelines for the Implementation of OPMET data exchange using IWXXM* as MID Regional Guidance Material.

Action by the meeting is at paragraph 3.

1. INTRODUCTION

1.1 The meeting may recall that the Second Meeting of the Meteorology Panel (METP/2) held in Montréal from 17 to 21 October 2016 recommended the guidance document “Guidelines for the Implementation of OPMET data exchange using IWXXM” be endorsed and recommended as guidance for Planning and Implementation Groups (PIRGs) (Recommendation 5/5).

1.2 The guidance document was developed to:

- establish the purpose of transiting to IWXXM;
- describe current operations and capabilities, including the definition of data producers, National OPMET Centres, Regional OPMET Centres and Interregional OPMET Gateways;
- describe the changes required;
- propose the service concept including specifying the Operating Principles and making recommendations;
- elaborate on functional requirements in the form of a Framework; and
- express the requirements for successful transition, in three proposed phases.

2. DISCUSSION

2.1 This document is maintained by the Meteorology Panel (METP) Working Group on Meteorological Information Exchange (WG-MIE) and updates will be promulgated to the Regions when appropriate.

2.2 The meeting is invited to review and endorse the document at **Appendix A** to facilitate implementing IWXXM. Given the above, the following Draft Conclusion is proposed:

***DRAFT CONCLUSION 7/XX: GUIDELINES FOR THE IMPLEMENTATION OF OPMET
DATA EXCHANGE USING IWXXM***

That the "Guidelines for the Implementation of OPMET data exchange using IWXXM" at Appendix A is endorsed and be published as MID Doc 010.

3. ACTION BY THE MEETING

3.1 The meeting is invited to:

- a) note the contents in this paper; and
- b) endorse the Draft Conclusion in paragraph 2.2.

International Civil Aviation Organization



Guidelines for the Implementation of OPMET Data Exchange using IWXXM (MID Doc 010)

Third Edition - 2017

EDITION DATE 23/09/2017

EDITION DATE 23/09/2017

TABLE of CONTENT	2
TABLE of FIGURES	3
1 Introduction	3
1.1 Purpose	3
1.2 Background	3
1.3 Intended Audience	4
2 Current Operations and Capabilities	4
2.1 Current Capabilities	4
2.2 Data Producer/Originating Unit	4
2.3 Data Aggregator	4
2.4 Data Switch	4
2.5 National OPMET Centre (NOC)	5
2.6 Regional OPMET Centre (ROC)	5
2.7 Interregional OPMET Gateway (IROG)	5
2.8 International OPMET Databank	5
3 Description of changes	6
4 Proposed service concept	6
4.1 Operating principles	6
4.1.1 Managing the transition	7
4.1.2 Variances to the IWXXM Model	7
4.1.3 Translation	7
4.1.4 Data collection	7
4.1.5 Transmission & Routing	8
4.1.6 Compliance Testing	8
4.1.7 Databank	8
4.1.8 Aeronautical Information Metadata	9
5 Framework	10
5.1 Functionalities definitions	11
5.1.1 Data Producer/Originating Unit	11
5.1.2 Data Aggregator	11
5.1.3 International functions for Data Translation Centre	12
5.1.4 Data Switch	13
5.1.5 Databank	15
5.2 Regional Centres Definitions	18
5.2.1 National OPMET Centre (NOC)	18

5.2.2	Regional OPMET Centre (ROC)	18
5.2.3	Interregional OPMET Gateway (IROG)	18
5.2.4	Regional OPMET Databank (RODB)	18
6 Requirements to Transition		20
6.1	Phase 1 Pre–Requisites to Transition – until Nov 2016	20
6.2	Phase 2 From Nov 2016 until Amendment 78 applicability date	22
6.3	Phase 3 After Amendment 78 applicability date	25

TABLE of FIGURES

Figure 1: Comparison of IWXXM and TAC Producers	11
Figure 2: Data aggregation.....	12
Figure 3: Data Translator generating IWXXM from TAC	13
Figure 4: Example of showing the aggregation of TAC and IWXXM data.....	15
Figure 5: The implementation of a combined TAC & IWXXM Databank	16
Figure 6: Phase 2, interregional exchange of OPMET with Region 2 (IWXXM & TAC capable) and Region 3 (TAC capable).....	25

1 Introduction

1.1 Purpose

The main intention of this document is to describe the activities relating to the transition of intra- and interregional operational meteorological (OPMET) data exchange in the 2016 to 2020 timeframe. During this period the amendments to ICAO Annex 3, *Meteorological Service for International Air Navigation*, requiring this transition towards digital data exchange will effectively become applicable for the international exchange of OPMET data.

1.2 Background

The bilateral exchange of IWXXM (ICAO Meteorological Information Exchange Model) based information has been introduced in amendment 76 to ICAO Annex 3 from November 2013, enabling States to exchange their OPMET data not only in TAC (Traditional Alphanumeric Code form) but also in Extensible Mark-up Language XML and more precisely geography markup language (GML). This represented the start of a huge change from the provision and exchange of textual OPMET data towards a digital environment supporting SWIM (System Wide Information Management). Since their inception, OPMET data have been promulgated to end systems and they were initially designed to be human readable, with a requirement to be highly compact because of limitations in bandwidth.

The current use of OPMET in a TAC format presents an obstacle to the digital use of the data as it is not geo-referenced. This makes the handling of global data difficult to use correctly and expensive

to maintain, this has been exemplified in significant difficulties during code changes. The current coding practices also present an obstacle to efficient automation as State coding exceptions are quite commonly used.

IWXXM represents the first step to move to an environment where the systems handling this data can make more use of standard applications and techniques. The development of new systems which provide and support digital OPMET requires initial investment but the use of enabling data exchange standards for other domains such as AIXM (Aeronautical Information Exchange Model) and FIXM (Flight Information eXchange Model) along with IWXXM will lead to cost reduction due to the implementation of widely used data modelling techniques including OGC (Open Geospatial Consortium) segments.

Consequently, users are presented with opportunities to create new products at lower cost by fusing this data.

It is essential that the transition towards the use of IWXXM is adequately planned and equipped to make reliable data sets available to users for exploitation as soon as possible at a Regional- and Global-scale. This Concept of Operation provides elements and steps for consideration in achieving that aim by defining common definitions, concepts as well as structured phases to be implemented in relation to the International exchange of OPMET data.

1.3 Intended Audience

This document is intended to be used by centres considering being involved in the exchange of IWXXM data, both within a region and interregionally.

2 Current Operations and Capabilities

2.1 Current Capabilities

The current capabilities are dedicated to Traditional Alphanumeric Code (TAC) data exchange, via the Aeronautical Fixed Service (AFS), primarily the aeronautical fixed telecommunications network through AFTN and AMHS protocols, SADIS and WIFS.

2.2 Data Producer/Originating Unit

The TAC Data Producer provides TAC data only.

2.3 Data Aggregator

The function of the Data Aggregator is to take individual TAC reports and aggregates them into bulletins. Bulletins shall consist of one or more reports of the same type (e.g. METAR).

2.4 Data Switch

A Data Switch will route the data according to the WMO abbreviated header structure, TTAAiiCCCC, of the bulletin. The bulletin header fulfils the regulations described in WMO doc No 386, *Manual on the Global Telecommunication System*.

2.5 National OPMET Centre (NOC)

The role of the NOC is to collect and validate all - international required OPMET messages – required AOP and agreed exchanged non AOP - (refer to the (electronic) Regional Air Navigation Plans) generated by all originating units within a State, to compile national data into bulletins and to distribute them internationally according to the regional distribution schema.

A NOC should perform the following functions:

- Data Aggregator; and
- Data Switch.

2.6 Regional OPMET Centre (ROC)

A ROC is responsible for the collection from NOCs and validation of all required AOP and agreed exchanged non AOP required OPMET data in its area of responsibility (AoR) according to the regional distribution schema.

Each ROC is responsible for the collection of required OPMET data from the other ROCs in the region and the dissemination to the other ROCs of the required data from its AoR.

A ROC should perform the following functions:

- Data Aggregator; and
- Data Switch.

2.7 Interregional OPMET Gateway (IROG)

An IROG is responsible for the collection of all required OPMET data from its interregional area(s) of responsibility (IAoR) and its dissemination to the ROCs in its region.

Furthermore, the IROGs are responsible for collection and dissemination of their region's required AOP and agreed non AOP exchanged OPMET data to their partner IROGs.

The IROG is responsible for the validation of the bulletins sent to the IROGs of its IAoR and received from their IAoR.

For TAC data exchange, an IROG should perform the following functions:

- Data Aggregator; and
- Data Switch.

2.8 International OPMET Databank

An International OPMET Databank provides the capability for users to interrogate TAC data through the AFTN. In some regions the databank is known as a Regional OPMET Databank (RODB).

Operational principles:

- OPMET Databank Requests

- Requests for TAC data can be sent via AFTN. These requests work as described in current Regional OPMET Data Bank (RODB) Interface Control Documents (ICD).
- The above example describes the syntax of TAC requests:
 - “RQM/” is used as the start of the query
 - only the new T₁T₂ message types defined by the World Meteorological Organization (WMO) are allowed
 For example: RQM/SALOWW/WSEBBR/WSLFFF=
 - the request is sent to the AFTN address of the International Databank

- OPMET Databank Replies

- Replies to TAC requests are described in the current RODB Interface Control Documents.
- Reply reports of a request will be aggregated into one or more messages, according to the same rules used by the Data Aggregators, e.g. no mixing of message types in one file.
- The RODB Interface Control Documents should specify a set of standardized information & error replies, specifically when the required data are not defined (example: request for a SIGMET with a wrong location indicator)

3 Description of changes

ICAO Annex 3 defines what IWXXM capability is required at different time frames. These capabilities can also be considered in context of the ICAO SWIM-concept (Doc 10039, *Manual on System Wide Information Management (SWIM) Concept*).

- **Amendment 76** enabled the bilateral exchange of XML data for those States in a position to do so.
- **Amendment 77** recommends the international exchange of XML-formatted METAR/SPECI, TAF, AIRMET and SIGMET from November 2016.
- The **planned Amendment 78** will introduce the requirement for the international exchange of XML-formatted METAR/SPECI, TAF, AIRMET and SIGMET as a standard standard with proposed effect from November 2020 (subject to ANC approval).

Note: The intention of this Guidelines document is not to define Net Centric services but to provide guidance for a swift transition to IWXXM implementation as a first step towards SWIM.

4 Proposed service concept

4.1 Operating principles

This section outlines the general principles for transitioning the international exchange of OPMET data. These principles are still based on continued use of the WMO abbreviated header structure and all participating States using the ICAO Extended AMHS. The intention is to support the different identified phases that will lead to a managed IWXXM based international exchange of METAR/SPECI, TAF, TCA, VAA, AIRMET and SIGMET, Space Weather data by the Amendment 78 to Annex 3 applicability date. This could also support a global implementation of IWXXM exchange by the same date.

4.1.1 Managing the transition

A group responsible for managing the transition will be identified in MID and preferably in each ICAO region for the necessary intra- and inter-regional coordination and should be guided by a global ICAO body with the support of WMO. (**Recommendation 1**)

It is assumed that different regions will progress at different rates. It is necessary to create a plan that facilitates this different implementation pace.

Note: Groups such as Data Management Group for EUR, the Bulletin Management Group for MID and the Meteorological Information Exchange working group (MET/IE) for APAC could be the right groups to manage this transition (or equivalent groups in other regions).

Note: It is envisaged that the Meteorological Panels (METP) Working Group on Meteorological Information Exchange (WG-MIE) will coordinate at the global level.

4.1.2 Variances to the IWXXM Model

National Extensions (such as remark sections) could only be supported when accompanied by necessary XML tags and in a globally agreed standard way. The international exchange of these national extensions will only be supported for data fully compliant to the IWXXM model and abuse of extensions must be prevented.

Note: The term "IWXXM model" should here be understood as the XML schema including all necessary GML components (including metadata) necessary for the exchange of IWXXM data. The use of extensions within the IWXXM is discouraged and should only be utilised where absolutely necessary.

4.1.3 Translation

From Annex 3 Amendments 77 and 78, a State will be required to produce IWXXM data in addition to TAC data for international exchange. Generating both formats will help minimize, as much as possible, the translation between formats.

It will also avoid operational translation/conversion from IWXXM to TAC for and onforwarding, as the bi-directional conversion will not necessary result in the same TAC.

Where a translation from TAC to IWXXM is necessary and conducted, the translation centre and date/time of when the translation occurred will be identified within the XML message. The translation centre metadata will be defined as part of a globally accepted GML/XML model.

When TAC to IWXXM translation is necessary but fails an IWXXM message of the corresponding type (METAR, TAF, ...) without any translated MET parameters but containing the original TAC message should be disseminated to users for their manual interpretation. It is also recommended that, if possible, an error message be sent to TAC originator encouraging the TAC originator to re-issue a valid TAC message for subsequent translation and distribution.

4.1.4 Data collection

When creating a feature collection of the same type of IWXXM data (e.g. METAR) , further named as “bulletin”, the aggregating centre identifier and date/time group of when the collection was created will be indicated within the XML message. The aggregating centre metadata will be defined as part of a globally accepted GML/XML model.

Only regular reports (e.g. METAR and TAF) will be aggregated. Non regular reports (e.g. SIGMET, SPECI, AIRMET and VAA) will NOT be aggregated.

A single bulletin will only contain TAC or XML, never both.

A single file will contain only one bulletin.

4.1.5 Transmission & Routing

Given the size and character set of IWXXM messages, it will not be possible for these messages to be transmitted via AFTN. The file containing the bulletin will be compressed and FTBP (**File Transfer Body Part**) under Extended AMHS (**ATS Message Handling System**) will be used to exchange IWXXM data internationally through the AFS.

*The aviation meteorological services that will have to migrate from AFTN to AMHS to distribute IWXXM data should consider the guidance provided in **appendix A** of this document about a possible procedure to test initial connection to AMHS through the national ANSP providing international AFS connections for the State.*

The principles of exchanging IWXXM data on AMHS are further described in section **5.1.4** but, in general, rules close to the ones governing the TAC transmission are applied.

The WMO abbreviated header structure (TTAAiiCCCC) will be part of the filename of the File Transfer Body Part and used as data identifier. The routing of IWXXM messages will associate this data identifier with AMHS address(es) that the message should be sent to.

As a file name extension, the appropriate suffix developed by WMO will be used to identify compressed data using globally agreed compression techniques such as gzip.

Note: The number of FTBPs and the maximum message size are subject to the AMHS specifications. It would be highly desirable to have a common agreed maximum limit size for AMHS messages between all ICAO regions. A total size of AMHS message (including FTBP) up to 4MB should be considered, as already defined in some regions.

4.1.6 Compliance Testing

IWXXM compliance testing platforms or software will be made available in order to allow States to test the compliance of their XML data to the IWXXM model before operational international exchange. This is meant to assure that the future internationally disseminated data are operationally usable. (**Recommendation 2**)

4.1.7 Databank

In order to allow IWXXM data retrieval from International Databanks, a standard set of queries for IWXXM data will also need to be developed, agreed and documented. An Interface Control Document will be provided to describe the query structure, structure of the answer(s) and bulletin header(s) to be used by the International Databank, as well as all other information necessary for the automatic use of the query answers. The proposed query language for IWXXM data will follow similar rules as the TAC-requests (c.f. section 0).

4.1.8 Aeronautical Information Metadata

The Aeronautical Information metadata are part of the XML model and should be transported by the IWXXM data. (**Recommendation 3**)

The metadata is additional information relevant to the type of the aeronautical information object i.e. an airport, an FIR. A challenge resides in getting the correct state of this aeronautical information, especially for centres that will perform translation from TAC to XML that will require this. Therefore, obtaining this from an authorized source (details to be determined) is implied, in order to provide the right piece of information that characterizes the data (e.g. for a METAR, which airport location indicator and official name, its altitude, longitude, latitude etc ...).

The access to aeronautical metadata should be better provided by a link to the AIXM model, therefore avoiding possible inconsistencies between the transported metadata inside the IWXXM data and the current status of this aeronautical information as part of the AIXM model.

5 Framework

This section is intended to describe the generalized elements which can be used to establish a framework for the exchange of IWXXM data, both intraregionally and interregionally, with the neighbour regions. One key aspect is, that the framework needs to be flexible to permit development of an intra-regional structure suitable to the requirements, but at the same time allowing establishment of controlled and coordinated exchange between regions.

The framework is organized into a basic set of functions/type of operations as described in section 5.1. A list of requirements that should be met to carry out each respective function as well as illustrations on how these functions may be performed/combined are provided in the same section.

In section 5.2, more complex regional entities which comprise some of the above functions are described.

5.1 Functionalities definitions

5.1.1 Data Producer/Originating Unit

TAC Data Producer

This producer provides TAC data only.

IWXXM Data Producer

In line with the stated assumptions, this producer provides information in both TAC (until no longer requested in Annex3) and IWXXM forms.

The Data Producer-function may be performed by an aeronautical meteorological station (e.g. producing a METAR), a MWO producing AIRMET or SIGMETS or as well by an Aerodrome Meteorological Office (AMO) providing TAFs.




Figure 1: Comparison of IWXXM and TAC Producers

For an IWXXM Producer, the following functions could be the subject to compliance testing:

- The Producer output will conform to the IWXXM Schema
- The Producer output will pass IWXXM Schematron/business rules
- The Producer will apply appropriate (defined) metadata following agreed ICAO rules and regulations.

5.1.2 Data Aggregator

This function takes individual IWXXM reports - decompresses them if already compressed - aggregates them into bulletins and compresses them.

Bulletins shall consist of one or more reports of the same type (e.g. METAR).

When aggregating reports, the Aggregator shall collect and combine them as a bulletin – defined as a Feature collection - in conformance with the globally agreed GML/XML model. In particular, all required metadata information, as defined by the globally accepted GML model, should be indicated.




Figure 2: Data aggregation

For an IWXXM Aggregator, the following functions could be the subject of compliance testing.

- The Aggregator output will conform to the IWXXM Schema
- The Aggregator output will pass IWXXM Schematron/business rules
- The Aggregator will apply a correct filename to its output
- The Aggregator correctly compresses data applying an appropriate suffix.
- The Aggregator will apply appropriate (defined) metadata following agreed ICAO rules e.g. for monitoring and validation issues.

5.1.3 International functions for Data Translation Centre

A data translator converts TAC data into IWXXM on behalf of their State and/or another State (i.e. when the data producer is unable to do so). A bi-lateral or regional agreement should be defined for such circumstances. To do so, it shall be able to parse incoming TACs and apply the data to IWXXM schema. It is expected that this will be carried out on a bulletin basis so that the translator will always be associated with an aggregator function.

The translator should provide an indication of where and when the translation has been carried out in order to provide traceability. This shall be achieved by introducing agreed metadata elements (centre identifier and time stamp) that shall be defined as part of a globally accepted GML/XML model.

It is highly likely that not all incoming TACs will be translatable because of non-conformance with TAC standards. There will be a need to have procedures in place to deal with any non-compliant data, which may involve further translation where predefined arrangements have been made.




Figure 3: Data Translator generating IWXXM from TAC

For an IWXXM Translator, the following functions could be the subject of compliance testing.

- The Translator output will conform to the IWXXM Schema
- The Translator output will pass IWXXM Schematron/business rules
- The Translator will successfully translate a standard set of TAC test data
- The Translator provides metadata related to when and where data have been translated - such metadata conforms to the agreed metadata structure.
- The Translator will apply appropriate (defined) metadata following agreed ICAO rules e.g. for monitoring and validation issues.

Note: A Translation centre should also perform Aggregator functions.

5.1.4 Data Switch

A Data Switch will route IWXXM data according to the TTAAiCCCC part of the filename of the File Transfer Body Part. The filename including the current WMO bulletin header will be structured as follows (WMO naming convention A):

A_TTAAiCCCCYGGg**BBB**_C_CCCC_YYYYMMddhhmss.xml.[compression_suffix],

Where the elements in black and bold are fixed elements and:

TTAAiCCCCYGGg is the current WMO header with the date time group

BBB is *optional* (as usual),

CCCC is the repeated CCCC part from TTAAiCCCC,

YYYYMMddhhmss is the date/time group

Note: [compression_suffix] should be globally agreed, the ideal situation being to define the same compression techniques for all types of ICAO data. Compression software such as zip should be avoided as it may allow transportation of more than one file and directories as well.

The routing table will associate this [TTAAiCCCC](#) data identifier with the AMHS addresses where the data should be sent to. The compressed file will be named with the suffix appropriate to the compression and sent onto AMHS.

FTBP name examples with METAR from LFPW:

A_LAFR31LFPW171500_C_LFPW_20151117150010.xml.[**compression_suffix**]

1st retarded bulletin:

A_LAFR31LFPW171500RRA_C_LFPW_20151117150105.xml.[**compression_suffix**]

1st corrected bulletin:

A_LAFR31LFPW171500CCA_C_LFPW_20151117150425.xml.[**compression_suffix**]

WMO defined T1T2 (from TTAAii) for the following data types:

- Aviation Routine Report ([METAR](#)): [LA](#)
- Aerodrome Forecast ("[short](#)" [TAF](#)) (VT < 12 hours): [LC](#)
- Tropical Cyclone Advisory [LK](#)
- Special Aviation Weather Reports ([SPECI](#)): [LP](#)
- Aviation General Warning ([SIGMET](#)): [LS](#)
- Aerodrome Forecast ("[long](#)" [TAF](#)) (VT >= 12 hours): [LT](#)
- Volcanic Ash Advisory [LU](#)
- Aviation Volcanic Ash Warning ([VA SIGMET](#)): [LV](#)
- AIRMET [LW](#)
- Aviation Tropical Cyclone Warning ([TC SIGMET](#)): [LY](#)




Figure 4: Example of showing the aggregation of TAC and IWXXM data

5.1.5 Databank

An International Databank (called Regional OPMET databank (RODB) in some regional documentation) will provide the capability for users to interrogate IWXXM data through the AFS in much the same way as the RODBs currently provide for TAC data.

There will be no TAC to IWXXM translation taking place by the Databank in case the requested OPMET is only available in TAC, as this translation should be done upstream by a Translation Centre.

Although the implementation of Net Centric Services is beyond the scope of this CONOPS, the Databank element could as well provide Net Centric services in addition to the AFS based IWXXM interrogation capabilities. As soon as agreed descriptions of the interface to request data via web-services are available, this additional feature may be added for the databank.

For an IWXXM Databank, the following functions could be the subject of compliance testing.

- The Databank output shall conform to the IWXXM Schema
- The Databank output shall pass IWXXM Schematron/business rules
- The Databank has an AMHS interface or is interconnected with a Data switch with an AMHS Gateway
- The Databank shall only send the response back to the originator.
- The Databank shall aggregate the reply reports according to the same rules used by the Data Aggregators

- The Databank shall apply a correct filename to its output
- The Databank base correctly compresses data applying an appropriate suffix.
- The Databank shall respond correctly to the standard interrogations.

The picture below illustrates a possible implementation of a RODB with combined TAC and IWXXM functionalities.




Figure 5: The implementation of a combined TAC & IWXXM Databank

Technical principles:

- Interfaces:
 - o the Databank has an AMHS P3 connection to the AMHS Message Transfer Agent (MTA) of a COM centre; and
 - o in case the COM Centre still serves AFTN users, the Databank may have a separate AFTN connection to the COM Centres AFTN switch or alternatively, the COM Centre will take care of the AFTN-AMHS conversion.
- Databank tables: data in IWXXM and data in TAC are stored in separate sets of tables.

Operational principles:

- DB Requests
 - o Requests for TAC data can be sent via AFTN or via AMHS as international reference alphabet number 5 (ia5 text). These requests will continue to work as described in the current RODB Interface Control Documents
 - o Requests for IWXXM data shall be sent via AMHS as Textual Body Part.
 - o Requesting data in IWXXM will work in a similar way as requesting TAC data. The above example uses a syntax similar to the TAC requests, but:

- “RQX/” is used as the start of the query
 - only the new IWXXM T₁T₂ message types defined by WMO are allowed
- For example: RQX/LALOWW/LTEBBR/LSLFFF=
- Requests for TAC data and requests for IWXXM data shall not be mixed
 - Any violation of the above principles (e.g. the request “RQX/LSLOWW=” received via AFTN), will result in an automatic reply sent by the databank, informing the user that this is not allowed.

- DB Replies

- Replies to TAC requests will continue to work as described in the current RODB Interface Control Documents.
- Reply reports of an IWXXM request will be aggregated into one or more files, according to the same rules used by the Data Aggregators, e.g. no mixing of message types in one file.
- These files will be compressed and a correct file name with appropriate suffix supplied.
- These files will be sent as FTBP through AMHS.
- The RODB Interface Control Documents will specify an extended set of standardized information & error replies.

5.2 Regional Centres Definitions

5.2.1 National OPMET Centre (NOC)

The role of the NOC is to collect and validate all required AOP and agreed exchanged non AOP OPMET messages generated by all originating units within a State, to compile national data into bulletins and to distribute them internationally according to the regional distribution schema.

Note: It is assumed that the data provided by NOCs is in accordance with the similar specifications as applicable for an International Data Aggregator

5.2.2 Regional OPMET Centre (ROC)

In its Area of Responsibility (AoR) according to the regional distribution schema, a ROC is responsible for the collection from NOCs of all required AOP and all non AOP agreed exchanged OPMET data and for the validation of all required AOP OPMET data.

Each ROC is responsible for the collection of required OPMET data from the other ROCs in the region and the dissemination to the other ROCs of the required data from its AoR.

For IWXXM exchange, a ROC should perform the following functions:

- Data Aggregator
- Data Translation centre
- Data Switch

5.2.3 Interregional OPMET Gateway (IROG)

An IROG is responsible for the collection of all required AOP and all non AOP agreed exchanged OPMET data from its Interregional Area(s) of Responsibility (IAoR) and its dissemination to the ROCs in its region.

Furthermore, the IROGs are responsible for collection and dissemination of their region's required OPMET data to their partner IROGs.

The IROG is responsible for the validation of the bulletins sent to the IROGs of its IAoR and received from their IAoR.

For IWXXM exchange, an IROG should perform the following functions:

- Data Aggregator
- Data Translation Centre
- Data Switch

5.2.4 Regional OPMET Databank

The Regional OPMET Databank(s) (called Regional OPMET databank (RODB) in some regional documentation and further labelled RODB in this document) are supplied with required OPMET data by the ROCs. These databases can be queried via the AFS by using a specified query language.

Details on the query language as well as the supported data types can be found in EUR Doc 018, Appendix A (EUR Regional Interface Control Document for OPMET Database Access Procedures). Those documents will be updated to integrate the new functions.

An RODB shall be able to fulfil the requirements to handle IWXXM-code as described in paragraph [5.1.5](#).

6 Requirements to Transition

The first necessary step is to define the prerequisites in order to be able to exchange IWXXM OPMET data. This will impact not only the network itself, but also the Message Switching Systems and most of the end-user systems.

6.1 Phase 1 Pre-Requisites to Transition – until Nov 2016

Phase 1 was enabled by Amendment 76 to Annex 3 in November 2013.

To achieve an efficient transition towards IWXXM, Phase 1 activities should be focused in the following areas and the particular elements identified per area.

Governance

Managing the transition

Regional group(s) should be designated to deal with the transition in order to further define and monitor:

- Intra-regional plan on AMHS infrastructure/links planning and IWXXM data exchange between the three ROCs, and between ROC and RODB
- Intra-regional implementation plan on IWXXM data exchange planning by the States to their ROC
- Agreement to define how testing platform and software should be made available and accessible for every State should be reached.

It is desirable that responsible group(s) for managing the transition in other ICAO regions be established, that could be responsible for defining the Regions structure and capabilities in the context of the framework.

Furthermore a full liaison should be established and maintained between the ICAO groups in charge of meteorology & data exchange and groups in charge of the AFS network. The elements provided in Appendix A of this document - already defined and agreed in some ICAO regions - could be reviewed and agreed in those regions not having already provided such elements, to provide a clear guidance to States on how best considering the installation of an AMHS connexion from national aeronautical meteorological services.

For data translation purposes, if there is a systematic need for the translation of data on behalf of a State, this may be performed by the dedicated ROC for the part of the region under its Area of Responsibility and the IROGs for the interregional distribution.

Documentation

The region should define and have a plan in place to provide IWXXM data. This plan shall be published and maintained by the designated responsible groups (FAQ's etc. should be available).

ICAO and WMO documentation and provisions should be published/available describing the IWXXM code itself as well as documentation referencing the appropriate schemas and rules made available in order to handle this new format.

Facilities

An agreed process should be defined to ensure that data generated by Data Producers are compliant. In order to promote the use of IWXXM, the process should be widely known and shared and some tools to check the compliance state of the data easily accessible and usable.

An identical process should be agreed to initiate and enable the IWXXM exchange between regions.

An AMHS network will be available to support exchange IWXXM data by the use of FTBP between those States wishing to do so. Corresponding AMHS connections should be made available between those regions exchanging IWXXM data.

Cyber Security

Appropriate AFS security elements should be defined by the ICAO groups in charge of information management / networks in order to introduce the operational exchange of IWXXM data via AMHS.

Source of Metadata

Update process or notification on modifications about Aeronautical information metadata by the States should be in place at the end of the period or metadata sources should be defined and agreed.

Action plan to reduce Formatting Errors

Actions plans based on monitoring results about OPMET data not following the agreed coding rules should be undertaken in order to assist States in detecting and correcting wrong coding policies.

A task should be started to define a procedure that the ROC may use on how to deal with errors in IWXXM-messages, in particular taking into account errors detected in converting TAC-reports. This procedure would ideally provide a clear description on how to report errors to a State that provides these data and clearly define the service and its limitation.

Interregional cooperation/coordination

The following tasks should be started:

- The update process and notification on modifications on IWXXM bulletins headers between the MID and the adjacent regions.

- Identification of the interregional exchanges solely based on required AOP and agreed exchanged non AOP data: actions plans to define clearly the interregional data/bulletins to be exchanged.
- Interregional plan to follow the AMHS infrastructure/links planning between AFS nodes supporting interregional data exchange of neighbouring IROGs.
- Implementation plan for I/R exchange between IROGs.
- An update process to introduce IWXXM in the contingency plans for the IROGs.

6.2 Phase 2 From Nov 2016 until Amendment 78 applicability date

The following elements should be ready prior the exchange of OPMET data in IWXXM format becoming an ICAO Annex 3 standard, which is proposed to be defined in Amendment 78, with effect in November 2020 (subject to ANC approval).

Operations

- The ROCs & IROGs should have the capability to act as translation centres, to aggregate and switch IWXXM data.
- The ROCs & IROGs may have the capability to act as translation centres.
- Each NOC should be ready to exchange IWXXM data at the end of the period.
- The RODBs should have all the capabilities to deal with IWXXM data as well as TAC data.
- Update process or notification on modifications about metadata should be in place not later than the end of the period
- The standard set of queries for IWXXM data for a RODB should be implemented and documented.
- Updated processes and notification on modifications on IWXXM bulletins headers between adjacent regions should be in place and tested.

Note: if it happens that some delays occur in having the IWXXM model including metadata structure and agreement in FTBP use available, it is assumed that the operations in exchanging IWXXM data will be delayed and probably not be ready globally at the start of the period.

Institutional issues and Technical issues

- A communication plan should be established and enacted to inform States and users - both on ICAO and WMO side - about the IWXXM code, the metadata use, and the new procedures to access the RODBs.
- The IWXXM model should integrate the metadata related to Data Aggregator and Data Translator functions.
- A procedure used by the ROC should be in place on how to deal with errors in IWXXM-messages, in particular taking into account errors detected when converting TAC-reports. This procedure includes items on how to report errors to a State that provides these data.

Action plan about data validation

- 'Validation' (validation against the XML schema) is the specific monitoring and gathering of statistics on schema conformance rather than meteorological data quality.
- Action plans based on monitoring results about TAC data not following the agreed coding rules should be in place in order to assist States in detecting and correcting wrong coding policies.
- A procedure that the ROC can use on how to deal with errors in IWXXM-messages, in particular taking into account errors detected in converting TAC-reports, should be agreed on and made available. This procedure would ideally provide information on how to report errors to a State that provides these data and clearly define this service and its limitation.
- Messages that do not pass validation against the XML schema will continue to be passed and not rejected by ROCs/RODBs.
- States shall arrange the validation of their IWXXM messages against the corresponding XML schema, and make corrections to the process of generating their IWXXM messages as necessary, as per quality management processes.
- The ROC/RODB should conduct validation of IWXXM messages within their region/area of responsibility, excluding validation of 'State extensions'.
- ROC/RODBs should collect statistics on long-term validation results, broken down by State and Region, and provide this information to the relevant ICAO Regional Office and the METP (in particular WG-MIE and WG-MOG) to identify common or troublesome data quality issues.
- Users should be encouraged to continue to validate messages and they will remain responsible for making sure that the received IWXXM messages are suitable for their purposes.
- Users should review the IWXXM PermissibleUsage field to determine whether the message is suitable for operational, test or exercise purposes.

Regional Coordination/planning

- The regional group(s) designated to deal with the transition should define and monitor:
 - Intra-regional plan about AMHS infrastructure/links planning and IWXXM data exchange between the three ROCs, and between ROCs and RODBs.
 - Intra-regional plan regarding the IWXXM data exchange by the States to their ROC.
- The Contingency plans for the ROCs should integrate the IWXXM data and be ready before the end of the period.
- Testing platform and software are made available and accessible for every State.

Interregional cooperation/coordination

- The interregional mechanism to follow the AMHS infrastructure/links planning between AFS nodes supporting interregional data exchange between IROGs should be in place, as should the interregional procedure to notify the changes and new IWXXM bulletins introduction.
- The Contingency plans for the IROGs should integrate the IWXXM data exchange and be ready at the end of the period

- It is proposed that bilateral agreements between IROGs are set up for the translation of TAC data. This agreement should include notification process on IWXXM data newly produced by the specific Region.

figure 6 below provides an example of a Region interfacing with 2 other Regions.

In this example, it is assumed that:

- There is no operational exchange of IWXXM data between Region 1 and 3.
- There is operational exchange of IWXXM data between Region 2 and 1.




Figure 6: Phase 2, interregional exchange of OPMET with Region 2 (IWXXM & TAC capable) and Region 3 (TAC capable)

6.3 Phase 3 After Amendment 78 applicability date

This section is reserved for capability that should be ready from ICAO Annex 3 Amendment 78 applicability date.

TBD

7 Acronyms and Terminology

AFS	Aeronautical fixed service
AFTN	Aeronautical fixed telecommunication network
AIXM	Aeronautical Information Exchange Model
AMD	Amendment
AMHS	ATS Message Handling System
AMO	Aerodrome Meteorological Office
AoR	Area of responsibility
COM	Communication
CONOPS	Concept of operations
DB	Databank
FAQ	Frequently asked questions
FASID	Facilities and services implementation document
FIR	Flight information region
FIXM	Flight Information exchange Model
FTBP	File Transfer Body Parts
GML	Geography markup language
I/R	Inter regional
IA-5	International Alphabet nr. 5
IAoR	Interregional area of responsibility
ICAO	International Civil Aviation Organization
ICD	Interface control document
IROG	Interregional OPMET Gateway
IWXXM	ICAO Meteorological Information Exchange Model
METAR	Meteorological Aerodrome Report
MTA	Message transfer agent
NOC	National OPMET Centre
OGC	Open Geospatial Consortium
OPMET	Operational Meteorological information
ROC	Regional OPMET Centre
RODB	Regional OPMET Databank
RODEX	Regional OPMET Data Exchange model
RQM	Meteorological databank request in TAC-format
RQX	Meteorological databank request in IWXXM-format
SIGMET	Significant Meteorological Information
SPECI	Special meteorological report
SWIM	System Wide Information Management
TAC	Traditional Alphanumeric Code form
TAF	Aerodrome forecast
TCA	Tropical Cyclone Advisory
VAA	Volcanic Ash Advisory
XML	Extensible Markup Language

Appendix A

Please Refer to EUR AMHS Manual, EUR DOC 020 Appendix H (subject to change based on WG-MIE)