



ICAO

ENVIRONMENT



# Global Emissions Technology


Dr. Neil Dickson, Environment Officer  
Environment,  
ICAO Air Transport Bureau



- Pushing the technology envelope
- The Independent Expert Review on Fuel Burn Technology
- The development of the ICAO CO<sub>2</sub> Standard
- Summary



- The aerospace industry is a dynamic and advanced-technology sector.
- Historic trends show that aircraft entering today's fleet are ~80% more fuel efficient than in the 1960s.




Source: ICCAIA





# CAEP International Aviation Net CO<sub>2</sub> Emissions Trends



© ICAO 2014



© ICAO 2014



© ICAO 2015



ICAO

ENVIRONMENT

# Pushing the Technology Envelope





- To improve fuel efficiency there are continuous efforts in:
  - Structures
  - Propulsion
  - Aerodynamics
- Advanced technologies are already being incorporated into aircraft designs in order to contribute to carbon neutral growth by 2020.



- Reductions in weight are a key factor in reducing fuel burn:
  - Use of Carbon Fibre Reinforced Plastic (CFRP) and advanced alloys is increasing;
- Airbus A380 contains 25% composites.
- Boeing 787 and Airbus A350 have pushed the composite use to 50%.

## 787 Composite Solutions Applied Throughout the 787



- Titanium
  - High load frames
  - Door surroundings
  - Landing gear
  - Pylons
  - No corrosion tasks



- CFRP
  - Wing:
    - Center wing box and knee beam
    - Tail cone (Section 15)
    - Skin panels
  - Frames, stringers and doublers
  - Doors (Passenger & cargo)
  - No corrosion & fatigue tasks

Source: ICCAIA



- Drive towards increased propulsive efficiency:
  - Higher by-pass ratio engines deliver thrust at lower fuel consumption
  - Lighter and higher temperature materials





Image courtesy of Pratt & Whitney



<http://www.ecomagination.com/portfolio/genx-aircraft-engine>

<http://machinedesign.com/archive/fewer-trips-fuel-truck>






- Aerodynamics, for example:
  - Drag reduction technologies
  - Wingtip devices

National Aeronautics and Space Administration

## Winglets



**Winglets reduce induced drag component.**



<http://www.airlinereporter.com/>

www.nasa.gov





ICAO

ENVIRONMENT

# Independent Expert Fuel Burn Technology Review



- A review of the status of aircraft technology developments for fuel burn reduction;
- An assessment of potential fuel burn reductions in the future;
- Recommended mid- and long- term aircraft fuel burn/efficiency technology goals;
- An assessment of the possibility of success in achieving the mid- and long-term fuel burn/efficiency technology goals.



- The IEs concentrated on two aircraft categories, the Single Aisle (SA) and Small Twin Aisle (STA) aircraft
  - ~85% of the aviation fuel is burned in these two categories;
- The IEs also adopted three Technology Scenarios (TS) for 2020 and 2030:
  - TS1 – “*Continuation*”: a continuation of the current trend of improvement;
  - TS2 – “*Increased pressure*”: increased pressure to incorporate more technologies to reduce fuel burn
  - TS3 – “*Further increased pressure*”: justifying more radical technology innovations



	Single Aisle (SA)					Small Twin Aisle (STA)				
	2020	2030	2020	2030	2030	2020	2030	2020	2030	2030
	TS1	TS1	TS2	TS2	TS3	TS1	TS1	TS2	TS2	TS3
Propulsive efficiency	13	14	14	15	28*	6	9	7	10	12**
Thermodynamic efficiency	3	4	4	5	3*	2	3	3	4	5**
Induced non-viscous drag	2	4	4	6	7	2	4	4	6	7
Viscous drag	2	4	4	7	9	2	6	4	8	10
Structural weight	10	15	15	20	20*	10	15	15	20	25**


\* With Open Rotor compatible with the level of thrust of SA

\*\* Without Open Rotor, which is judged incompatible with the high thrust requirement of twin engine STA

	2020		2030	
	SA	STA	SA	STA
TS1	23	19	29	26
TS2	29	25	34	35
TS3			41	41
TS3 Open Rotor			48	



- **The 2020 goal** is a fuel burn reduction of 29% and 25% relative to baseline aircraft of 2000.
- **The 2030 goal** is a fuel burn reduction of 34% and 35% relative to baseline aircraft of 2000.






ICAO

ENVIRONMENT

# Developing the ICAO Aeroplane CO<sub>2</sub> Emissions Standard


---







# Aeroplane CO<sub>2</sub> Standard Framework



- Technology Standard similar to current Noise and Engine Emissions Standards.
- Aircraft level Standard similar to Noise Standard.




- The aeroplane CO<sub>2</sub> Standard will result in a new Annex 16 Vol. III
- Two phases in the approach:
  - **Phase 1 (completed)**
    - Development of CO<sub>2</sub> Certification Requirement (metric system, measurement procedures);
  - **Phase 2 (ongoing)**
    - CO<sub>2</sub> Standard setting process (applicability, stringency levels, technology responses, cost effectiveness assessments and interdependencies).

**Phase 1 has been completed. Phase 2 is on track and the cost effectiveness modelling assessment is underway.**




- The metric system aims to focus on reducing CO<sub>2</sub> emissions through integration of fuel efficiency technologies into aeroplane type designs, and:
  - equitably reward fuel efficiency improvement technologies in an aircraft type design.
  - be transport capability neutral;



## Certification Test Points

The CO<sub>2</sub> metric System will be evaluated at three representative cruise points, where each is represented by a fraction of aeroplane gross mass.

### An illustrative example of the three representative cruise points



- Using the Metric System as a basis, CAEP developed a mature CO<sub>2</sub> Standard certification requirement.
  - Resulting in the certification test criteria for the implementation of the CO<sub>2</sub> metric system.
  - measurement of all parameters;
  - correction of measured data to reference conditions.



**CO<sub>2</sub> certification requirement was agreed by CAEP/9 in February 2013 and published for information as Circular 337.**



- The CO<sub>2</sub> Standard will be applicable at an aeroplane level.
- The CO<sub>2</sub> Standard will be applicable to new aeroplane types.
  - Discussions continue over including in-production types.
- The CO<sub>2</sub> Standard will be applicable to subsonic jet and propeller driven aeroplanes.
- The CO<sub>2</sub> Standard for new aeroplane types will likely be applicable in 2020 or 2023.



- To finalise the CO<sub>2</sub> Standard the following issues remain:
  - definition of a no-change criteria;
  - applicability requirements;
  - regulatory limit line;
  - applicability date for the limit.
- CAEP is currently working on a full cost and environmental benefits analysis.



- Importance of balancing a timely delivery and robust technical product that will meet the needs of ICAO.
- Significant technical challenges in developing ICAO Annex 16 Volume III has resulted in a delay to original Assembly aim to complete a CO<sub>2</sub> Standard by the end of 2013.
- CAEP has worked on developing a comprehensive CO<sub>2</sub> Standard setting work plan:
  - CAEP has agreed to a future work schedule with a deliverable by 2016 for the full CO<sub>2</sub> Standard.







ICAO

ENVIRONMENT

# Summary

---



- The aerospace industry continues to push the technology envelope:
  - Aircraft entering today's fleet are ~80% more fuel efficient than in the 1960s.
- ICAO continues to review the status of fuel burn technology.
- ICAO is developing a CO<sub>2</sub> Standard which aims to encourage the use of the latest Aeroplane technologies:
  - The CO<sub>2</sub> Standard will be complete by 2016.





# For more information on ICAO activities on Global Emissions Technology...

ICAO Web Page  
[www.icao.int/](http://www.icao.int/)

# THANK YOU

