



ICAO | UNITING AVIATION

FMAS2016

Fatigue. Risk. Assessment.

Kris Tritschler

Director, smartshiftwork.com



**Fatigue Management
Approaches Symposium**


5-6 April 2016, Montréal, Canada

Is Human Fatigue a Risk?



Risk primarily depends on:
What you are doing
or intend to do
(task)

Is Human Fatigue a Risk?



Fatigue by itself is a regular state, experienced every day.
To make fatigue a hazard, we need a safety related task.



Fatigue. Risk. Assessment.

Challenges to assess the risks associated with “fatigue”

Fatigue Risk Assessment using a Risk Matrix

Fatigue Specific Severity Classifications

Fatigue Factor Assessment Table

Summary & Conclusion



ICAO Definition of Fatigue

Human fatigue can be defined as:

A physiological state of reduced mental or physical performance capability

resulting from sleep loss or extended wakefulness, circadian phase, or workload (mental and/or physical activity)

that can impair a person's alertness and ability to perform safety related operational duties.



Key Characteristics of Fatigue: Each Contains a Hazard

Human fatigue can be defined as:

A physiological state of **reduced** mental or physical **performance capability**

resulting from sleep loss or extended wakefulness, circadian phase, or workload (mental and/or physical activity)

that can **impair** a person's **alertness and ability** to perform safety related **operational duties**.


Reduced Performance
Capability

Impairment


Consequences

Task Demand


What is the real risk of fatigue?




What is the real risk of fatigue?




What is the real risk of fatigue?



What is the real risk of fatigue?



What is the real risk of fatigue?





Fatigue. Risk. Assessment.

Challenges to assess the risks associated with “fatigue”

Fatigue Risk Assessment using a Risk Matrix

Fatigue Specific Severity Classifications

Fatigue Factor Assessment Table

Summary & Conclusion



Severity Classification related to ICAO Definition of Fatigue

Human fatigue can be defined as:

A physiological state of reduced mental or physical performance capability

resulting from sleep loss or extended wakefulness, circadian phase, or workload (mental and/or physical activity)

that can impair a person's alertness and ability to perform safety related operational duties.

Safety Risk Assessments typically take the worst consequence as severity into account:

Consequences



Safety Risk Severity [ICAO SMM Doc 9859 Figure 2-12]		
Severity	Meaning	Value
Catastrophic	<ul style="list-style-type: none">- Multiple deaths- Equipment destroyed	A
Hazardous	<ul style="list-style-type: none">- A large reduction in safety margins, physical distress or a workload such that crewmembers cannot be relied upon to perform their tasks accurately or completely- Serious injury- Major equipment damage	B
Major	<ul style="list-style-type: none">- A significant reduction in safety margins, a reduction in the ability of crewmembers to cope with adverse operating conditions as a result of increase in workload, or as a result of conditions impairing their efficiency- Serious incident- Injury to persons	C
Minor	<ul style="list-style-type: none">- Nuisance- Operating limitations- Use of emergency procedures- Minor incident	D
Negligible	<ul style="list-style-type: none">- Little consequences	E



Severity Classifications based on ICAO Definition of Fatigue

Human fatigue can be defined as:

A physiological state of **reduced** mental or physical **performance capability**

resulting from sleep loss or extended wakefulness, circadian phase, or workload (mental and/or physical activity)

that can impair a person's alertness and ability to perform safety related **operational duties**.

Safety Margin

Consequences

Safety Risk Severity [ICAO SMM Doc 9859 Figure 2-12]

Severity	Meaning	Value
Catastrophic	<ul style="list-style-type: none"> - Multiple deaths - Equipment destroyed 	A
Hazardous	<ul style="list-style-type: none"> - A large reduction in safety margins, physical distress or a workload such that crewmembers cannot be relied upon to perform their tasks accurately or completely - Serious injury - Major equipment damage 	B
Major	<ul style="list-style-type: none"> - A significant reduction in safety margins, a reduction in the ability of crewmembers to cope with adverse operating conditions as a result of increase in workload, or as a result of conditions impairing their efficiency - Serious incident - Injury to persons 	C
Minor	<ul style="list-style-type: none"> - Nuisance - Operating limitations - Use of emergency procedures - Minor incident 	D
Negligible	<ul style="list-style-type: none"> - Little consequences 	E

Typical Risk Matrix

Risk Assessments serve to focus efforts and resources on those hazards posing high(est) risk

		Likelihood		Fatigue Severity				
				Catastrophic A	Hazardous B	Major C	Minor D	
Incident	Frequent	5	Accident	5A	5B	5C	5D	5E
	Occasional	4		4A	4B	4C	4D	4E
Accident	Remote	3		3A	3B	3C	3D	3E
	Improbable	2		2A	2B	2C	2D	2E
	Extremely Improbable	1		1A	1B	1C	1D	1E

Large safety reduction	highlighted
Significant safety reduction	highlighted



Fatigue Specific Risk Assessments

- Existing SMS risk assessment methodologies may be sufficient within prescribed limits
- Using an FRMS requires more effort on fatigue-specific risk assessment



Fatigue. Risk. Assessment.

Challenges to assess the risks associated with “fatigue”

Fatigue Risk Assessment using a Risk Matrix

Fatigue Specific Severity Classifications

Fatigue Factor Assessment Table

Summary & Conclusion



Fatigue Specific Risk Assessment

- To assess different types of **fatigue risks** using a matrix, **different severity classifications are needed**
- Likelihood classifications depend on the severity classification



Severity Classifications based on ICAO Definition of Fatigue

Human fatigue can be defined as:

A physiological state of **reduced** mental or physical **performance capability**

resulting from **sleep loss** or extended **wakefulness**, **circadian phase**, or **workload** (mental and/or physical activity)

that can **impair** a person's **alertness** and ability to perform **safety related** **operational duties**.

Performance Margin

Number of Factors

Impairment

Alertness

Consequences



Severity Classifications based on ICAO Definition of Fatigue

ICAO SMM Severity Classification incl. "Safety Margin" (reports)	Performance Margin
Fatigue Factor Assessment and Mitigation Table (duties)	Number of Factors
Samn-Perelli (fatigue reports, surveys)	Impairment
Bio-Mathematical Thresholds, e.g. KSS (rosters, duties)	Alertness
ICAO SMM Severity Classification (general safety assessment)	Consequences

Severity Classifications related to ICAO Definition of Fatigue

Human fatigue can be defined as:

A physiological state of reduced mental or physical performance capability

resulting from sleep loss or extended wakefulness, circadian phase, or workload (mental and/or physical activity)

that can **impair** a person's **alertness** and ability to perform safety related operational duties.



Impairment



Perceived Impairment (Fatigue Reports & Surveys)

Example: Samn-Perelli Check Fatigue Risk Severity

S-P	Meaning	Value
7	- Completely exhausted, unable to function effectively	A
6	- Moderately tired, very difficult to concentrate	B
5	- Moderately tired, let down	C
4	- A little tired	D
3-1	- Okay, somewhat fresh (3) - Very lively, responsive, not at peak (2) - Fully alert, wide awake (1)	E



Severity Classifications related to ICAO Definition of Fatigue

Human fatigue can be defined as:

A physiological state of reduced mental or physical performance capability

resulting from sleep loss or extended wakefulness, circadian phase, or workload (mental and/or physical activity)

that can **impair** a person's **alertness** and ability to perform safety related operational duties.



Alertness



Predicted Alertness by Bio-Mathematical Models

Example: KSS Fatigue Risk Severity

KSS	Meaning	Value
9-8	- extremely sleepy, fighting sleep	A
8-7	- sleepy	B
7-6	- sleepy, but no difficulty remaining awake	C
6-5	- neither sleepy nor alert	D
4-3	- Alert	E
2-1	- Extremely alert	





Fatigue. Risk. Assessment.

Challenges to assess the risks associated with “fatigue”

Fatigue Risk Assessment using a Risk Matrix

Fatigue Specific Severity Classifications

Fatigue Factor Assessment Table

Summary & Conclusion

Severity Classification related to ICAO Definition of Fatigue

Human fatigue can be defined as:

A physiological state of reduced mental or physical performance capability

resulting from **sleep loss** or extended **wakefulness**, **circadian phase**, or **workload** (mental and/or physical activity)

that can impair a person's alertness and ability to perform safety related operational duties.



Number of Factors



Fatigue Factor Assessment and Mitigation Table

- Practicable approach for the assessment of a duty
- This example is based on relevant scientific research and operational FRMS experience of this operator
- Customisation is required for any other operator
- It needs to be related to a safety relevant task





Fatigue Factor Assessment and Mitigation Table				
Type of Shift/Specific Duty:				
Fatigue Factor:		Worst Case:	Mitigated:	Comment:
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	Sleep Debt		
	Previous night sleep ** reduced > 4h			
	Reduced night sleep > 4h before previous night ***			
	Previous "night duty" ** (day sleep only)**			
Wakefulness	Time since awake prior duty start > 2h prior C/I*	Wakefulness		
	Time since awake prior duty start > 6h prior C/I*			
	Time on task > 10h (FDT)			
	Time on task > 12h < 14h (FDT)			
Circadian Factors	Circadian disruption > 4h **	Circadian Factors		
	Flight after 2300LT or last landing during darkness			
	Flighttime <2h during WOCL (02-06LT)			
	Flighttime > 2 h during WOCL (02-06LT)			
Workload	3 or 4 consecutive flights/sectors	Workload		
	5 or 6 flights / or: 3 flights during night			
	Known hassles			
	Training flights			
Sum of fatigue factors				
Mark every line: 1 = relevant; 0 = actively avoided; --- = not present				
Assessment of fatigue factors: 0-3 relevant factors: accept 4-6 relevant factors: check 7-9 relevant factors: mitigate >10 relevant factors: not acceptable		* Crew member's responsibility ** Depending on preceding duty *** The night before 2 consecutive nights are relevant		
Factors are not fully weighted! Most important factors are sleep debt, wakefulness, circadian factors then workload in this order.				
Tritschler 2016; ICAO Fatigue Management Symposium 2016				

About:

- All 4 causes of fatigue are taken into account
- Each line is based on a scientific statement / study
- Factors are not fully weighted



Fatigue Factor Assessment and Mitigation Table

Type of Shift/Specific Duty:		CGN-TFS-CGN: Checkin 1600LT, Checkout 0300LT; FDT: 11:00h		
Fatigue Factor:	Worst Case:	Mitigated:	Comment:	
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	1**		Not relevant if 1st duty day
	Previous night sleep ** reduced > 4h	1**		
	Reduced night sleep > 4h before previous night ***	1***		
	Previous "night duty" ** (day sleep only)**	1**		
Wakefulness	Time since awake prior duty start > 2h prior C/I*	1		
	Time since awake prior duty start > 6h prior C/I*	1		
	Time on task > 10h (FDT)	1		FDT > 10h at night (!)
	Time on task > 12h < 14h (FDT)	--		
Circadian Factors	Circadian disruption > 4h **	1**		
	Flight after 2300LT or last landing during darkness	1		
	Flighttime <2h during WOCL (02-06LT)	1		
	Flighttime > 2 h during WOCL (02-06LT)	--		
Workload	3 or 4 consecutive flights/sectors	--		
	5 or 6 flights / or; 3 flights during night	--		
	Known hassles	--		
	Training flights	1		
Sum of fatigue factors		11		
Mark every line: 1 = relevant; 0 = actively avoided; --- = not present				
Assessment of fatigue factors: 0-3 relevant factors: accept 4-6 relevant factors: check 7-9 relevant factors: mitigate >10 relevant factors: not acceptable		* Crew member's responsibility ** Depending on preceding duty *** The night before 2 consecutive nights are relevant		
Factors are not fully weighted! Most important factors are sleep debt, wakefulness, circadian factors then workload in this order.				
Tritschler 2016; ICAO Fatigue Management Symposium 2016				

FMAS2016

Step 1: Worst Case

- Mark every line under existing conditions:
1 = relevant; -- not present

Type of Shift/Specific Duty:		CGN-TFS-CGN: Checkin 1600LT, Checkout 0300LT; FDT: 11:00h		
Fatigue Factor:	Worst Case:	Mitigated:	Comment:	
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	1**	If sleep reduced > 4h mark both lines!	
	Previous night sleep ** reduced > 4h	1**		
	Reduced night sleep > 4h before previous night ***	1***		
	Previous "night duty" ** (day sleep only)**	1**		
Wakefulness	Time since awake prior duty start > 2h prior C/I*	1		
	Time since awake prior duty start > 6h prior C/I*	1		
	Time on task > 10h (FDT)	1	If time on task > 12h mark both lines!	
	Time on task > 12h < 14h (FDT)	--		
Circadian Factors	Circadian disruption > 4h **	1		"
	Flight after 2300LT or last landing during darkness	1		
	Flighttime <2h during WOCL (02-06LT)	1	If flight time > 2h in WOCL mark both lines!	
	Flighttime > 2 h during WOCL (02-06LT)	--		
Workload	3 or 4 consecutive flights/sectors	--	If consecutive sectors > 4 mark both lines!	
	5 or 6 flights / or: 3 flights during night	--		
	Known hassles	--		
	Training flights	1		
Sum of fatigue factors		11		
Mark every line: 1 = relevant; 0 = actively avoided; --- = not present				
Assessment of fatigue factors: 0-3 relevant factors: accept 4-6 relevant factors: check 7-9 relevant factors: mitigate >10 relevant factors: not acceptable		* Crew member's responsibility ** Depending on preceding duty *** The night before 2 consecutive nights are relevant		
Factors are not fully weighted! Most important factors are sleep debt, wakefulness, circadian factors then workload in this order.				
Tritschler 2016; ICAO Fatigue Management Symposium 2016				

Note:

Mark every relevant line means that two lines are relevant:

- If sleep reduced > 4h
- If time on task >12h
- If flight time during WOCL > 2h
- If more than 4 sectors



Fatigue Factor Assessment and Mitigation Table			
Type of Shift/Specific Duty:		CGN-TFS-CGN: Checkin 1600LT, Checkout 0300LT; FDT: 11:00h	
Fatigue Factor:	Worst Case:	Mitigated:	Comment:
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	1**	Not relevant if 1st duty day
	Previous night sleep ** reduced > 4h	1**	
	Reduced night sleep > 4h before previous night ***	1***	
Wakefulness	Previous "night duty" ** (day sleep only)**	1**	
	Time since awake prior duty start > 2h prior C/I*	1	
	Time since awake prior duty start > 6h prior C/I*	1	
	Time on task > 10h (FDT)	1	FDT > 10h at night (!)
	Time on task > 12h < 14h (FDT)	--	
	Circadian Factors	Circadian disruption > 4h **	1**
Flight after 2300LT or last landing during darkness		1	
Flighttime <2h during WOCL (02-06LT)		1	
Flighttime > 2 h during WOCL (02-06LT)		--	
Workload	3 or 4 consecutive flights/sectors	--	
	5 or 6 flights / or: 3 flights during night	--	
	Known hassles	--	
	Training flights	1	
Sum of fatigue factors		11	
Mark every line: 1 = relevant; 0 = actively avoided; --- = not present			
Assessment of fatigue factors: 0-3 relevant factors: accept 4-6 relevant factors: check 7-9 relevant factors: mitigate >10 relevant factors: not acceptable		* Crew member's responsibility ** Depending on preceding duty *** The night before 2 consecutive nights are relevant	
Factors are not fully weighted! Most important factors are sleep debt, wakefulness, circadian factors then workload in this order.			
Tritschler 2016; ICAO Fatigue Management Symposium 2016			

Step 1: Worst Case

- Mark every line under existing conditions:
- Sum relevant factors (fatigue factor score)



Fatigue Factor Assessment and Mitigation Table			
Type of Shift/Specific Duty:		CGN-TFS-CGN: Checkin 1600LT, Checkout 0300LT; FDT: 11:00h	
Fatigue Factor:	Worst Case:	Mitigated:	Comment:
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	1**	Not relevant if 1st duty day
	Previous night sleep ** reduced > 4h	1**	
	Reduced night sleep > 4h before previous night ***	1***	
Wakefulness	Previous "night duty" ** (day sleep only)**	1**	
	Time since awake prior duty start > 2h prior C/I*	1	
	Time since awake prior duty start > 6h prior C/I*	1	
	Time on task > 10h (FDT)	1	FDT > 10h at night (!)
	Time on task > 12h < 14h (FDT)	--	
	Circadian Factors	Circadian disruption > 4h **	1**
Flight after 2300LT or last landing during darkness		1	
Flighttime <2h during WOCL (02-06LT)		1	
Flighttime > 2 h during WOCL (02-06LT)		--	
Workload	3 or 4 consecutive flights/sectors	--	
	5 or 6 flights / or: 3 flights during night	--	
	Known hassles	--	
	Training flights	1	
Sum of fatigue factors		11	

Step 1: Worst Case

- Mark every line under existing conditions:
- Sum relevant factors
- First Assessment

Assessment of Fatigue Factors under Existing Conditions (Column 1):		
Relevant factors	Requirement	Action
0-3	Accept	No mitigation required
4-6	Check	Identify mitigations to reduce relevant fatigue factors
7-9	Mitigate	Identify mitigations to reduce the remaining fatigue factors to the minimum
> 9	Not Acceptable	Identify mitigations to reduce the remaining fatigue factors to an acceptable minimum. If not possible this duty is not permissible



Fatigue Factor Assessment and Mitigation Table

Type of Shift/Specific Duty: CGN-TFS-CGN: Checkin 1600LT, Checkout 0300LT; FDT: 11:00h				
Fatigue Factor:	Worst Case:	Mitigated:	Comment:	
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	1**	1**	Not relevant if 1st duty day
	Previous night sleep ** reduced > 4h	1**	0	Avoid previous day checkout after midnight
	Reduced night sleep > 4h before previous night ***	1***	0	Avoid previous day checkout after midnight
	Previous "night duty" ** (day sleep only)**	1**	0	Avoid previous day checkout after midnight
Wakefulness	Time since awake prior duty start > 2h prior C/I*	1	1	
	Time since awake prior duty start > 6h prior C/I*	1	(1)	Recommend nap before duty
	Time on task > 10h (FDT)	1	1	FDT > 10h at night (!)
	Time on task > 12h < 14h (FDT)	--	--	
Circadian Factors	Circadian disruption > 4h **	1**	0	Previous duties shall be "late duties" Relevant if 1 st duty day, see note abv
	Flight after 2300LT or last landing during darkness	1	1	
	Flighttime <2h during WOCL (02-06LT)	1	1	
	Flighttime > 2 h during WOCL (02-06LT)	--	--	
Workload	3 or 4 consecutive flights/sectors	--	--	
	5 or 6 flights / or: 3 flights during night	--	--	
	Known hassles	--	--	
	Training flights	1	0	Avoid training on this duty
Sum of fatigue factors	11	6		
Mark every line: 1 = relevant; 0 = actively avoided; --- = not present				
Assessment of fatigue factors: 0-3 relevant factors: accept 4-6 relevant factors: check 7-9 relevant factors: mitigate >10 relevant factors: not acceptable		* Crew member's responsibility ** Depending on preceding duty *** The night before 2 consecutive nights are relevant		
Factors are not fully weighted! Most important factors are sleep debt, wakefulness, circadian factors then workload in this order.				
Tritschler 2016; ICAO Fatigue Management Symposium 2016				

FMAS2016

Step 2: Mitigate!

- Identify avoidable factors:
Mark every line:
0 = actively avoided
1 = remains relevant;
-- = still not present



Fatigue Factor Assessment and Mitigation Table				
Type of Shift/Specific Duty:	CGN-TFS-CGN: Checkin 1600LT, Checkout 0300LT; FDT: 11:00h			
Fatigue Factor:	Worst Case:	Mitigated:	Comment:	
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	1**	1**	Not relevant if 1st duty day
	Previous night sleep ** reduced > 4h	1**	0	Avoid previous day checkout after midnight
	Reduced night sleep > 4h before previous night ***	1***	0	Avoid previous day checkout after midnight
	Previous "night duty" ** (day sleep only)**	1**	0	Avoid previous day checkout after midnight
Wakefulness	Time since awake prior duty start > 2h prior C/I*	1	1	
	Time since awake prior duty start > 6h prior C/I*	1	(1)	Recommend nap before duty
	Time on task > 10h (FDT)	1	1	FDT > 10h at night (!)
	Time on task > 12h < 14h (FDT)	--	--	
Circadian Factors	Circadian disruption > 4h **	1**	0	Previous duties shall be "late duties" Relevant if 1 st duty day, see note abv
	Flight after 2300LT or last landing during darkness	1	1	
	Flighttime <2h during WOCL (02-06LT)	1	1	
	Flighttime > 2 h during WOCL (02-06LT)	--	--	
Workload	3 or 4 consecutive flights/sectors	--	--	
	5 or 6 flights / or: 3 flights during night	--	--	
	Known hassles	--	--	
	Training flights	1	0	Avoid training on this duty
Sum of fatigue factors	11	6		
Mark every line: 1 = relevant; 0 = actively avoided; --- = not present				
Assessment of fatigue factors: 0-3 relevant factors: accept 4-6 relevant factors: check 7-9 relevant factors: mitigate >10 relevant factors: not acceptable		* Crew member's responsibility ** Depending on preceding duty *** The night before 2 consecutive nights are relevant		
Factors are not fully weighted! Most important factors are sleep debt, wakefulness, circadian factors then workload in this order.				
Tritschler 2016; ICAO Fatigue Management Symposium 2016				

Step 2: Mitigate!

- Identify avoidable factors:
- Mark every line:
- Sum relevant fatigue factors



Fatigue Factor Assessment and Mitigation Table				
Type of Shift/Specific Duty:	CGN-TFS-CGN: Checkin 1600LT, Checkout 0300LT; FDT: 11:00h			
Fatigue Factor:	Worst Case:	Mitigated:	Comment:	
Sleep debt	Previous night sleep ** reduced < 4h (night: 22-08LT)	1**	1**	Not relevant if 1st duty day
	Previous night sleep ** reduced > 4h	1**	0	Avoid previous day checkout after midnight
	Reduced night sleep > 4h before previous night ***	1***	0	Avoid previous day checkout after midnight
	Previous "night duty" ** (day sleep only)**	1**	0	Avoid previous day checkout after midnight
Wakefulness	Time since awake prior duty start > 2h prior C/I*	1	1	
	Time since awake prior duty start > 6h prior C/I*	1	(1)	Recommend nap before duty
	Time on task > 10h (FDT)	1	1	FDT > 10h at night (!)
	Time on task > 12h < 14h (FDT)	--	--	
Circadian Factors	Circadian disruption > 4h **	1**	0	Previous duties shall be "late duties" Relevant if 1 st duty day, see note abv
	Flight after 2300LT or last landing during darkness	1	1	
	Flighttime <2h during WOCL (02-06LT)	1	1	
	Flighttime > 2 h during WOCL (02-06LT)	--	--	
Workload	3 or 4 consecutive flights/sectors	--	--	
	5 or 6 flights / or: 3 flights during night	--	--	
	Known hassles	--	--	
	Training flights	1	0	Avoid training on this duty
Sum of fatigue factors		11	6	
Mark every line: 1 = relevant; 0 = actively avoided; -- = not applicable				
Assessment of fatigue factors: 0-3 relevant factors: accept 4-6 relevant factors: check 7-9 relevant factors: mitigate >10 relevant factors: not acceptable		* Crew member ** Depending on duty *** The night		
Factors are not fully weighted! Most important factors are sleep debt, wakefulness, circadian				
Tritschler 2016; ICAO Fatigue Management Symposium 2016				

Step 2: Mitigate!

- Identify avoidable factors: Mark every line:
- Sum relevant fatigue factors
- Second Assessment - acceptability

Acceptability of Fatigue Factors after Mitigating Actions (Column2)		
Relevant factors	Fatigue Impairment	Acceptability
0-3	Low	Acceptable, no further mitigation required
4-6	Increased	Acceptable, but keep remaining fatigue factors as low as reasonably practicable; monitor operation
7-9	Significant	Acceptable if remaining fatigue factors are kept at the minimum (all avoidable fatigue factors are avoided), number of this duty is limited per crewmember per time-period; monitoring of this work period required
> 9	High	Not acceptable

Conclusion after Step 2:

This duty is not permissible without these mitigations:

- May be rostered only in combination with “late duties”
- Previous duties shall be completed prior midnight
- Training flights not recommended
- Promote nap prior duty
- Fatigue impairment is expected to be increased
- Monitoring of this rotation required

Step 3: Assess Fatigue Risk

	Frequency of Exposure per Crewmember per Working Period (week)			
Relevant fatigue factors	May be scheduled every day	May be scheduled twice per week	May be scheduled once per week	Unexpected circumstances
1-3	low	low	low	low
4-6	moderate	moderate	low	low
7-9	high	moderate	moderate	moderate
> 9	high	high	high	high

FSAG would recommend, to assign this duty (under mitigations) only once per working period for any pilot





Fatigue. Risk. Assessment.

Challenges to assess the risks associated with “fatigue”

Fatigue Risk Assessment using a Risk Matrix

Fatigue Specific Severity Classifications

Fatigue Factor Assessment Table

Summary & Conclusion



Summary

- Customisation required for any methodology, classification and risk tolerance thresholds
- 5 different severity classification for fatigue risk assessments
- Fatigue specific severity classes do not contain the task
- A safety relevant task is required for (fatigue) risk assessment
- ICAO basic risk matrix fulfils its objective for SMS
- Fatigue itself is a regular condition, occurring every day



Conclusion

- Current methodologies for assessing fatigue risks are all limited to some degree.
- With growing maturity of SMS and more operational FRMS experience, advances are continuing to be made in the way fatigue risks are assessed.



Further Guidance

- Fatigue Management Guides 2016
- Technical paper published at EASA FRM Workshop 2015
“Tritschler 2015, Fatigue Risk Assessment Methodologies”
Available at the EASA Website or
<http://www.smartshiftwork.com/sharing/publications/>

Thank you