

## INTERNATIONAL CIVIL AVIATION ORGANIZATION AFI PLANNING AND IMPLEMENTATION REGIONAL GROUP (APIRG) PROJECT

## PROJECT: AIR/GROUND COM PROJECT

Coordinator: South Africa DOMAIN: IIM

(Infrastructure & Information Management)

AFI Region	PROJECT DESCRIPTION	DF	P N° C	
Sub Domain	Title of the Project Start En			
Aeronautical Communication (COM)	AIR/GROUND COMMUNICATION: Implementation of Air/Ground communication aimed at ensuring Air traffic control.  Project-Team Coordinator: South Africa			
(ICAO Facilitator: WACAF/ESAF ROs/CNS	Project Team Experts (13): Côte d'Ivoire, Cameroon, Ghana, Seychelles, Senegal, Kenya, Mauritania, ASECNA, IATA, Nigeria, Botswana, Togo, Uganda			
Objectives	In the framework of the technologies Roadmap for Communication define assist States in the implementation of Aeronautical Mobile Service through a) High Frequency/Very High Frequency (HF/VHF) voice Communicated b) High Frequency/Very High Frequency Data link communication (HIC) Controller/Pilot Data Link Communication (CPDLC)  In accordance with the operational requirements of ICAO Annex 1 Telecommunication, Annex 11 Air Traffic Service and the relevant support	i: tion <b>F/VHF DL</b> ) LO Volumes II &	& III Aeronautical	

AFI Region	PROJECT DESCRIPTION	DI	P N° C
Sub Domain	Title of the Project	Start	End
	Procedures for Air Navigation Service (PANSATM) Doc 9694 Manuel Applications, Doc 10037 Global Operational Data Link Document (GOLD)	on Air Traffic	Services Data Link
Scope	The provision of air/ground communication between Pilots and ATCOs wi Control Centers involved in the provision of air navigation service for internate implementation scheme will be in accordance with the requirements of Mobile Service (AMS) as defined by the AFI Air Navigation Plan (AFI/RAN AIR	national civil avia of the provision	tion.
Metrics	a) HF/VHF Voice & Data Link:  i. Number of Routes covered by HF/VHF communication: X  - Average availability of HF/VHF voice: X%  ii. Number of HF/VHH DL station implemented  - Average availability of HF/VHF DL: X%		
	<ul> <li>b) CPDLC:</li> <li>Number of ATCs with CPDLC systems installed: X</li> <li>Average availability of CPDLC Links: X%</li> </ul>		
Outcome	Air/Ground communication supporting enhanced aeronautical operational	safety, capacity a	and efficiency
Strategy	All tasks will be carried out by COM experts nominated by AFI States par Project-Team Coordinator and under the supervision of the Project Facility through the IIM SG working methodology.  Upon completion of the tasks, the results will be sent to the Project F submission to, and if necessary approval by the APIRG Projects Coordination For the purpose of collaborative decision-making, meetings will be held with	ators (ROs/CNS, acilitators as a n Committee (AF	Dakar and Nairobi) final document for PCC).

AFI Region	PROJECT DESCRIPTION DP N° C					
Sub Domain	Title of the Project Start End					
Rationale/ Justification	a) <b>HF/VHF Voice:</b> The requirements for HF/VHF are contained in the ATABLE CNS 2A (Aeronautical Mobile Service and Aeronautical Mobile Stations circuits have been implemented in accordance with this improvements are noted, notably with the implement telecommunications. However, the non- availability of Remote VI results from the obsolescence of some VSAT technologies.	le Satellite service AFI Air Navigatio ation of aero HF encountered	e-AMS &AMSS and in Plan. Significant inautical satellite from time to time			
Rationale/ Justification	<ul> <li>b) HF/VHF and Data Link: The introduction of the regional requirements for HF/VHF Data Link remain to be updated by the project Team</li> <li>c) CPDLC: The introduction of datalink communication in the region associated with surveillance data processing systems with possible automation of the transfer and coordination of Air Traffic between air traffic centers require an available digital air/ground communication system. The implementation of CPDLC will bring more accuracy in the exchanged messages and increase the availability of message exchanges between ATCOs and pilots.</li> </ul>					
Related projects	All APIRG projects specifically related to:  PIA1-Improve Traffic flow through Runway Sequencing (AMAN/DMAN)-B0-RSEQ  PIA1-Increased Runway Throughput through optimized Wake Turbulence Separation - B0-WAKE  PIA1- Improved Airport Operations through Airport - B0-ACDM  PIA2- Service Improvement through Digital Aeronautical Information Management- B0-DIAM  PIA2-Meteorological information supporting enhanced operational efficiency and safety- B0- MET  PIA3-Air Traffic Situational Awareness(ATSA)- B0- ASEP  PIA3-Improved Operations through Enhanced En-Route Trajectories- B0-FRTO  PIA3-Improved flow performance through planning based on Network-wide view- B0-NOPS.  PIA3- Improved access to optimum Flight levels through Climb/Descent Procedures using ADS-B-B0-OPF  PIA4- Improved Safety and Efficiency through the initial application of Data Link En-Route- B0-TBO  PIA4-Improved flexibility and Efficiency in Decent provides (CDO) -B0-CDO.  PIA4-Improved Flexibility and Efficiency Departure profiles-Continuous Climb Operations (CCO)-B0-CCO					

Project Deliverables	Relationship with the regional performance- Objectives (RPO) and ASBU BO modules	Responsible Party	Status of Implementation <sup>1</sup>	Date of Delivery	Comments
			HF/VHF/CPDLC		
Implementation status of HF &VHF stations (Voice & data Link)	AFI BO-ASEP AFI BO-FRTO AFI BO-CDO AFI BO-CCO PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		Quarterly	
Implementation/Operation status of CPDLC Circuits	AFI B0-ASEP AFI B0-FRTO AFI B0-CDO AFI B0-CCO. PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		Quarterly	
Teleconferences, Workshops/Seminars, meetings (French and English) on VHF/CPDLC systems operation and their implementation scheme	AFI B0-ASEP AFI B0-FRTO AFI B0-CDO AFI B0-CCO. PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		Once a month	
Implementation/sharing and Operation status of Remote VHF/HF systems	AFI B0-ASEP AFI B0-FRTO AFI B0-CDO AFI B0-CCO. PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		Quarterly	

<sup>&</sup>lt;sup>1</sup> Grey

Green

Task not started yet
Activity being implemented as scheduled
Activity started with some delay, but will be implemented on time
Activity not implemented on time; mitigation measures are required Yellow Red

Project Deliverables	Relationship with the regional performance- Objectives (RPO) and ASBU B0 modules	Responsible Party	Status of Implementation <sup>1</sup>	Date of Delivery	Comments
Assessment/Reporting on the operation of Air ground communication systems and operation	AFI BO-ASEP AFI BO-FRTO AFI BO-CDO AFI BO-CCO PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		Quarterly	
Detailed guidance provided to States not complying with the AFI AMS Plan	AFI BO-ASEP AFI BO-FRTO AFI BO-CDO AFI BO-CCO PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		Quarterly	
List of States with VHF and CPDLC, implemented	AFI BO-ASEP AFI BO-FRTO AFI BO-CDO AFI BO-CCO PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		Quarterly	
HFDL / VDL Requirement (Manual / Guidance)	AFI BO-ASEP AFI BO-FRTO AFI BO-CDO AFI BO-CCO PFF-CNS	AFI COM Project Coordinator AFI COM Project Leader		2 years	

Project Deliverables	Relationship with the regional performance- Objectives (RPO) and ASBU BO modules	Responsible Party	Status of Implementation <sup>1</sup>	Date of Delivery	Comments
Resources needed	• Funds to cond	uct meetings, W	• •	Missions and to translat	e reports, regional guides and econferences and coordination
	<ul> <li>Funds for meetings with project Team Members to assess the results and propose corrective actions could use their human resources to conduct the foreseen COM tests and monitoring, and, if necessary the financial costs, since the experience gained will result in an improvement of their own systems.</li> </ul>		itoring, and, if necessary, cover		

PROJECT DELIVERABLE COLOUR	MEANING
	Grey Task not started yet
	Green Activity being implemented as scheduled
	Yellow Activity started with some delay, but will be implemented on time
	Red Activity not implemented on time; mitigation measures are required