



| ICAO

INTERNATIONAL CIVIL AVIATION ORGANIZATION

A UN SPECIALIZED AGENCY



ICAO WRC-27 Preparatory Workshop

Agenda item 9.1: Activities of the ITU-R Radiocommunication sectors since WRC-23

Guillaume Novella

Direction Générale de l'Aviation Civile

Presentation Overview

01 Background

02 Potential Issues


03 ICAO Position

04 Conclusion

Background

This topic is the result of a very long-term problematic related to the satellite-based Command and Control (C2 Link) for Remotely Piloted Aircraft Systems (RPAS)

Commercial systems in the Fixed Satellite Service



Many FSS operators



No regulatory framework, or not practicable

VS

Aeronautical safety systems in the Aeronautical Mobile Satellite (Route) Service (AMS(R)S)



No operator in the core C2 Link band (5030 – 5091 MHz)

Only 2 operators in other AMS(R)S bands, not primarily designed to support C2 Link



Regulatory framework OK for aeronautical safety services

The timeline illustrates the progress of ICAO RPAS standardization. It features a central blue arrow representing the timeline, with events marked by stars (orange for completed or ongoing, green for planned or deferred). The background is divided into three color-coded sections: orange for 2012-2019, red for 2019-2024, and green for 2024-2027.

Year	Event	Status / Outcome
2012	No 9.11A for AMS(S)R in the 5030 – 5091 MHz	Completed (Orange Star)
2014	RPAS Panel creation: SARPs finalization	Deferred to 2019 (Green Star)
2015	Res 155 on FSS supporting UAS C2 Link	Ongoing (Orange Star)
2017	SARPs finalization	Deferred to 2021 (Green Star)
2019	Slight revision of Res 155, waiting for SARPs applicability	Ongoing (Orange Star)
2019	SARPs finalization	Deferred to 2023 (Green Star)
2019-2024	Suspension of actions on Res 155; Studies on AMS(R)S for satellite-based C2 Link	Ongoing (Red Background)
2024	SARPs finalization	Deferred to 2025 at the best (Green Star)
2025	SARPs finalization	Deferred to 2028 at the best (Green Star)
2027	Future actions (indicated by two orange question marks)	Uncertain (Orange Stars)

ICAO RPAS standardization

Background

WRC-23 “decided to suspend any further action on Resolution 155” (use of the fixed satellite service for Unmanned Aircraft System Command and Control Link).


A new item has been agreed by this conference to study, as a matter of urgency, necessary measures to facilitate C2 Link for non-segregated airspace operation operated in non-segregated airspace using satellite links by the aeronautical mobile satellite (route) service (AMS(R)S) in suitable frequency bands in order to decide on the appropriate course of action to be taken for WRC-31

RES155-1

RESOLUTION 155 (REV.WRC-19)

Regulatory provisions related to earth stations on board unmanned aircraft which operate with geostationary-satellite networks in the fixed-satellite service in certain frequency bands not subject to a Plan of Appendices 30, 30A and 30B for the control and non-payload communications of unmanned aircraft systems in non-segregated airspaces*

The World Radiocommunication Conference (Sharm el-Sheikh, 2019),



WRC-23

All actions suspended, including:

- Work on a possible revision
- ITU-R BR actions on filing processing and class of stations registration


WHAT CAN WE DO WITH SUCH OUTCOME OF WRC-23 ?

Potential issues ... or opportunities

Capacity of the 5030 – 5091 MHz to support terrestrial and satellite based C2 Link


ITU-R Rep M.2171 concluded that the maximum amount of spectrum required for UAS are:

- 34 MHz for terrestrial C2 Link
- 56 MHz for satellite C2 Link



Safe operation of C2 Link

- Access to spectrum appropriate to aeronautical safety-of-life applications (No 4.10 applies)




On-going work at ITU-R and regional telecommunications organizations

ITU-R responsible group for this topic is WP-5B, with support of WP-4C.
No contribution has been submitted to ITU-R for the moment.

CEPT is considering a proposition on this issue:

- Proposition consists in extending the coordination under No 9.11A to the bands 5000 – 5030 MHz and 5091 – 5150 MHz of the currently existing AMS(R)S allocation
- Currently, only the band 5030 – 5091 MHz is under No 9.11A. No 9.21 applies in the bands 5000 – 5030 MHz and 5091 – 5150 MHz
- Compared to No 9.21, coordination with 9.11A facilitates the use of safety services with appropriate protection on a global basis



ICAO Position

9.1

To support ITU-R studies, as a matter of urgency, on necessary measures to facilitate the operation of Earth stations on board unmanned aircraft used for control and non-payload communication operated in non-segregated airspace using satellite links by the aeronautical mobile satellite (route) service (AMS(R)S) in suitable frequency bands in order to decide on the appropriate course of action to be taken for WRC-31

Conclusion

The question of spectrum for satellite-based C2 Link is open since 2007.

WRC-27 represents an opportunity for civil aviation to ask access to spectrum with suitable protection and to facilitate the long term accommodation of aviation satellite-based data communication need.

ICAO should assess the need for any WRC-27 action by actively contributing to ITU-R studies on this topic.

Thank You

