



**Common Regional Virtual Private Network (CRV) Operations Group
(OG) of Asia/Pacific Air Navigation Planning and
Implementation Regional Group (APANPIRG) (APANPIRG CRV OG)**

OPERATIONS MANUAL

First Draft v1.3 - November 2020

Contents

Contents.....	3
1 PART I: FOREWORD.....	5
1.1 Introduction.....	6
2 PART II: TERMS OF REFERENCE, COMPOSITION AND POSITION IN ICAO OF THE CRV OG 7	
2.1 Background.....	8
2.2 Terms of Reference.....	8
2.3 Reporting.....	8
2.4 Participation.....	8
2.5 Conduct of the work.....	8
2.6 Rapporteur.....	8
2.7 Position within ICAO.....	9
3 PART II: WORKING ARRANGEMENTS.....	10
3.1 APANPIRG Procedural Handbook.....	11
3.2 Administration of the CRV OG.....	11
4 PART III: SERVICE STRATEGY.....	13
4.1 Strategy Management.....	14
4.2 Service Portfolio Management.....	14
4.3 Financial Management.....	14
4.4 Business Relationship Management.....	14
4.4.1 Legal Documentation.....	15
4.4.2 Design and Implementation document flow.....	16
4.4.3 Common Package.....	17
4.4.4 Pre-Sales Stage.....	17
4.4.5 Implementation Stage.....	18
4.4.6 Operation Stage.....	19
4.5 Demand Management.....	19
5 PART IV: SERVICE DESIGN.....	20
5.1 Service Catalog Management.....	21
5.1.1 Requirements.....	21
5.1.2 Criteria to add a new service.....	22
5.2 Availability Management.....	25
5.2.1 Monthly Performance Management Reports.....	25
5.2.2 Monthly Operations Reports.....	25
5.2.3 Monthly meetings with PCCW.....	25
5.2.4 Quarterly Operations Reports.....	26
5.2.5 Annual OG meetings.....	26
5.2.6 Root cause analysis reports.....	26
5.2.7 Notifications of Maintenance.....	26

5.2.8	Diversity Audits.....	26
5.2.9	Testing failover.....	26
5.3	Capacity Management.....	27
5.4	IT Service Continuity Management.....	27
5.5	Service Level Management.....	27
5.6	Design Co-ordination.....	28
5.7	Information Security Management.....	28
5.8	Supplier Management.....	28
6	PART V: SERVICE TRANSITION.....	29
6.1	Transition Planning and Support.....	30
6.2	Change Management.....	30
6.3	Service Asset and Configuration Management.....	30
6.4	Release and Deployment Management.....	30
6.5	Service Validation and Testing Management.....	30
6.6	Change Evaluation.....	31
6.7	Knowledge Management.....	31
7	PART VI: SERVICE OPERATION.....	32
7.1	Event Management.....	33
7.2	Incident Management.....	33
7.3	Request Fulfilment.....	33
7.4	Problem Management.....	34
7.5	Access Management.....	36
	PART VII: CONTINUAL SERVICE IMPROVEMENT.....	37
7.6	Service Review.....	38
7.7	Process Evaluation.....	38
7.8	Definition of CSI Initiatives.....	38
7.9	Monitoring CSI Initiatives.....	38
8	PART VIII.....	39
8.1	Definitions.....	40

1 PART I: FOREWORD

1.1 Introduction

- a. The Common Regional Virtual Private Network Operations Group (CRV OG) Operations Manual is an informal publication prepared by the CRV Task Force, intended to provide, for easy reference of interested parties, a consolidation of material, particularly of a procedural nature, about the work of the CRV OG and its contributory bodies. It contains the Terms of Reference of the CRV OG established by the Asia/Pacific Air Navigation Planning and Implementation Regional Group (APANPIRG) (Decision 27/34). It also contains the working arrangements and internal instructions developed by the Group for the practical application of its Terms of Reference.
- b. The document describes; Terms of Reference; Composition; Position within ICAO; Working Arrangements; Rules of Procedure and Practices governing the Conduct of Business.
- c. The framework of Part and Sections headings in addition to the page numbering has been devised to provide flexibility and the facilitation of the revision of additional or new material. Each Part includes an Introduction giving its purpose and status. A Table of Contents is also provided which serves also as a subject index and as a check list for the current pages.
- d. All pages bear the date of issuance. Replacement pages will be issued as necessary and any portion of a page that has been revised will be identified by a vertical line in the margin. Additional material will be incorporated in the existing Sections or will be the subject of new Sections, as required.
- e. Changes to text will be identified by a vertical line in the margin in the following manner;
 - i. N for new or revised text;
 - ii. E for editorial modification that do not alter the substance or meaning of the text;
 - iii. D for deleted text
 - iv. For practical reasons, this shall not be applied to title pages or to the routine insertion and deletion of Conclusions and Decisions. The absence of change bars, when data or page numbers have changed, will signify reissue of the section concerned or rearrangement of text (e.g., following an insertion or deletion with no other changes).
- f. The Operations Manual will be distributed to Members and Observers of APANPIRG, the ICAO Secretariat, and to other States and international organizations participating in meetings, contributing to, or having interest in the work of the CRV OG and/or its Contributory Bodies.

2 PART II: TERMS OF REFERENCE, COMPOSITION AND POSITION IN ICAO OF THE CRV OG

2.1 Background

The establishment of APANPIRG CRV OG was proposed during the deliberations of the CRV Task Force (TF) as a dedicated group to provide oversight of the CRV operations and the performance of the CRV Service Provider. The APANPIRG CRV OG is formally established by APANPIRG Decision 27/34.

2.2 Terms of Reference

The Common Regional Virtual Private Network (VPN) Operations Group (OG) will provide oversight of the function and performance of the CRV and the performance of the Service Provider. The following are the activities to be performed:

- a. Oversee the implementation of the CRV post Contract Award;
- b. Manage issues arising from the transition with CRV TF, if any;
- c. Co-ordinate and standardize the establishment or upgrade of CRV services as required;
- d. Co-ordinate activities with other ICAO CRV OGs, if any, to make sure that decision making and communication with CRV Service Provider is consistent and timely;
- e. Oversee the performance of the CRV Service Provider, including customer service;
- f. Oversee the performance of the CRV network;
- g. Oversee the escalation and solving by the CRV Service Provider of issues associated with the provision of the CRV, including safety and security related issues;
- h. Assist with the resolution of issues associated with the provision of the CRV among the CRV Users as required, including safety and security related issues;
- i. Assist with the migration of Aeronautical Fixed Services (AFS) onto the CRV, in line with the GANP and seamless ATM plan;
- j. Maintain CRV OG documentation associated with the function, performance and management of the CRV, including the CRV OG Operations Manual, a list of CRV users and a record of variations to the common tender package;
- k. Accept deliverables from the CRV Service Provider on behalf of the CRV Users as required;
- l. Promote the use of CRV; and
- m. Perform any other activity as required by CRV operations.

2.3 Reporting

The CRV OG will report to Asia/Pacific Air Navigation Planning and Implementation Regional Group (APANPIRG) through ACSICG and CNS SG.

2.4 Participation

The CRV OG will include all APAC Member States/Administrations, and any other organization as needed.

2.5 Conduct of the work

It is anticipated that the CRV OG will conduct its work primarily by Web Conferences, teleconferences and other electronic means of communications. Face to Face meetings of CRV OG may be required on an annual basis. The ICAO APAC Regional Office will provide secretariat support for the CRV OG.

2.6 Rapporteur

There will be two Co-Chairpersons of the CRV OG, one primarily responsible for Asia coordination and the other for Pacific coordination.

2.7 Position within ICAO

- a) CRV OG shall be the guiding and co-ordinating organ for all activities conducted within ICAO concerning the Common Regional VPN for the Asia and Pacific Regions. However, it shall not assume authority vested in other ICAO bodies, except where such bodies have specifically delegated their authority to the Group. The activities of the Group shall be subject to review by the APANPIRG.
- b) The work of groups established and meetings held within the framework of ICAO, concerned with the Asia and Pacific CRV shall be coordinated with the CRV OG to ensure full harmonization with all regional activities regarding the development and operation of the Asia/Pacific system.

3 PART II: WORKING ARRANGEMENTS

3.1 APANPIRG Procedural Handbook

The CRV shall be guided by the APANPIRG Procedural Handbook to ensure that work arrangements are consistent with its parent body

3.2 Administration of the CRV OG

- c) The CRV shall be administered as follows:
 - i. by two (2) Chairpersons, one elected from the Representatives designated by member States of the Group from ASIA Region and one from the PACIFIC region; and
 - ii. by ICAO Regional Director, Asia and Pacific Office designated as Secretary CRV OG by the Secretary General of ICAO. In the execution of duties the Secretary will be supported by the Asia and Pacific Regional Office.
- d) The Chairpersons, in close co-ordination with the Secretary, shall arrange for the most efficient working of the Group. The Group shall always work with a minimum of formality and paperwork.
- e) Between meetings of the CRV OG, some subjects may be dealt with by correspondence among appointed Representatives of Member States through the Secretary of the CRV OG. However, if States are to be consulted this should be done through the ICAO Regional Director, Asia and Pacific Office.

Service Strategy

- Strategy Management
- Service Portfolio Management
- Financial Management
- Business Relationship Management
- Demand Management

Service Design

- Service Catalogue Management
- Availability Management
- Capacity Management
- IT Service Continuity Management
- Service level Management
- Design Co-ordination
- Information Security Management
- Supplier Management

Service Transition

- Transition Planning and Support
- Change Management
- Service Asset & Configuration Management
- Release and Deployment Management
- Service Validation and Testing Management
- Change Evaluation
- Knowledge Management

Service Operation

- Event Management
- Incident Management
- Request Fulfilment
- Problem Management
- Access Management

Continual Service Improvement

- Service Review
- Process Evaluation
- Definition of CSI Initiatives
- Monitoring CSI Initiatives

4 PART III: SERVICE STRATEGY

Service Strategy

- Strategy Management
- Service Portfolio Management
- Financial Management
- Business Relationship Management
- Demand Management

4.1 Strategy Management

Process Objective: To assess the service provider's offerings, capabilities, competitors as well as current and potential market spaces in order to develop a strategy to serve customers. Once the strategy has been defined, Strategy Management for IT Services is also responsible for ensuring the implementation of the strategy.

- a) Reduce telecommunication costs in most cases (to be confirmed by local CBA)
- b) Enable integration in the aeronautical infrastructure and enhanced services (GANP, regional objectives)
- c) Enhance information security
- d) Provide a standardized interface for AFS (instead of multiple protocols, some of which are obsolescent)
- e) Rationalize coordination for network management and enhancement
- f) Respond to Air Traffic requirements in a timely and standardized manner
- g) Coordination with Other Regional Private Networks
- h) Promote the use of CRV

4.2 Service Portfolio Management

Process Objective: To manage the service portfolio. Service Portfolio Management ensures that the service provider has the right mix of services to meet required business outcomes at an appropriate level of investment.

- Criteria for services to be added to CRV.
- POC of new services.

4.3 Financial Management


Process Objective: To manage the service provider's budgeting, accounting and charging requirements.

4.4 Business Relationship Management


Process Objective: To maintain a positive relationship with customers. Business Relationship Management identifies the needs of existing and potential customers and ensures that appropriate services are developed to meet those needs.

4.4.1 Legal Documentation

The list below shows the precedence of the legal documents that pertains to CRV.



4.4.2 Design and Implementation document flow



4.4.3 Common Package

The Common Package is the common set of documents required to be used to join and operate the CRV Network.

The documents and how they relate to the stages in the Design and Implementation document flow is detailed below.

This is located on the CRV Users Portal here: [Common Package](#).

4.4.4 Joining Stage

a. Operations Manual

This provides the Policies, Processes and Procedures for the Strategy, Design, Transition and Operation of the CRV network.

b. [Implementation Plan](#)

The purpose of this Implementation Plan is to provide guidance for all States/ Administrations on the operation requirements for implementing the Common aeRonautical Virtual Private Network (CRV) used in Asia/ Pacific (APAC) Region and the roadmap for implementation.

It contains information on Points of Contacts for each State, Allocated IP addressing for States and Service Providers, proposed implementation dates and suggested tests.

IP Addressing is also listed on the [APAC CRV Portal](#).

c. Registration Form

Provides the information required to connect to CRV as an ANSP.

Example of the [Registration Form](#)

4.4.5 Pre-Sales Stage

a. High Level Questionnaire

This provides the high level information to PCCW to be able to provide the Service Order Form (SOF) for signing.

Example of the [High Level Questionnaire](#)

b. Service Order Form

Provides the information to PCCW to provide the connection and initiate billing.

Example of the [Service Order Form](#).

c. System Design Document

This is the over-arching Design Document for the CRV Network.

Example of [System Design Document](#)

d. Interface Control Document

Example of [Interface Control Document](#)

e. Technical Design Form

Example [Technical Design Form](#)

f. System Engineering Plan

This is a living document covering the technical aspects of the CRV implementation. Any changes can be updated by the User or PCCW.

Example of a [System Engineering Plan](#)

4.4.6 Implementation Stage

a. System Engineering Plan

This is a living document covering the technical aspects of the CRV implementation. Any changes can be updated by the User or PCCW.

Example of a [System Engineering Plan](#)

b. Project Plan

Provided to each state post signing of the Contract and is only relevant to that state. It is updated regularly by the PCCW Project manager

Example of a [Project Plan](#)

c. Installation and Transition Plan

Example of an [Installation and Transition Plan](#)

d. Validation Plan

This is PCCW's testing plan post implementation of the Managed Service

Example of a [Validation Plan](#)

e. Testing and Report Checklist

This is the result of PCCW's Testing plan post implementation of the Managed Service and is accompanied by the Service Commencement Notice (SCN)

[Testing and Report Checklist](#)

4.4.7 Operation Stage

- a. Security Management Plan

Example of the [Security Management Plan](#)

- b. Safety Management Plan

Example of a [Safety Management Plan](#)

- c. Customer Support Service Plan

This details the contact details for any Problems or Incidents that the State may encounter.

Example of a [Customer Support Service Plan](#)

- d. Escalation Management Plan

This details the contact details if the need arises to escalate any Tickets. It also details the escalation criteria

Example of an [Escalation Management Plan](#)

- e. Performance Management Report

Example of a [Performance Management Report](#)

4.5 Demand Management

Process Objective: To understand, anticipate and influence customer demand for services. Demand Management works with Capacity Management to ensure that the service provider has sufficient capacity to meet the required demand.

5 PART IV: SERVICE DESIGN

Service Design

- Service Catalogue Management
- Availability Management
- Capacity Management
- IT Service Continuity Management
- Service level Management
- Design Co-ordination
- Information Security Management
- Supplier Management

5.1 Service Catalog Management

Process Objective: To ensure that a Service Catalogue is produced and maintained, containing accurate information on all operational services and those being prepared to be run operationally. Service Catalogue Management provides vital information for all other Service Management processes: Service details, current status and the services' interdependencies.

5.1.1 Requirements

- a. Latency (from the [ADDENDUM TO THE SPECIFIC TERMS](#))

Locations	Average Round Trip Delay
Within the cities specified in Asia (On-net/Off-net)	200ms
Within the cities specified in Oceania (On-net/Off-net)	200ms
Between the cities specified in Middle East and Europe (On-net/Off-net)	200ms
Within the cities specified in Europe (On-net/Off-net)	200ms
Other cities combination not specified above	600ms

- b. Availability (from the [ADDENDUM TO THE SPECIFIC TERMS](#))

Service Package	Service Availability
Package A	99.97%
Package B	99.5%
Package B+	99.95%
Package C	99.5%
Package C+	99.7%
Package D	99.5%

- c. Jitter (from the [ADDENDUM TO THE SPECIFIC TERMS](#))

The Target Average Jitter Level for voice application and data application is 15ms and 250ms respectively

- d. QoS/DSCP markings

Service class name	DSCP Name
Border Gateway Protocol (BGP)	CS6
Voice	EF
Voice Signaling	CS5 (preferred) EF (if CS5 is not possible)
ADS-B	CS4
AFTN, ATN.	AF21
All traffic not otherwise defined.	DF (CS0)

e. Security

Security is the responsibility of each of the ANSPs. Basic security is provided by PCCW utilising Route Filtering and GRE tunnels between ANSP sites.


5.1.2 Criteria to add a new service

a. Considerations

- i. Connecting a Service Provider / Service Consumer (SPSC) to the CRV can be initiated by any party that identifies a need for an SPSC to connect to it. The following should be considered by the SPSC and the CRV-Member state.
- ii. Service Provider (SP) is defined as a company that provides aeronautical service using the CRV as the means of communication.
- iii. Service Consumer (SC) is defined as a company or organisation that consumes aeronautical information using the CRV as the means of communication.
- iv. The SPSC should be referred to PCCW to enable an initial discussion with them to assess the feasibility of connecting to the CRV. During this discussion the SPSC should clarify:
 - v. Interfaces
 - vi. Data transfer rates
 - vii. DSCP marking etc.
- viii. It is recommended that Service Providers use public ip addressing for the delivery of their services.
- ix. It is recommended that Service Consumers are provided with a 10.x.x.x ip addressing from the CRV Member State where the PCCW NID is installed.
- x. SPSCs will NOT be a member of the CRV Operations Group (OG). The OG may establish a CRV user group that could facilitate discussion on the use of the CRV by SPSCs.
- xi. SPSCs will need to adhere to the Common Regional VPN (CRV): System Design Document (SDD). Substantive changes to the SDD MUST be endorsed by the CRV OG.
- xii. CRV member states should consider ICAO Doc 9855 AN/459 Guidelines on the Use of the Public Internet for Aeronautical Applications as guidance when they are the Primary sponsor.
- xiii.
- xiv. The CRV OG IS NOT responsible for the accreditation/certification/validation of a Service Provider, but must ensure that all reasonable steps have been taken to ensure that the Service Provider has sufficient systems and process in place to provide their service over the CRV.
- xv.

- xvi. Service Consumers and CRV members SHOULD ensure that when obtaining a Service from a Service Provider that the service meets their operational service requirements.

b. Process



1. Procedure.
 - i. The information required in the connection request, should be presented in English and in a clear and logical format. The following process will be used for an SPSC to obtain approval connect to the CRV:
 - ii. Provide a business justification including Benefits Realization for joining the CRV
 - iii. For a Service Provider:
 - a. provide a documentation using Section 2.3 ACCREDITATION OF AN IASP in ICAO Doc 9855 AN/459 as a guide including a cyber-security plan.
 - iv. For a Service Consumer; at a minimum, provide a CRV connection plan and cyber-security plan on how they will shield the CRV from their organisation.
 - v. Obtain a Primary CRV member state to sponsor their connection to the CRV.
 - vi. Obtain business justification from Primary Sponsor to support their request.
 - vii. Obtain a Secondary CRV member state to sponsor their connection to the CRV based on the information above.
 - viii. The information provided above, will be provided to the CRV OG via the APAC CRV portal.
 - ix. CRV OG members will be notified and have 25 business days to review and address any concerns that they may have with the request.

- x. After the 25 days, if the majority of reviews by CRV OG members are endorsed, the CRV OG chairs will review the request.
- xi. For the request to be approved, both CRV OG C-Chairs need to approve the request.
- xii. A Document/Certificate will be provided to the primary sponsor that can be used to verify that the SPSC is approved to connect the CRV.
- xiii. The on boarding of Service Provider / Service Consumer will be supported by the Airways New Zealand provided APAC CRV SharePoint portal. There will be word forms to facilitate the information and these forms will be migrated to an automated SharePoint Workflow as soon as practical.

Service Provider / Service Consumer will be required to undertake the following:

Provide a business justification including Benefits Realisation for joining the CRV

Provide a High Level System Design on how their Service could potentially connect to the CRV.

Service Providers to use Public IP Addressing

Service Consumers to use the ICAO allocated IP addresses

Interfaces

Data transfer rates

DSCP marking

5.2 Availability Management

Process Objective: To define, analyse, plan, measure and improve all aspects of the availability of IT services. Availability Management is responsible for ensuring that all IT infrastructure, processes, tools, roles etc. are appropriate for the agreed availability targets.

5.2.1 Monthly Performance Management Reports

Provided by PCCW to each State that has joined CRV covering:

- Router report
- Interface report
- QoS report
- Traffic report

(More SLA data is available from the [PCCW Portal](#))

5.2.2 Monthly Operations Reports

Provided by PCCW to each State that has joined CRV covering:

- Active Service Inventory
- Site Availability (More SLA data is available from the [PCCW Portal](#))
- Ticket Statistic
 - Problem Statistic
 - Incident Statistic
 - Requests
 - Maintenance
- Ticket Details
- AOB

5.2.3 Monthly meetings with PCCW

Conducted via Telephone conference that is hosted by PCCW, with each State that has joined CRV to discuss:

- States Performance Management Report (information from the Portal)
- States Operations Report (Service Report)

5.2.4 Quarterly Operations Reports

Provided by PCCW to the OG covering:

Implementation progress

Site Availability (More SLA data is available from the [PCCW Portal](#))

Ticket Statistic

Problem Statistic

Incident Statistic

Requests

Maintenance

Ticket Details

AOB

5.2.5 Annual OG meetings

Implementation progress

Site Availability (More SLA data is available from the [PCCW Portal](#))

Ticket Statistic

Problem Statistic

Incident Statistic

Requests

Maintenance

Ticket Details

Network Utilisation

AOB

5.2.6 Root cause analysis reports

Provide detail post every Incident to the affected State and the APAC CRV OG. Include these in each of the Monthly, Quarterly and Annual Report.

5.2.7 Notifications of Maintenance

Ensuring that all affected parties of maintenance releases are updated as appropriate.

5.2.8 Diversity Audits

A rolling audit of States/Sites physical and logical connectivity based on the information provided in the Service Commencement Notice.

5.2.9 Testing failover

State LOA/MOU/Technical Letter for carrying out failover testing to ensure service continuity.

5.3 Capacity Management

Process Objective: To ensure that the capacity of IT services and the IT infrastructure is able to deliver the agreed service level targets in a cost effective and timely manner. Capacity Management considers all resources required to deliver the IT service, and plans for short, medium and long term business requirements.

Co-ordinate and standardize the establishment or upgrade of CRV services as required

Oversee the performance of the CRV network;

5.4 IT Service Continuity Management

Process Objective: To manage risks that could seriously impact IT services. ITSCM ensures that the IT service provider can always provide minimum agreed Service Levels, by reducing the risk from disaster events to an acceptable level and planning for the recovery of IT services. ITSCM should be designed to support Business Continuity Management.

a) CRV Contingency Operations

from CRV TF/6 report there is this report:

The meeting discussed again the contingency plan in relation to the safety case. To mitigate the risk of a total or major failure (such as IT disaster that would affect the whole CRV), two layers of process would have to be articulated:

- *the procedures and measures planned and implemented by PCCW; and*
- *consistently, the procedures and measures planned and implemented by the CRV Users, as part of their contingency plan required by ICAO SARPS.*

Furthermore, the meeting agreed that procedures to mitigate the total failure of CRV should be discussed by CRV OG as part of the contingency planning.

5.5 Service Level Management

Process Objective: To negotiate Service Level Agreements with the customers and to design services in accordance with the agreed service level targets. Service Level Management is also responsible for ensuring that all Operational Level Agreements and Underpinning Contracts are appropriate, and to monitor and report on service levels.

5.6 Design Co-ordination

Process Objective: To coordinate all service design activities, processes and resources. Design coordination ensures the consistent and effective design of new or changed IT services, service management information systems, architectures, technology, processes, information and metrics.

Change Requests

Engineering Package

Legal Documents

Dial Plan

5.7 Information Security Management

Process Objective: To ensure the confidentiality, integrity and availability of an organization's information, data and IT services. Information Security Management usually forms part of an organizational approach to security management which has a wider scope than the IT Service Provider.

Security is the responsibility for the implementation of security controls to ensure the integrity of services.

As a minimum the connectivity states is via GE Tunnels.

Other methods of ensuring the security of the connectivity are:

- a. Utilising as small an IP Address range as possible.
- b. Only advertising relevant IP addresses.
- c. Only accepting verified IP Routes when required.
- d. Utilising firewalls.
- e. Utilising NAT.
- f. Utilising Intrusion Protection Software (IPS)

It is recommended that external security advice is sought.

5.8 Supplier Management

Process Objective: To ensure that all contracts with suppliers support the needs of the business, and that all suppliers meet their contractual commitments.

- a) Oversee the performance of the CRV Service Provider, including customer service;
- b) Oversee the escalation and solving by the CRV Service Provider of issues associated with the provision of the CRV, including safety and security related issues

6 PART V: SERVICE TRANSITION

Service Transition

- Transition Planning and Support
- Change Management
- Service Asset & Configuration Management
- Release and Deployment Management
- Service Validation and Testing Management
- Change Evaluation
- Knowledge Management

6.1 Transition Planning and Support

Process Objective: To plan and coordinate the resources to deploy a major Release within the predicted cost, time and quality estimates.

- a) Covered by the Implementation Plan

6.2 Change Management

Process Objective: To control the lifecycle of all Changes. The primary objective of Change Management is to enable beneficial Changes to be made, with minimum disruption to IT services.

All changes are to be conveyed to PCCW via their Change Request Form. And covered by the Change Management Process as found in the Common Package.

6.3 Service Asset and Configuration Management

Process Objective: To maintain information about Configuration Items required to deliver an IT service, including their relationships.

- a) Maintain CRV OG documentation associated with the function, performance and management of the CRV, including the CRV OG Operations Manual, a list of CRV users and a record of variations to the common tender package;

This information is collated in the following ways:

- CRV Operations Manual – APAC Portal
- A list of CRV users – Registrations page on the APAC portal
- Record of Variations is found in the APAC CRV Portal in the Common Package Folder

6.4 Release and Deployment Management

Process Objective: To plan, schedule and control the movement of releases to test and live environments. The primary goal of Release Management is to ensure that the integrity of the live environment is protected and that the correct components are released.


- a) Oversee the implementation of the CRV post Contract Award;
- b) Manage issues arising from the transition with CRV TF, if any

6.5 Service Validation and Testing Management

Process Objective: To ensure that deployed Releases and the resulting services meet customer expectations, and to verify that IT operations is able to support the new service.

- a) Accept deliverables from the CRV Service Provider on behalf of the CRV Users as required;
- b) Refer to the [CRV Implementation Plan](#)

c) New Services



New services being tested by any state,
 Notifies OG intention to test as soon as practical.
 Advises CRV OG and PCCW 48hrs prior to testing

Testing is to be carried out with a DSCP marking of DF so as to avoid impacting other services.

The results of the tests are to be posted on the CRV portal and the OG advised of the posting.

6.6 Change Evaluation

Process Objective: To assess major Changes, like the introduction of a new service or a substantial change to an existing service, before those Changes are allowed to proceed to the next phase in their lifecycle.

6.7 Knowledge Management

Process Objective: To gather, analyse, store and share knowledge and information within an organization. The primary purpose of Knowledge Management is to improve efficiency by reducing the need to rediscover knowledge.

- a) All information relating to the ongoing operation of the network shall be retained in the [APAC CRV Portal](#)

There will be a link to the portal from the ICAO APAC page.

- b) To add items to the portal.

- c) To Workflow a document.

7 PART VI: SERVICE OPERATION

Service Operation

- Event Management
- Incident Management
- Request Fulfilment
- Problem Management
- Access Management

7.1 Event Management

Process Objective: To make sure CIs and services are constantly monitored, and to filter and categorize Events in order to decide on appropriate actions.

- a) Managed by PCCW

7.2 Incident Management

Process Objective: To manage the lifecycle of all Incidents. The primary objective of Incident Management is to return the IT service to users as quickly as possible.

- a) Managed by PCCW
 - After an incident, an incident report (IR) can be provided upon request.
 - Under normal circumstances, an IR would be ready in 3 working days.
 - An IR Form template is provided in the Common Package as an example.

7.3 Request Fulfilment

Process Objective: To fulfil Service Requests, which in most cases are minor (standard) Changes (e.g. requests to change a password) or requests for information.

- Process




- Procedure

- Request

There are four types of requests:

1. Request to join CRV as a user.
2. Request to change
3. Request to [add a new service](#)
4. Request to terminate the CRV connection

- Process



- Procedure
 1. Details on how to join CRV are posted on the ICAO APAC and ICAO MID pages.
 2. An initial request is sent to the APAC CRV Portal Administrator requesting to join, leave or add a new connection to CRV.
 3. Upon receipt of the request to join, leave or add new connection to CRV, a registration form is provided.
 4. Upon receipt of the registration form to join or leave, check the content is complete:
 - a. ANSP Making the Request
 - b. Technical Point of Contact
 - c. State(s) connecting to.
 - d. Proposed services between ANSPs
 - e. Proposed go live/removal date
 5. If complete, acknowledge the request with a link to the Common Package, the Operations Group Manual and the Implementation Plan and the CRV Portal.
 6. If not complete, request updated information.
 7. Notify the CRV OG and PCCW.
 8. Update the [Registrations List](#).
- Design
 - Go to [Design Co-ordination](#)
- Implementation
 - Go to [Change Management](#)
- Operation
 - Go to [Service Operation](#)

7.4 Problem Management

Process Objective: To manage the lifecycle of all Problems. The primary objectives of Problem Management are to prevent Incidents from happening, and to minimize the impact of incidents that cannot be prevented. Proactive Problem Management analyses Incident Records, and uses data collected by other IT Service Management processes to identify trends or significant Problems.

- a) PCCW Initiated – Follow the Customer Support Service Plan
- b) Authority Initiated
 - a. Troubleshoot local connectivity
 - b. Polling the NID. On the ANSP NID provided by PCCW, a local loop back will be configured using a specified IP address from the allocated range of IP addressing. This will be called the troubleshooting IP address.
 - c. Troubleshoot with peers
 - d. Fault with PCCW following the Customer Support Service Plan

7.5 Access Management

Process Objective: To grant authorized users the right to use a service, while preventing access to non-authorized users. The Access Management processes essentially execute policies defined in Information Security Management. Access Management is sometimes also referred to as Rights Management or Identity Management.

a) Physical Access Control

- i. The Cabinet for Core Routers are locked
- ii. The network main PoP sites are under 7x24 CCTV monitoring and recording

b) Remote Network Access Control

- i. The remote access of Cores and CE routers are controlled by access-list ACL that is only allow authorized terminal of management systems.
- ii. The TACACS is deployed to allow the authorized persons of PCCWG to access Core Routers or CE routers as AAA clients.

c) Portal Access

Review member's access annually.

PART VII: CONTINUAL SERVICE IMPROVEMENT

Continual Service Improvement

- Service Review
- Process Evaluation
- Definition of CSI Initiatives
- Monitoring CSI Initiatives

7.6 Service Review

Process Objective: To review business services and infrastructure services on a regular basis. The aim of this process is to improve service quality where necessary, and to identify more economical ways of providing a service where possible.

Volunteers for each section

Small groups around these sections.

Report back up to the master document owner

Approval by Chairs

Approval by APANPIRG

Master owner of the document updates and publishes every two months?

Quarterly conference call to start with to update the document.

7.7 Process Evaluation

Process Objective: To evaluate processes on a regular basis. This includes identifying areas where the targeted process metrics are not reached, and holding regular bench markings, audits, maturity assessments and reviews.

7.8 Definition of CSI Initiatives

Process Objective: To define specific initiatives aimed at improving services and processes, based on the results of service reviews and process evaluations. The resulting initiatives are either internal initiatives pursued by the service provider on his own behalf, or initiatives which require the customer's cooperation.

7.9 Monitoring CSI Initiatives

Process Objective: To verify if improvement initiatives are proceeding according to plan, and to introduce corrective measures where necessary.

8 PART VIII DEFINITIONS

8.1 Definitions

A Service is defined as any service provided over the CRV supporting Meteorological Service for International Air Navigation or Air Traffic Control Services.

Service Provider / Service Consumer (SPSC)

Incident - An Incident is defined as an unplanned interruption or reduction in quality of an IT service (a Service Interruption).

Eg. A link has been flapping in the network causing reroutes.

Problem - A cause of one or more Incidents. The cause is not usually known at the time a Problem Record is created.

Eg. Link flaps have been caused by unplanned work by a third party.