

FIR		NZZO					
Criteria		RSP180					
Period		Jan-June 2023			July-December 2023		
Colour Key		Message Counts	95%	99.90%	Message Counts	95%	99.90%
Meets Criteria		% <= 90sec	% <= 180sec		% <= 90sec	% <= 180sec	
By Media Type							
SATCOM		337695	98.81	99.66	382399	98.61	99.59
VHF		76376	99.75	99.92	89058	99.7	99.87
HF		259	74.13	84.16	230	69.56	85.65
ALL		414330	98.97	99.7	471687	98.81	99.64
By Remote Ground Station (RGS) Ground Earth Station (GES)							
Designator	Type	(only RGS/GES with message counts >100 recorded)					
AKL	VDL	6434	99.75	99.9	7720	99.79	99.88
AKL1	VDL	856	100	100	878	99.88	99.88
AKL2	VDL	6425	99.09	99.89	7099	98.81	99.5
AKL7	VDL	4168	99.97	99.97	5652	99.96	99.98
AKL8	VDL	21360	99.92	99.96	20269	99.96	99.99
AKLV	VDL	1419	99.71	99.85	1441	100	100
AME1	SAT	13297	99.7	99.92	16016	99.25	99.68
AME2	SAT	2659	99.81	99.92	4050	99.5	99.75
AME7	SAT				470	99.57	99.78
AME8	SAT				288	100	100
APK1	SAT	151812	99.19	99.82	175089	98.92	99.74
APK2	SAT	8732	99.54	99.89	7052	99.37	99.87
APK7	SAT				1600	98.5	98.81
APK8	SAT				889	98.98	99.43
APW1	VDL	4432	99.66	99.72	5198	99.9	99.98
CHC	VDL	356	100	100	436	100	100
CHC1	VDL	252	97.22	99.2	259	96.91	99.61
CHC2	VDL	282	97.51	100	243	95.47	98.76
CHC7	VDL	1913	99.94	100	1777	99.88	100
CHC8	VDL	1535	99.93	100	1419	99.92	100
CHCV	VDL	383	100	100	619	99.83	99.83
H05	HF	208	77.4	86.05	186	74.19	89.78
HLZ	VDL	1097	99.72	99.9	728	100	100
HLZ1	VDL	269	99.62	100	299	98.99	99.33
IG1	SAT	2287	96.76	98.51	1687	97.09	98.93
IGW1	SAT	77675	97.38	99.23	83026	96.95	99.12
IOR5	SAT				197	97.46	100
IVC1	VDL	754	97.21	99.6	956	98.22	100

FIR		NZZO					
Criteria		RSP180					
Period		Jan-June 2023			July-December 2023		
Colour Key		Message Counts	95% % <= 90sec	99.90% % <= 180sec	Message Counts	95% % <= 90sec	99.90% % <= 180sec
By Aircraft Operator / Type (only message counts >100 recorded)							
AAL/B77W	4234	98.91%	99.34%	9511	98.92%	99.32%	
AAL/B788				108	100.00%	100.00%	
AAL/B789	8290	99.92%	100.00%	4762	99.87%	99.98%	
ACA/B77L	273	98.53%	100.00%	468	97.86%	98.50%	
ACA/B789	3732	99.01%	99.65%	2015	98.91%	99.80%	
ACI/A20N	2173	98.44%	99.54%	2312	98.36%	99.35%	
ACI/A339	1467	99.25%	99.93%	1563	100.00%	100.00%	
ANZ/A20N	36588	97.70%	99.62%	36744	97.52%	99.73%	
ANZ/A21N	40944	98.22%	99.44%	46025	97.44%	99.14%	
ANZ/B77W	35456	99.28%	99.71%	52449	98.88%	99.59%	
ANZ/B789	73626	99.34%	99.94%	70165	99.12%	99.94%	
ASY/A332	163	100.00%	100.00%	228	99.56%	100.00%	
ASY/C17	109	100.00%	100.00%	237	96.20%	97.89%	
ASY/C30J	101	100.00%	100.00%	147	98.64%	100.00%	
ASY/FA7X	242	97.93%	98.35%	174	98.85%	100.00%	
AWC/A21N				140	97.86%	100.00%	
CAL/A359	2668	99.06%	99.85%	2951	99.36%	100.00%	
CAL/B77L	155	98.71%	100.00%				
CCA/A332				171	100.00%	100.00%	
CCA/B789	678	98.53%	99.26%	2891	98.93%	99.34%	
CES/A332	1996	100.00%	100.00%	1222	99.92%	100.00%	
CES/B77W	928	99.25%	99.46%	3560	98.96%	99.47%	
CES/B789	101	100.00%	100.00%	1967	99.90%	99.90%	
CHH/A333	238	100.00%	100.00%				
CKS/B744	346	98.55%	100.00%				
CKS/B77L	5143	98.41%	99.38%	1240	98.23%	99.03%	
CPA/A359				202	100.00%	100.00%	
CPA/A35K	1780	99.89%	100.00%	2062	99.37%	99.95%	
CSN/A359	405	100.00%	100.00%	331	100.00%	100.00%	
CSN/B789	3266	99.91%	99.97%	5617	99.54%	99.93%	
DAL/A359	8060	99.50%	99.94%	12381	99.56%	99.92%	
DOD/K35R	131	86.26%	90.84%				
FDX/B77L	1134	98.85%	99.74%	1123	97.77%	99.02%	
FJI/A332	5705	98.02%	99.67%	4167	96.33%	98.78%	

EXAMPLE PERFORMANCE REPORT DATA
ANSP REPORTS TO FIT

CPDLC
MEDIA TYPE/RGS & GES

FIR		NZZO										
Criteria		RCP240										
Period		Jan - Jun 2023				Jul - Dec 2023						
Colour Key		Message Counts		95% benchmark		99.9% Benchmark		Message Counts	95% benchmark		99.9% Benchmark	
				ACP	ACTP	ACP	ACTP		ACP	ACTP	ACP	ACTP
				% <= 180sec	% <= 120sec	% <= 210sec	% <= 150sec		% <= 180sec	% <= 120sec	% <= 210sec	% <= 150sec
By Media Type												
SATCOM		68738	99.03%	99.53%	99.35%	99.70%	74291	99.08%	99.48%	99.36%	99.63%	
VHF		9827	99.64%	99.83%	99.71%	99.91%	10372	99.69%	99.73%	99.82%	99.91%	
HF		112	75.00%	76.78%	77.67%	82.14%	110	83.63%	87.27%	90.00%	91.81%	
ALL		78677	99.07%	99.53%	99.36%	99.71%	84773	99.13%	99.49%	99.40%	99.65%	
By Remote Ground Station (RGS) Ground Earth Station (GES)												
Designator	Type	(RGS/GES with message counts > 100)										
AKL	VDL	973	99.28%	99.58%	99.28%	99.58%	1109	99.63%	99.90%	99.81%	100.00%	
AKL2	VDL	1285	99.84%	99.84%	99.84%	99.92%	1049	100.00%	100.00%	100.00%	100.00%	
AKL7	VDL	316	100.00%	99.36%	100.00%	100.00%	394	99.23%	99.23%	99.49%	99.49%	
AKL8	VDL	2105	99.61%	99.71%	99.80%	99.95%	1812	99.61%	99.11%	99.83%	99.77%	
AKLV	VDL	168	100.00%	100.00%	100.00%	100.00%	161	99.37%	100.00%	100.00%	100.00%	
AME1	SAT	1813	99.39%	99.72%	99.39%	99.88%	2071	99.61%	99.71%	99.71%	99.85%	
AME2	SAT	372	98.65%	99.73%	98.92%	99.73%	494	98.98%	98.98%	99.39%	99.39%	
APK1	SAT	30442	99.37%	99.63%	99.62%	99.78%	32789	99.33%	99.55%	99.60%	99.70%	
APK2	SAT	1853	99.62%	99.89%	99.78%	99.89%	1344	99.25%	99.55%	99.47%	99.77%	
APK7	SAT						260	99.23%	100.00%	99.61%	100.00%	
APK8	SAT						134	99.25%	100.00%	99.25%	100.00%	
APW1	VDL	831	100.00%	100.00%	100.00%	100.00%	950	100.00%	100.00%	100.00%	100.00%	
CHC7	VDL	150	100.00%	100.00%	100.00%	100.00%	140	100.00%	98.57%	100.00%	100.00%	
CHC8	VDL	102	100.00%	100.00%	100.00%	100.00%						
HLZ	VDL	123	100.00%	100.00%	100.00%	100.00%	100	100.00%	100.00%	100.00%	100.00%	
IG1	SAT	426	92.25%	95.53%	94.36%	98.12%	298	96.64%	97.65%	97.31%	98.99%	
IGW1	SAT	18403	98.20%	99.26%	98.75%	99.54%	19242	98.29%	99.12%	98.71%	99.33%	
IVC1	VDL	126	100.00%	100.00%	100.00%	100.00%	198	100.00%	100.00%	100.00%	100.00%	
RAR1	VDL	378	99.20%	99.73%	99.20%	99.73%	707	99.85%	100.00%	99.85%	100.00%	
SUV1	VDL	146	97.94%	100.00%	98.63%	100.00%						
TBU1	VDL	2627	99.58%	99.96%	99.61%	99.96%	2149	99.67%	99.95%	99.76%	100.00%	
XSN7	VDL						428	99.53%	99.06%	100.00%	99.53%	
XXA	SAT	11664	99.47%	99.70%	99.66%	99.76%	13424	99.36%	99.70%	99.57%	99.77%	
XXH	SAT	697	98.42%	99.13%	98.99%	99.28%	1239	99.59%	99.83%	99.75%	99.83%	
XXP	SAT	2614	99.46%	99.77%	99.65%	99.77%	2809	99.67%	99.85%	99.71%	99.85%	
XXU	SAT						204	99.50%	100.00%	99.50%	100.00%	
XXW	SAT	407	99.26%	99.75%	99.26%	99.75%	375	99.73%	100.00%	99.73%	100.00%	

EXAMPLE PERFORMANCE REPORT DATA
ANSP REPORTS TO FIT

CPDLC
Aircraft Operator & Type

FIR		NZZO											
Criteria		RCP240											
Period		Jan - Jun 2023						Jul - Dec 2023					
Colour Key	Message Counts	95% benchmark		99.9% Benchmark		95%		Message Counts	95% benchmark		99.9% Benchmark		95%
		ACP	ACTP	ACP	ACTP	PORT	%<60secs		ACP	ACTP	ACP	ACTP	PORT
By Aircraft Operator / Type (only message counts >100 recorded)													
AAL/B77W	816	99.26%	99.87%	99.26%	99.87%	98.28%		1588	99.31	99.49%	99.62	99.62%	98.55%
AAL/B789	1430	99.93%	100.00%	100.00%	100.00%	99.44%		703	99.86	100.00%	99.86	100.00%	99.00%
ACA/B789	577	99.48%	99.13%	99.83%	99.13%	99.30%		319	99.69%	98.43%	100.00%	99.05%	98.43%
ACI/A20N	360	99.72%	100.00%	99.72%	100.00%	98.61%		362	100.00%	99.72%	100.00%	100.00%	99.17%
ACI/A339	185	100.00%	100.00%	100.00%	100.00%	98.91%		189	100.00%	100.00%	100.00%	100.00%	98.41%
ANZ/A20N	8016	98.75%	99.65%	99.13%	99.83%	96.83%		8081	98.87%	99.50%	99.26%	99.82%	97.06%
ANZ/A21N	8844	98.64%	99.43%	99.04%	99.77%	96.85%		9538	98.67%	99.30%	98.99%	99.41%	97.27%
ANZ/B77W	6677	99.36%	99.65%	99.52%	99.79%	97.94%		8635	99.07%	99.50%	99.43%	99.55%	97.85%
ANZ/B789	13329	99.55%	99.55%	99.81%	99.80%	98.87%		12180	99.55%	99.37%	99.81%	99.77%	99.12%
CAL/A359	559	99.28%	99.28%	99.28%	99.28%	97.49%		586	99.32%	99.31%	99.32%	99.48%	99.14%
CCA/B789	150	98.67%	100.00%	99.33%	100.00%	96.00%		612	99.84%	100.00%	99.84%	100.00%	99.83%
CES/A332	426	99.30%	99.53%	99.53%	99.76%	97.18%		244	99.18%	99.59%	99.59%	100.00%	97.95%
CES/B77W	209	99.04%	99.04%	99.04%	99.04%	99.04%		782	99.62%	99.74%	99.74%	99.74%	99.61%
CHH/A333	-	-	-	-	-	-		353	100.00%	100.00%	100.00%	100.00%	97.00%
CKS/B77L	826	99.15%	99.03%	99.64%	99.27%	98.18%		200	100.00%	100.00%	100.00%	100.00%	99.15%
CPA/A35K	404	100.00%	100.00%	100.00%	100.00%	98.01%		458	99.56%	99.34%	100.00%	99.78%	98.25%
CSN/B789	721	98.75%	99.16%	98.75%	99.30%	98.75%		1204	99.58%	99.83%	99.75%	99.83%	99.08%
DAL/A359	1475	99.25%	99.59%	99.66%	99.66%	97.08%		2065	99.27%	99.80%	99.47%	99.80%	96.99%
FDX/B77L	180	98.89%	100.00%	99.44%	100.00%	97.77%		165	97.58%	98.78%	98.18%	99.39%	96.36%
FJI/A332	1134	98.85%	99.20%	99.29%	99.47%	97.88%		739	97.56%	98.10%	98.24%	99.05%	94.04%
FJI/A333	297	99.66%	100.00%	100.00%	100.00%	96.96%		334	99.10%	98.80%	99.70%	99.40%	96.70%
FJI/A359	760	99.74%	99.86%	99.87%	99.86%	98.68%		1241	99.76%	100.00%	99.76%	100.00%	98.63%
FJI/B38M	3176	97.13%	98.58%	98.08%	98.77%	95.27%		3043	96.68%	98.12%	97.31%	98.22%	95.72%
GTI/B744	131	100.00%	100.00%	100.00%	100.00%	98.47%		166	98.80%	99.39%	99.40%	100.00%	98.79%
HAL/A21N	-	-	-	-	-	-		208	99.52%	100.00%	99.52%	100.00%	97.59%
HAL/A332	1320	99.62%	99.92%	99.70%	99.92%	97.50%		1340	99.78%	100.00%	99.93%	100.00%	98.05%
JST/A21N	-	-	-	-	-	-		622	99.20%	100.00%	99.52%	100.00%	96.46%
JST/A332	234	98.72%	100.00%	98.72%	100.00%	96.17%		180	100.00%	100.00%	100.00%	100.00%	98.33%
KAL/A332	110	100.00%	100.00%	100.00%	100.00%	97.27%		428	99.53%	100.00%	99.53%	100.00%	93.22%
KAL/B772	271	99.26%	100.00%	99.26%	100.00%	96.67%		-	-	-	-	-	-
KAL/B77W	263	99.24%	99.23%	99.62%	99.23%	96.95%		306	100.00%	100.00%	100.00%	100.00%	98.69%
KIW/B752	113	100.00%	100.00%	100.00%	100.00%	98.23%		174	98.28%	99.42%	99.42%	100.00%	97.70%
KIW/C130	116	99.14%	100.00%	99.14%	100.00%	95.68%		204	98.53%	99.50%	99.01%	99.50%	97.54%