

International Civil Aviation Organization



ICAO

WORKING PAPER

**Asia and Pacific (APAC)
Eleventh Meeting of the Meteorological Requirements
Working Group (MET/R WG/11)**

Online, 31 May to 03 June 2022

Agenda Item 4: Collaboration between MET services and ATM stakeholders

**APAC USER REQUIREMENTS FOR SWIM-BASED MET INFORMATION SERVICES
SUPPORTING ATFM**

(Presented by MET/R WG Ad-hoc Group 8)

SUMMARY

This paper presents the way forward to identify and document use cases and user requirements for SWIM-based MET information services supporting ATFM in the APAC region in coordination with other working groups, and presents a draft version of the document for conducting user consultation.

1. INTRODUCTION

1.1 At the Asia/Pacific (APAC) Meteorology/Air Traffic Management (MET/ATM) Seminar and the Eighth Meeting of the ICAO APAC Meteorological Requirements Working Group (MET/R WG/8) held in May 2019, Australia, Hong Kong China, and Thailand proposed to develop a regional document on use cases and user requirements for System-Wide Information Management (SWIM) based MET information services specifically to support Air Traffic Flow Management (ATFM) in the APAC region.

1.2 The ICAO APAC MET/R WG/9 held in May 2020 established an ad-hoc group and endorsed its terms of reference to support this activity. The ad-hoc group consists of MET and ATFM subject matter experts from Australia, Hong Kong China, Japan, Pakistan, Republic of Korea, Singapore, Thailand, Vietnam, CANSO, and IATA (**Attachment A**).

1.3 MET SG/24 meeting held in November 2020 reviewed an updated proposal ([MET SG/24 WP/24](#)) on the development of APAC use cases and user requirements for SWIM-based MET information services supporting ATFM, including the Terms of Reference (TOR), the scope and objectives of the work to be conducted by the ad-hoc group established at MET/R WG/9 aforementioned. The meeting supported the updated proposal with some minor adjustments to the TOR and adopted the following Decision:

Decision MET SG/24-13: Development of APAC User Requirements for SWIM-based MET Information Services Supporting ATFM

That, the MET SG approves the terms of reference at the **Appendix 8** to the MET SG/24 Report regarding the scope and objectives of the MET/R ad hoc group to develop SWIM-based MET information services specifically addressing the needs of ATFM in the APAC Region.

1.4 This paper presents an update and the way forward to identify and document use cases and user requirements for SWIM-based MET information services supporting ATFM in the APAC region based on the outcomes of MET/R WG/10 held in 2021.

2. DISCUSSION

2.1 To facilitate the development of the use cases and user requirements, the draft reference document with two sample use cases were prepared and presented at MET/R WG/10. It was proposed to use this draft document as a basis to promote discussion with ATFM user groups and relevant stakeholders in the APAC region for further development of ATFM-specific use cases and user requirements.

2.2 The MET/R WG/10 and ad-hoc group members reviewed the draft reference document and the proposed collaborative approach by which MET and ATFM experts would identify the use cases and user requirements. Based on comments received and the subsequent discussion at MET/R WG/10, the ad hoc group was requested to:

- Coordinate its work with SWIM TF and other related sub groups and working groups;
- Identify related global discussion and plans led by ICAO MET Panel and relevant groups;
- Consider the results from the *Survey of State Meteorological Information Supporting Air Traffic Management*;
- Revisit the definition of “use case”; and
- Ensure the document does not infer any obligation on States to implement the SWIM-based MET Information Services described.

2.3 The proposed draft reference document was updated based on the comments received from MET/R WG/10 and ad-hoc group members and provided in **Attachment B** for suggestions and further improvements by this meeting. The updates to partly address feedback received at MET/R WG/10 are highlighted in grey. A use case on volcanic ash avoidance and diversion due to fog demonstrated in SWIM in ASEAN Demonstration was also added as suggested by some ad-hoc group members. It is expected that the reference document would assist in developing information services and exchange model extensions, if required, to meet operational needs.

2.4 As for the next steps, MET experts in the ad hoc group would consult ATFM experts to better understand the APAC ATFM operations in actual environment to beef up the use cases with the detailed event flows. Through the consultation with ATFM experts, the ad hoc group would conduct the following activities as outlined in the MET/R WG Workplan (Deliverable 8). It is also proposed to modify the TOR (**Attachment C**) to reflect key deliverables identified in the Workplan.

- (a) In coordination with other related sub groups, working groups, etc., identify:
 - (i) SWIM-based MET information affecting ATFM operations;
 - (ii) how often the current MET products be provided and the rules for updates to meet the ATFM needs; and
 - (iii) any other MET information required by ATFM and gaps to meet the needs of ATFM users.
- (b) Identify MET and ATFM data to be exchanged using SWIM-based Information Exchange Service;

- (c) Based on the findings (above), develop APAC use cases and user requirements document for future SWIM-based MET information services supporting ATFM.

3. ACTION BY THE MEETING

3.1 The meeting is invited to:

- a) review the proposed updates to the draft reference document in **Attachment B** and provide suggestions on additional use cases, if any, for further analysis;
- b) review the proposed updates to TOR in **Attachment C**;
- c) discuss any relevant matters as appropriate.

.....

Attachment A

Members of MET/R WG Ad-hoc Group for Development of APAC Use Case and User Requirements for SWIM-based MET Information Services Supporting ATFM

(Updated in May 2022, indicated with ~~strikethrough~~ and highlighted text)

State / Administration / IO	Name	Position and/or Organisation	Expertise
Australia	Jesper Bronsvort	Airservices Australia	ATFM
Australia	Ashwin Naidu	BOM	MET
CANSO	Stuart Ratcliffe	CANSO	ATFM
Hong Kong China	Marco Kok	HKO	MET/SWIM
Hong Kong China	Peter Chadwick	Senior Air Traffic Control Specialist (Strategic Planning) / HKCAD	ATFM
Hong Kong China	(Mr) Anfernee Poon	Acting Senior Operations Officer (Strategic Planning) / HKCAD	ATFM
IATA	John Moore	IATA	ATFM/MET
Japan	ITOU Miho	JCAB	ATFM
Japan	IKEDA Michiko	JMA	MET
Pakistan	Fazal Ur Rehman	PCAA	ATFM
Pakistan	Syed Ali Baqadar Shah	PCAA	MET
Republic of Korea	Dong-won, LEE	Assistant of Director / KMA	MET
Republic of Korea	Jiwon, LEE	Assistant of Director / KMA	MET
Singapore	Clarence Foo	Head, ATM development/CAAS	ATFM
Singapore	Zhang HuanBin	Head, ATC Specialist/CAAS	ATFM
Singapore	Aw Ying Kit	Head, ATM development/CAAS	ATFM
Singapore	Yeo Cheng Xun	Senior Engineer, ATM Systems /CAAS	ATFM
Singapore	Yeo Cheng Xun	MSS	MET
Thailand	Amornrat	Strategic Planning Manager	ATFM/SWIM
	Jirattigalachote (Amo)	/AEROTHAI	
Thailand	Dudsadee Sungthong	Strategic ATFM Team/AEROTHAI	ATFM
Vietnam	Mr. Nguyen Van Dung	VATM	MET/ATFM

Attachment B

**APAC USER REQUIREMENTS
FOR SWIM-BASED MET INFORMATION SERVICES
SUPPORTING ATFM**

(Draft Version, May 2022)

Table of Contents

(Draft)

Section 1. Introduction

- Purpose of the document

Section 2. Global Development

- Brief introduction of globally standardized information exchange models to support the sharing of MET and ATFM information, information exchange patterns, and relevant reference documents at global level

Section 3. Use cases and user requirements for SWIM-based MET information services to support ATFM operation in APAC

- Details of how MET and ATFM information can be integrated in SWIM environment and its benefits in enhancing the cross-border ATFM in APAC

Section 4. Catalogues of MET data and ATFM data for SWIM-based operation

Section 1

Introduction

Purpose

1.1 The purpose of this reference material is to document ATFM use cases and user requirements in the APAC region to facilitate the development of SWIM-based MET information services. This document does not infer any obligation on States to implement the SWIM-based MET Information Services described.

Background

1.2 The APAC Regional Framework for Collaborative ATFM has been developed and maintained by the Air Traffic Flow Management Steering Group (ATFM/SG) to provide, among other things, the performance improvement plan to address the ATFM implementation and operational issues in the region. The core concept of the Framework is the Distributed Multi-Nodal ATFM Network, i.e. a network of Air Navigation Service Providers (ANSPs) and/or Sub-Regional Groups leading independent ATFM operation within their area of responsibility and connecting to each other through information sharing framework.

1.3 In the APAC region, the SWIM Task Force (SWIM TF) has been established since 2017 to develop SWIM-related components and supporting materials required for the implementation in the APAC region. The work of SWIM TF also includes the coordination with other Working Groups/Task Forces under APANPIRG to ensure that the operational requirements, particularly the ones specific to the region, are reflected and incorporated accordingly in the regional implementation strategies.

1.4 A SWIM Demonstration project was initiated in 2016 under the cooperation framework between Association of Southeast Asian Nations (ASEAN) and the USA. Since then, Singapore and Thailand had been working with the USA to plan out the Demonstration with the main objective to showcase the operational benefits enabled by SWIM in ASEAN and Asia/Pacific region. The SWIM in ASEAN Demonstration was conducted with great success in November 2019, in Bangkok, Thailand and Singapore, with wide participation of aviation stakeholders in ASEAN and Asia/Pacific region, including Civil Aviation Authorities (CAAs), Air Navigation Service Providers (ANSPs), airport operators, airlines, and international organizations such as ICAO APAC Office, IATA. The outcomes of the SWIM in ASEAN Demonstration were captured in detail in the [Demonstration Report](#) which covered the details of the demonstration development, including (i) development of operational scenarios, including ATFM scenarios, (ii) SWIM infrastructure, information services, and SWIM-enabled applications design, development, and test, and (iii) observations and lessons learnt recorded.

1.5 SWIM TF/3 held in May 2019 agreed that the SWIM implementation to support cross-border ATFM operation should be given high priority. To prepare for the transition of the provision of MET information in a SWIM environment, a regional document for SWIM-based MET information services to support the specific operational mode of cross-border ATFM in APAC Region, as detailed in the aforementioned Framework, is proposed to be formulated at MET/R WG/8.

Section 2

Global Development

2.1 This section provides a brief introduction of globally standardized information exchange models to support the sharing of MET and ATFM information, exchange patterns, and relevant reference documents at global level.

Global and Regional SWIM Developments related to MET and ATM

2.2 According to the Sixth Edition of the ICAO Global Air Navigation Plan (Doc 9750 GANP) Aviation System Block Upgrades (ASBU) SWIM-B2 (2025-2030) ¹, the communication based on System-Wide Information Management (SWIM) concept (refer to ICAO Doc. 10039 Manual on System Wide Information Management (SWIM) Concept) will improve the current human-to-human communication with machine-to-machine interconnection, enhancing efficiency in data distribution and accessibility through global interoperability among aviation stakeholders. In particular, dissemination of MET information using MET information services in SWIM is included as part of the Advanced Meteorological Information (AMET) thread in ASBU.

SWIM-based MET Information Services as described in MET-SWIM Plan

2.3 According to the MET-SWIM Plan, being developed by the ICAO Meteorology Panel Working Group on Meteorological Information Exchange (WG-MIE), the exchange of MET information between information producers and information consumers in the SWIM environment can be achieved using two main messaging mechanisms, namely request/reply and publish/subscribe information exchange patterns (Figure 1).




Figure 1: Possible mechanisms of SWIM-based MET Information Exchange Services.

2.4 MET information to be exchanged in SWIM includes ICAO Meteorological Information Exchange Model (IWXXM) messages, gridded products and imageries. IWXXM is the model for exchange of MET information including volcanic ash advisory information, tropical cyclone advisory information, space weather advisory information, METAR and

¹ Note that the current version of ASBU can be referred to <https://www4.icao.int/ganpportal/ASBU>

SPECI, TAF, SIGMET and AIRMET. The METP WG-MIE has proposed actions with regards to harmonization of IWXXM with other Exchange Models (XMs) and with the ATM Information Reference Model (AIRM) to support interoperability in SWIM.

Section 3

Use Cases and User Requirements for SWIM-based MET Information Services to Support ATFM Operation in APAC

3.1 This section provides examples of user requirements and use cases for SWIM-based MET information services to support ATFM operation in APAC. Use case refers to a specific operational scenario in which MET information or service could potentially be used in a real-world environment, including the details of activities conducted by each actor involving in the operation identified.

3.2 Some examples of use cases involve integration of MET and ATFM information in SWIM environment and its potential benefits in supporting cross-border ATFM in APAC. With the MET and ATFM data to be made available via SWIM-based Information Exchange Services, relevant MET data and ATFM data could be integrated to provide new fit-for-purpose information to better support ATFM in the region.

USE CASE 1: Ground delay ATFM measures at departure aerodromes due to tropical cyclone affecting destination aerodrome

3.3 In this use case, MET information in IWXXM is integrated with aerodrome information in Aeronautical Information Exchange Model (AIXM) to assess the crosswind at destination aerodrome within a specific time period that in turn can be used to evaluate the impact on airport capacity and the need for ATFM measure (Figure 2).




Figure 2: Integration of IWXXM and AIXM Data.

3.4 Figure 2 shows an example of SWIM-enabled MET-ATM Display. It provides a regional overview to allow Air Traffic Controller (ATC) and Flight Operations Center (FOC) to monitor the change in weather impact over the region. It makes use of request/reply information exchange mechanism in SWIM and display how weather change based on users' requested time and flight level inputted.




Figure 3: SWIM-enabled MET-ATM Display highlighting aerodromes with landing thresholds exceeded

3.5 In the SWIM-enabled MET-ATM Display, the aerodromes could be highlighted if the weather conditions exceed user-specified operational landing thresholds (such as Visibility, Cloud base, Wind gust, Crosswind) (Figure 3). This facilitates ATC and airlines to monitor the landing condition also at alternate aerodromes.




Figure 4: Timeline showing alerts of exceeding user-defined landing threshold

3.6 With the TAF messages exchanged in IWXXM, one of the benefits is that the automatic decision supporting tool could be developed to check whether landing thresholds of aerodromes have been exceeded with respect to time, based on specific weather elements extracted from IWXXM. Figure 4 shows the timeline alerting the time window with expected

crosswinds greater than 35kts. This information would be used to better support ATFM decision making on when the airport arrival rate should be reduced and resumed normal.

USE CASE 2: Airborne rerouting due to turbulence

3.7 MET information in IWXXM is integrated with flight information in Flight Information Exchange Model (FIXM) to assess the number of flights crossing areas of significant weather phenomena mentioned in SIGMET reports (such as CBs and associated SEV TURB and SEV ICE) within a requested time period (Figure 5).




Figure 5: Integration of IWXXM and FIXM Data

3.8 MET service provider could subscribe to the flight information exchange service of relevant ANSP to receive the flight plan published in FIXM and show this information on a SWIM-enabled MET-ATM Display.




Figure 6: SWIM-enabled MET-ATM Display showing alerts of the estimated timing for a specific flight entering a SIGMET area and the timing for the flight to depart the SIGMET area

3.9 Figure 6 shows the turbulence reports received from the previous flights crossing the same area. ATC relayed the pilot report (PIREP) to aviation forecasters at MET office. After aviation forecasters analyze these actual turbulence reports together with the model forecast, forecasters predict severe turbulence is likely to persist for two more hours over the same region and issue the severe turbulence SIGMET.

3.10 With the flight plan and SIGMET exchanged in SWIM-based formats, one of the benefits is that flight and MET information could be integrated together in the automatic decision-supporting tool. The tool could provide flight-specific alerts of the estimated timing for the flight entering the turbulence area and the timing for the flight to depart the turbulence area. Such SWIM-enabled MET application could allow the users to respond faster and better support the timely tactical decision making by the ATC and FOC.

USE CASE 3: Volcanic ash avoidance and diversion due to fog

3.11 This scenario explores gate-to-gate flight operations and where SWIM enabled ANSPs, Airspace Users and MET authorities can enhance ATM System performance through timely sharing of interruptions and trajectory and flow updates. This provides downstream Area Control Centres (ACCs) and other ATM Stakeholders with SWIM capabilities, advance situational awareness of an incoming flight, which can then be used to support common situational awareness across stakeholders, create more accurate demand predictions and improve operational planning and predictability. For this scenario, a flight is planned from Bangkok (VTBS) to Sydney (YSSY).

3.12 One hour into the flight, a Volcano Observatory Notice for Aviation (VONA) is issued by the Observatories advising of an eruption of Mt Agung on Bali with ash cloud detected to FL400 moving swiftly and primarily to the west-north-west. A VA SIGMET in IWXXM was issued by the MET service provider based on the VONA. The IWXXM SIGMET is received by Brisbane and Melbourne Air Traffic Service Centres (BN and ML ATSCs) and Airline Operations Centre (AOC).




Figure 7: Route diversion for volcanic ash avoidance

3.13 Flight operations (Flight OPS) decide that the flight should track via a diversion route east of the ash cloud and that the diversion will preferable commence from a waypoint in WSSS airspace and follow a new track east of Bali to avoid the cloud. This will now take the flight directly into YBBB instead of YMMM. Flight OPS submits a CHG to FPL in FIXM format via SWIM to all affected ANSPs. The pilot requests the amended tracking and is cleared by VTBB ATC. The flight re-cleared via new flight plan track.

3.14 Approaching Lombok on the ash avoidance route, an Amended TAF for YSSY is published forecasting heavy fog starting prior to the flight’s ETA and to last late into the morning with associated significant delays. Flight OPS considers the new expected holding requirement coupled with the additional fuel used for the ash avoidance and decides at that time to divert the flight to YBBN (Brisbane). Flight OPS again publishes a new route via SWIM and shares with YBBB and YMMM (who will no longer be affected) and with the aircraft. The pilot requests and is cleared via the new route and the pilot updates the Flight Management Computer (FMC) which sends Flight OPS a new set of trajectory estimates which are shared by SWIM with Brisbane Air Traffic Service Centre.




Figure 8: Early flight diversion from Sydney to Brisbane due to fog

3.15 BN ATSC considers this flight due the forecast fog in Sydney and re-calculates their Long-range ATFM program for the morning. The flight is allocated a gate time Calculated Time Over (CTO) for an arrival fix that requires 10 minutes delay from current estimate. This CTO is shared with Flight OPS who communicates with the flight asking that they commence a fuel-efficient speed reduction from their present position to absorb as much of the delay as possible. Finally, BN ATSC applies a short set of vectors on descent for sequencing but no holding is incurred.

3.16 Because of the SWIM connectivity, the flight became aware of the volcanic event two FIRs prior to the disrupted airspace. The airline was able to identify an alternate route

within the flight's fuel capability that would still enable it to reach its original destination, also permitted the proposed amended route to be shared with all SWIM-enabled stakeholders such that the new clearance could be issued as early as possible and did not need to wait until too close to the affected airspace.

3.17 Similarly, early notice of the amended TAF and associated delays permitted the airline to identify the need for a diversion to alternate destination and to share and receive that amended clearance prior to entering Australian airspace so that any small track efficiencies could be realised (no fuel wasted continuing towards MEL and then diverting later).

Section 4

MET Data Catalogue and ATFM Data Catalogue for SWIM-based Operation

4.1 The SWIM-based MET Information Exchange Services have the capability to geospatially and/or temporally filter a data set to provide the users' system with only the tailored information required to fulfill the specific users' needs.

4.2 The table below provides MET and ATFM data which could be exchanged using SWIM-based Information Exchange Services. Such data elements identified in the data catalogue could assist the SWIM TF in developing the relevant service catalogue for the APAC region.

MET data catalogue (draft)	ATFM data catalogue (draft)
<p><u>Aerodrome</u> Surface wind and gust Headwind Windshear Turbulence Crosswind QNH Temperature and dew point RVR Visibility Cloud amount and type Lightning Radar data Wake vortex Weather phenomenon and intensity</p> <p><u>Enroute</u> Wind Temperature CB clouds / deep convection area Icing Clear air turbulence Tropopause height SIGMET phenomenon and intensity Volcanic ash cloud Tropical cyclone Satellite data</p>	<p>Departure aerodrome Destination aerodrome Flight identification Planned route/trajectory Estimated Off-Block Time (EOBT) Estimated Take-Off Time (ETOT) Estimated Landing Time (ELDT) Estimated Elapsed Time (EET) Calculated Take-Off Time (CTOT) Calculated Landing Time (CLDT) Target Off-Block Time (TOBT) Target Start Up Approval Time (TSAT) Target Take-Off Time (TTOT) Actual Off-Block Time (AOBT) Estimated Time Over (ETO) Calculated Time Over (CTO) Actual Time Over (ATO)</p>

Attachment C

APAC USER REQUIREMENTS FOR SWIM-BASED MET INFORMATION SERVICES SUPPORTING ATFM

Terms of Reference (Note: Proposed updates are indicated with ~~strike through~~ and highlighted text)

The scope and objectives of the work to be conducted by the MET/R WG ad-hoc group are:

- (1) ~~To focus on SWIM-based MET information services specifically addressing the needs of ATFM in the APAC region;~~
- (2) To document user requirements and use cases from ATFM in the APAC region to ~~facilitate~~ assist SWIM TF in the development of future SWIM-based MET information services specifically addressing the needs of ATFM in the APAC region;
- (3) To supplement the global concept described in the MET-SWIM Plan, prepared by the METP WG-MIE, and the MET requirements being developed by the METP Working Group on Meteorological Requirements and ~~Integration-Development~~ (WG-MRIMRAD) in a global sense and IWXXM development by METP WG-MIE for effective exchange of MET information supporting AFTM operation;
- (4) To assist SWIM TF in identifying and developing the specifications of information services required to support ATFM operations based on user needs;
- (5) To identify MET and ATFM data to be exchanged using SWIM-based Information Exchange Services in the region to enable the effective MET/ATM integration and to provide the baseline for further development of the regional SWIM data catalogue and service catalogue; and
- (6) To identify other granular MET-related requirements from ATFM perspective such as update frequency and forecast lead time of MET information to better support the development of future MET Information Exchange Services in the Region.