Space Weather Advisory Service for Aviation

Ashwin Naidu
Australian Bureau of Meteorology

Australian Government
Bureau of Meteorology

MET SG/27 Webinar – 4 Sept 2023

Outline

- What is space weather?
- Impacts on aviation
- ICAO development of space weather information
- The global space weather advisory service
- Space weather advisories
- Advisory dissemination
- Space weather updates and reports
- Space weather reference documents

What is space weather?



Source: NASA



- HF communications
  - HF radio blackout (absorption)
    - X-ray flares -> dayside
    - Solar Protons -> Polar Cap
  - Compressed HF bandwidth (depression)
    - Geomagnetic storms
- Satellite communications
  - Ionospheric scintillation
- GNSS-based navigation and surveillance
  - Positioning errors (ionospheric delay)
  - GNSS loss of lock (scintillation)
- Elevated radiation dose rates on polar flights

Impact of space weather on HF Communications (HF COM) and SATCOM

Space weather modifies the ionosphere, blocking or degrading HF communications

Space Weather Impacts:

- Complete loss of HF COM on dayside (solar flares)
- Complete loss of HF COM across polar caps (energetic protons)
- Reduced HF COM frequency set (ionospheric storms)



Impact of space weather on GNSS (GPS) performance



Ionospheric irregularities

- Geomagnetic storms and substorms
- Equatorial Plasma Bubbles

Space Weather Impacts:

- Lower positioning accuracy
- Loss of satellite tracking
- Poor Quality / Availability of SATCOM



- Exposure of passengers and crew to high-energy atomic particles
- Solar particles follow Earth's magnetic field lines – penetrating more easily at the poles
- Due to high speeds and energies, solar energetic particles can penetrate aircraft interior
- Can continue at high velocity into human tissue and cells
- Dosage is important

Caused by:

- Radiation Storms



Towards an ICAO standardized global space weather service for aviation




European PECASUS
US Space Weather Prediction Center (SWPC)
China, Russia Consortium (CRC)
ICAO
South Africa (Regional Centre)
Australia, Canada, France, Japan (ACFJ)

A global space weather advisory service

Coordination model

- Global centres active all the time and rotate through the following roles:
  On Duty Centre → Primary Backup Centre →
  Secondary Backup Centre → Maintenance and Observation Centre
- The On Duty Centre is solely responsible for the creation and dissemination of all defined SWX products
- The Primary and Secondary Backup Centres are on standby
- The fourth global centre acts as Maintenance and Observation Centre added

Rotation cycle

- Rotation cycle is **2 weeks**, per the rotation model →

Handover between global centres

- Routine handover is at 08UTC on every second **Tuesday**
- Detailed handover procedures have been developed to ensure the handover is seamless and transparent to external users



Meteorological Service for International Air Navigation (Annex 3)


International Standards and Recommended Practices

Annex 3 to the Convention on International Civil Aviation

Meteorological Service for International Air Navigation

Part I Core SARPs

Part II Appendices and Attachments

International Civil Aviation Organization

Standards and Recommended Practices (SARPs) for Space Weather, addressing four distinct categories:

- HF radio communications advisories (**HF COM**)
- GNSS navigation and surveillance advisories (**GNSS**)
- Advisories for elevated radiation dose rates (**RADIATION**)
- Satellite communications advisories (**SATCOM**)
  Note: *Advisories for SATCOM not issued*

Specifies template for space weather advisory

Annex 3 — Meteorological Service for International Air Navigation *Appendix 2*

	Element	Detailed content	Template(s)		Examples	
5	Advisory number (M)	Year in full and unique message number	ADVISORY NR:	nnnn/[n][n][n]n	ADVISORY NR:	2016/1
6	Number of advisory being replaced (C)	Number of the previously issued advisory being replaced	NR RPLC:	nnnn/[n][n][n]n	NR RPLC:	2016/1
7	Space weather effect and intensity (M)	Effect and intensity of the space weather phenomena	SWX EFFECT:	HF COM MOD *or* SEV *or* SATCOM MOD *or* SEV *or* GNSS MOD *or* SEV *or* HF COM MOD *or* SEV AND GNSS MOD *or* SEV *or* RADIATION[2] MOD *or* SEV	SWX EFFECT:	HF COM MOD SATCOM SEV GNSS SEV HF COM MOD AND GNSS MOD

Details: Manual on Space Weather Information in Support of International Air Navigation (Doc 10100)

Space Weather Advisory Example – Moderate HF Communications disturbance

FNXX02 EFKL 150645
SWX ADVISORY
DTG: 20210515/0645Z
SWXC: PECASUS
ADVISORY NR: 2021/18
NR RPLC: 2021/17
SWX EFFECT: HF COM SEV
OBS SWX: 23/0535Z EQS W045 - E045
FCST SWX +6 HR: 23/1800Z NOT AVBL
FCST SWX +12 HR: 23/0000Z NOT AVBL
FCST SWX +18 HR: 23/0600Z NOT AVBL
FCST SWX +24 HR: 23/0600Z NOT AVBL
RMK: SPACE WEATHER EVENT (MAXIMUM USABLE FREQUENCY DEPRESSION) IS IN PROGRESS. IMPACT ON HIGHER HF COM FREQUENCY BANDS EXPECTED. LOWER FREQUENCY BANDS MAY BE LESS IMPACTED.
NXT ADVISORY: WILL BE ISSUED BY 20210515/1222Z=

Space Weather Centre

PECASUS

Time and Location

Details

Next update

[Free text]

DAYSIDE

[ABV FLxx]



http://www.bom.gov.au/aviation/space-weather-advisories/

Space Weather Advisory (SWXA) dissemination

Ad hoc testing of the dissemination system (using SWXAs with STATUS: TEST) is conducted.



Space weather updates



- Solar activity has increased as we progress toward solar maximum of solar cycle 25
- Increased solar activity especially observed in January, February, May, and July 2023
- June 2023 – largest monthly sunspot number since 2002
- Solar maximum due earlier than expected
- Solar cycle 25 is so far considered a weak to moderate strength cycle



Source: NOAA/SWPC



McIntosh et al. (2020)

How often will space weather advisories be issued?

HF COM (134 real advisories)

GNSS (107 real advisories)

Radiation (no real advisories)

A summary of all Space Weather Advisories issued by the ICAO centres from 21 February 2023 to 7 August 2023

Space Weather Reports



Credit: Klaus Sievers –German Airline Pilot Association

Space Weather Reports

SPACE WEATHER: IT IS REAL !!!

4 AIRCRAFT, 2 AIRPORTS >

NEAR SIMULTANEOUS LPV FAILURE !

Report from Canadian CADORS system. Occurrance: 25 Feb 2023

Report:
2023Q0875

Date Entered: 2023-03-07

Narrative: On approach for Runway 25 at Kuujjuaq, QC (CYVP), an Exact Air inc. Beech A100 (C-FLTS/ETB23) from Tasiujaq, QC (CYTQ) to Kuujjuaq, QC (CYVP) mentioned having lost the localizer performance with vertical guidance (LPV) in lateral navigation (LNAV) and during the previous approach for CYTQ. Following this, an Air Inuit Ltd. de Havilland DHC-8-314 (C-FIAI/AIE827) from Kangiqsualujjuaq, QC (Georges River) (CYLU) to Kuujjuaq, QC (CYVP) mentioned having the same problem when on approach for Runway 25. An Air Inuit Ltd. de Havilland DHC-6-300 (C-GTYX/AIE659) from Kangiqsujuaq, QC (Wakeham Bay) (CYKG) to Kuujjuaq, QC (CYVP) that was following C-AIE827 had the same problem on approach for Runway 25 at CYVP and for its previous approach at CYKG.



ICAO SWx ADVISORY ?	None known
NOTAM ?	None issued
Consequences ?	To be discussed at the Met Panel and other venues.

VEREINIGUNG COCKPIT

blue = good, red = bad

Credit: Klaus Sievers –German Airline Pilot Association

Space Weather Reference Documents



ICAO Annex 3 (Meteorological Service for International Air Navigation) including the new SARPs for Space Weather

ICAO Manual on Space Weather Information in Support of International Air Navigation (ICAO Doc #10100)

BoM Information Brochures:

Space Weather Advisories
http://www.bom.gov.au/aviation/data/education/space-weather-advisories.pdf

Space Weather Hazard
http://www.bom.gov.au/aviation/data/education/space-weather.pdf

ICAO

North American Central American and Caribbean (NACC) Office
Mexico City

South American (SAM) Office
Lima

ICAO Headquarters
Montréal

Western and Central African (WACAF) Office
Dakar

European and North Atlantic (EUR/NAT) Office
Paris

Middle East (MID) Office
Cairo

Eastern and Southern African (ESAF) Office
Nairobi

Asia and Pacific (APAC) Sub-office
Beijing

Asia and Pacific (APAC) Office
Bangkok

THANK YOU