

TABLE OF ATS INTER-FACILITY DATA COMMUNICATION (AIDC) IMPLEMENTATION STATUS IN APAC REGION			
Explanation of the Table			
Column	Element	Explanation	Reason
1	State/Administration	Name of the State/Administration	
2	AIDC Implementation Status (Implemented or not)	AIDC has been implemented in the State/Administration or not (States have the technical capability implemented and at least one bilateral connection with adjacent ATS units in operational use will be regarded as implemented)	
3	Location of AIDC System ATSU1	the location of the AIDC end system under the supervision of State/Administration identified in column 1	
4	ATM Automation System	Make/Model of the ATM automation system used in this ATSU	
5	ATSU2 /Correspondent State/Administration – the correspondent AIDC System	ATSU2 – location of the correspondent AIDC end system Correspondent State/Administration – the name of the State/Administration responsible for management of the correspondent AIDC end system A “/” is placed between the ATSU2 and State/Administration	
6	Intraregional/Interregional	the connection is intraregional (inside APAC) or interregional	
7	Transmission Means	the transmission means used for the AIDC messages exchanged between the corresponding AIDC pair, AFTN, AMHS, etc.	The carriage of AIDC messages is facilitated through existing communication network (e.g. AFTN, AMHS, etc.). The type of network that will be used for AIDC message exchange will need to be defined, including the appropriate recovery/ contingency actions that will be adopted in abnormal situations
8	Frequency of Use (days in a week)	days of AIDC used in a week	to indicate how frequently the AIDC interface has been used
9	Main/Backup Circuit	the circuit is main or backup AIDC connection	if there is two circuits between the two ATSUs, it's better to identify which is main or backup
10	Communication Signal Speed	the communication signal speed for the AIDC messages exchanged (bps)	According to Pan Regional Interface Control Document (PAN ICD) for ATS Inter-facility Data Communications (AIDC) chapter 3.3.2.3, the communication signal speed between ATS systems using AFTN/AMHS should be greater than 2400 bps
11	Average Transmission Delay (One Trip Time Seconds)	the average transmission delay for exchanging AIDC messages	According to Pan Regional Interface Control Document (PAN ICD) for ATS Inter-facility Data Communications (AIDC), Average Transmission Delay (seconds) will influence the AIDC performance. In order to effectively use the AIDC application for the interchange of ATC coordination data, ATSUs should monitor the performance of the communication links to ensure the required performance is achieved. This monitoring should measure the latency of the AIDC message traffic between ATS systems in terms of the time measured between message transmission at the originating ATS system and receipt of the message at the receiving ATS system. The performance of the communications links should be such that 95% of all messages should be received within 12 seconds of transmission and 99.9% of all messages should be received within 30 seconds of transmission. In bilateral agreements, ATSUs, may agree on different performance requirements
12	Implementation Date or Target Date	date of implementation of the AIDC end system in the form of xQyyyy(quarter year), MON yyyy (Month) or yyyy	
13	Interface Status	the AIDC interface status, including Operational (already implemented), Testing (under progressing), Planned (under plan), No plan	
14	Interface Protocol /Version (OLDI or AIDC Version)	the AIDC service between the corresponding ATSUs	to show which AIDC version used and supported between two ATSUs and refer to Reason under Item 15

TABLE OF ATS INTER-FACILITY DATA COMMUNICATION (AIDC) IMPLEMENTATION STATUS IN APAC REGION			
Explanation of the Table			
15	List of AIDC Messages Applicable between the Two ATSUs	the AIDC messages can be exchanged between the two ATSUs, including ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS	According to Asia/Pacific Seamless ANS Plan V3.0, PASL Phase II (expected implementation by 07 November 2019) and APANPIRG/24 CONCLUSION 24/16, ATS systems should enable AIDC (version 3 or later), or an alternative process that achieves at least the same level of performance as AIDC, between en-route ATC units and terminal ATC units where transfers of control are conducted consistent with FICE-B0/1, unless alternate means of automated communication of ATM system track and flight plan data are employed (Priority 1). As far as practicable, the following AIDC messages types should be implemented: • Advanced Boundary Information (ABI); • Coordinate Estimate (EST); • Acceptance (ACP); • TOC; and • Assumption of Control (AOC). Note: States should note the necessity to utilise Logical Acknowledgement Message processing (LAM) when implementing AIDC
16	Coordination by CDN or Voice	the method used in coordination phase	to show if the AIDC process a totally automatic or not
17	Automatic or Manual EST	the EST is sent out automatically or manually	to evaluate the automatic level of AIDC
18	A Warning Message to Controller in Case of AIDC Failure	the warning message for AIDC failure is capable or not	According to Pan Regional Interface Control Document (PAN ICD) for ATS Interfacility Data Communications (AIDC), failure to receive an operational response within timeout period Top should result in a warning message being displayed to the controller. Non receipt of a response to an ASM may indicate either a communication link failure or an ATC system failure. If an ATSU that has sent an ASM message does not receive an application response within a specified time, a warning message should be displayed at an appropriate position so that local contingency procedures can be executed
19	Remarks	any additional information describing the AIDC connection, including issues faced if any, mitigation, and limitation	

Table of AIDC Implementation Status in APAC

State/Administration	AIDC Implementation Status(Implemented or not)	Location of AIDC System ATSUI	ATM Automation System (Make/Model)	ATSU2 /Correspondent State – Administration	Intraregional/In terregional	Transmissi on Means	Frequency of Use(days in a week)	Main/Back up Circuit	Communication Signal Speed (bps)	Average Transmis sion Delay (One Trip Time in Seconds)	Implementation Date or Target Date as MON yyyy or xQyyyy	Interface Status (Operational, Testing, Planned, No plan)	Interface Protocol / Version (OLDI or AIDC Version)	List of AIDC Messages Applicable between the Two ATSUs (ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS)	Coordination by CDN or Voice	Automatic or Manual EST	A Warning Message to Controller in Case of AIDC Failure	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
AFGHANISTAN	non-implemented	Kabul ACC		Kabul ACC /Afghanistan	Intraregional	AMHS												
				Karachi ACC/Pakistan	Intraregional	AFTN												
AUSTRALIA	Implemented	Brisbane ACC	Thales ATM system	Oakland ARTCC /USA	Interregional	AFTN	7					Operational	ICD V.X.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, CDN, REJ, MAC, CPL	CDN	Automatic	yes	Up- and down conversion of AMHS and AFTN required as connection between Australian ATM system and national Message Transfer Agent is X25/AFTN.
				Auckland ACC /New Zealand	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, CDN, REJ, MAC, CPL, PAC	CDN	Automatic	yes	
				Melbourne ACC /Australia	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, ACP, AOC, EST, LAM, LRM, MAC, PAC, TOC	Voice	Automatic	yes	
				Ujung Pandang ACC /Indonesia	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, ACP, AOC, EST, LAM, LRM, MAC, TOC	Voice	Automatic	yes	
				Nadi ACC /Fiji	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, CDN, REJ, MAC, CPL, PAC	CDN	Automatic		
				Port Moresby/PNG	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
		Melbourne ACC	Thales ATM system	Brisbane ACC /Australia	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, ACP, AOC, EST, LAM, LRM, MAC, PAC, TOC	Voice	Automatic	yes	
				Colombo ACC / Sri Lanka	Intraregional	AFTN	N/A					No plan		N/A				
				Jakarta ACC /Indonesia	Intraregional	AFTN	N/A					No plan		N/A				
				Johannesburg ACC / South Africa	Interregional	AFTN	7					Operational	ICD V.X.0	EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Male ACC / Maldives	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, ACP, EST, LAM, LRM	Voice	Automatic	yes	
				Mauritius ACC /Mauritius	Interregional	AFTN	7					Operational	ICD V.X.0	ABI, ACP, AOC, CPL, EST, LAM, PAC, TOC, LRM	Voice	Automatic	yes	
				Auckland ACC /New Zealand	Intraregional	AFTN	7					Operational	ICD V.X.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
BANGLADESH	non-implemented	Dhaka ACC		Kolkata ACC /India	Intraregional	AMHS												Implementation of AIDC is included in the “Modernization of CNS-ATM System of CAAB” project which is going on G2G agreement with French Government and likely to be implemented by the end of 2023.
				Yangon ACC /Myanmar	Intraregional	AMHS					4Q2023							
BHUTAN	non-implemented											No plan						Currently not applicable. If required in the future, will decide after CRV implementation.
BRUNEI DARUSSALAM	non-implemented																	
CAMBODIA	Implemented	Phnom Penh ACC	THALES	Bangkok ACC /Thailand	Intraregional	AMHS	7	Main	64000		Oct 2020	Operational	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
				Vientiane ACC/Laos PDR	Intraregional	AMHS	7	Main	5Mbps		Jan 2020	Operational	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
				Ho Chi Minh ACC/Viet Nam	Intraregional	AFTN						Testing	ICD V.1.0	EST, ACP, TOC, AOC, LRM, LAM				Technical Trial was completed
		Beijing ACC	THALES	Ulaanbaatar ACC/Mongolia	Interregional	AFTN					Dec 2023	Testing		EST, ACP, TOC, AOC, LRM, LAM				
		Sanya ACC	NUMEN	Hong Kong ACC / Hong Kong, China	Intraregional	AFTN					Dec 2007	Operational	ICD V.3.0	EST, ACP, TOC, AOC, LRM, LAM		Automatic	yes	
				Hanoi ACC/Vietnam	Intraregional	AFTN					Dec 2023	Testing		EST, ACP, TOC, AOC, LRM, LAM				
				Ho Chi Minh ACC /Vietnam	Intraregional	AFTN					Dec 2023	Planned		EST, ACP, TOC, AOC, LRM, LAM				
		Kunming ACC	NUMEN	Vientiane ACC/Laos PDR	Interregional						Jan 2021	Operational	ICD V.3.0	EST, ACP, TOC, AOC, LRM, LAM		Automatic	yes	
				Yangon ACC /Myanmar	Intraregional	AFTN						Testing		EST, ACP, TOC, AOC, LRM, LAM				
		Lanzhou ACC	NUMEN	Ulaanbaatar ACC/Mongolia	Intraregional	AFTN					Dec 2023	Planned		EST, ACP, TOC, AOC, LRM, LAM				
		Lhasa ACC		Kathmandu ACC/Nepal	Interregional	AFTN												

Table of AIDC Implementation Status in APAC

State/Administration	AIDC Implementation Status(Implemented or not)	Location of AIDC System ATSUI	ATM Automation System (Make/Model)	ATSU2 /Correspondent State – Administration	Intraregional/In terregional	Transmissi on Means	Frequency of Use(days in a week)	Main/Back up Circuit	Communication Signal Speed (bps)	Average Transmis sion Delay (One Trip Time in Seconds)	Implementation Date or Target Date as MON yyyy or xQyyyy	Interface Status (Operational, Testing, Planned, No plan)	Interface Protocol / Version (OLDI or AIDC Version)	List of AIDC Messages Applicable between the Two ATSUs (ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS)	Coordination by CDN or Voice	Automatic or Manual EST	A Warning Message to Controller in Case of AIDC Failure	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
CHINA	Implemented	Guangzhou ACC	THALES	Taibei ACC /China	Intraregional						Jan 2013	Operational	ICD V.3.0	EST, ACP, TOC, AOC, LRM, LAM		Automatic	yes	
				Hong Kong ACC / Hong Kong, China	Intraregional	AFTN					May 2018	Operational	ICD V.3.0	EST, ACP, TOC, AOC, LRM, LAM		Automatic	yes	
		Taibei ACC		Hong Kong ACC / Hong Kong, China	Intraregional	AFTN						Operational	ICD V.3.0					
				Fukuoka ATMC/Japan	Interregional	AFTN						Operational						
				Manila ACC/Philippines	Interregional	AFTN												
		Shenyang ACC	NUMEN	Khabarovsk/Russia	Interregional						Oct 2019	Operational	OLDI	ABI, ACT, MAC, HOP, ACP, LAM, and LRM		Automatic	yes	
		Urumqi ACC	NUMEN	Lahore ACC /Pakistan	Intraregional	AMHS												
		Nanning ACC	NUMEN	Hanoi ACC/Vietnam	Intraregional						Dec 2023	Planned						
		Dalian ACC	NUMEN	Incheon ACC /Republic of Korea	Interregional						Oct 2016	Operational	ICD V.3.0 (trial opera	ABI, EST, ACP, TOC, AOC, LRM, LAM		Automatic	yes	
		Shanghai ACC	NUMEN	Taibei ACC /China	Intraregional						Jan 2013	Operational	ICD V.3.0	LAM		Automatic	yes	
HONG KONG, CHINA	Implemented	Hong Kong ACC	Raytheon ATM system	Guangzhou ACC /China	Intraregional	AFTN	7	Main	2400	4	May 2018	Operational	ICD V.3.0	EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
				Sanya ACC /China	Intraregional	AFTN	7	Main	2400	4	Feb 2007	Operational	ICD V.3.0	EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
				Manila ACC /Philippines	Intraregional	AMHS	7	Main	up to 2M on C	1	May 2019	Operational	ICD V.3.0	EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Taibei ACC /China	Intraregional	AMHS	7	Main	up to 2M on C	1	Nov 2012	Operational	ICD V.3.0	EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
MACAO, CHINA	non-implemented	Macao ATZ										No plan						
COOK ISLANDS	non-implemented																	
DEMOCRATIC PEOPLE'S REPUBLIC OF KOREA	non-implemented											Planned						
FIJI	Implemented	Nadi ACC	Adacel ATM system	Auckland ACC /New Zealand	Intraregional	AFTN						Operational	ICD V. 2.0	ABI, EST, ACP, TOC, AOC, CDN, CPL				
				Brisbane ACC /Australia	Intraregional	AFTN						Operational	ICD V.1.0	ABI, EST, ACP, TOC, AOC, CDN, CPL				
				Oakland ARTCC /USA	Intraregional	AFTN						Operational	ICD V. 2.0	ABI, EST, ACP, TOC, AOC, CDN, CPL				
FRANCE FRENCH POLYNESIA, NEW CALEDONIA	Implemented	Papeete ACC	THALES EUROCAT	Auckland ACC /New Zealand	Intraregional	AFTN					2009	Operational	ICD V.3.0					
				Oakland ARTCC /USA	Intraregional	AFTN					2009	Operational	ICD V.3.0					
INDIA	Implemented	Ahmedabad ACC	INDRA Aircon 2100	Karachi ACC /Pakistan	Intraregional	AFTN						Testing		ABI, EST				
		Chennai ACC	Raytheon Auto track-III +	Colombo ACC / Sri Lanka	Intraregional	AMHS					4Q2018	Planned						
				Jakarta ACC /Indonesia	Intraregional	AFTN					4Q2019	Planned						
				Kuala Lumpur ACC / Malaysia	Intraregional	AFTN					Jan 2021	Operational	ICD V.3.0	ABI, EST, TOC, AOC	Voice			
				Male ACC /Maldives	Intraregional	AFTN					Sep 2021	Operational						
				Yangon ACC /Myanmar	Intraregional	AFTN						Testing	ICD V.2.0					
		Delhi ACC	INDRA Aircon	Karachi ACC /Pakistan	Intraregional	AFTN					1Q2019	No plan						
				Lahore ACC /Pakistan	Intraregional	AFTN						Testing						
		Kolkata ACC	INDRA Aircon	Dhaka ACC /Bangladesh	Intraregional	AMHS					4Q2018	Planned						
				Yangon ACC /Myanmar	Intraregional	AFTN					4Q2018	Testing	ICD V.2.0					
				Kathmandu ACC /Nepal	Intraregional	AFTN												
				Karachi ACC /Pakistan	Intraregional	AMHS					1Q2019	Planned						
		Mumbai ACC	Raytheon Auto track-III	Male ACC /Maldives	Intraregional	AFTN					Nov 2021	Operational						
				Mogadishu ACC/Somalia	Interregional							Testing						
				Muscat ACC /Oman	Interregional	AFTN						Testing						
				Seychelles ACC / Mauritius	Interregional	AFTN												
		Trivandrum ACC	INDRA Aircon 2100	Male ACC/Maldives	Intraregional	AFTN					3Q2018							

Table of AIDC Implementation Status in APAC

State/Administration	AIDC Implementation Status(Implemented or not)	Location of AIDC System ATSUI	ATM Automation System (Make/Model)	ATSU2 /Correspondent State – Administration	Intraregional/In terregional	Transmissi on Means	Frequency of Use(days in a week)	Main/Back up Circuit	Communication Signal Speed (bps)	Average Transmis sion Delay (One Trip Time in Seconds)	Implementation Date or Target Date as MON yyyy or xQyyyy	Interface Status (Operational, Testing, Planned, No plan)	Interface Protocol / Version (OLDI or AIDC Version)	List of AIDC Messages Applicable between the Two ATSUs (ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS)	Coordination by CDN or Voice	Automatic or Manual EST	A Warning Message to Controller in Case of AIDC Failure	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
		Varanasi ACC	INDRA Aircon 2100	Kathmandu ACC /Nepal	Intraregional	AFTN						Planned						
INDONESIA	Implemented	Jakarta ACC		Melbourne /Australia	Intraregional	AFTN					2023	Testing						
				Colombo ACC / Sri Lanka	Intraregional	AFTN					2024	Testing						
				Singapore ACC /Singapore	Intraregional	AFTN					2022	Testing	ICD V.3.0					
				Kuala Lumpur ACC / Malaysia	Intraregional	AFTN					2024	Testing	ICD V.3.0					
				Kota Kinabalu ACC /Malaysia	Intraregional	AFTN					2025	Testing						
				Chennai ACC /India	Intraregional	AFTN					2022	Testing						
		Ujung Pandang ACC		Brisbane ACC /Australia	Intraregional	AFTN					July 2017	Operational						
				Oakland ARTCC /USA	Intraregional	AMHS						Planned						
				Port Moresby ACC/ PNG	Intraregional	AFTN					2Q2021	Operational						
				Kota Kinabalu ACC/Malaysia	Intraregional	AFTN						Testing						
				Jakarta ACC /Indonesia	Intraregional						3Q2022	Testing						
				Manila ACC/Philippines	Intraregional	AMHS					4Q 2020	Operational						
JAPAN	Implemented	Fukuoka ATMC	NEC	Manila ACC /Philippines	Intraregional	AFTN						Planned						
				Anchorage ACC /USA	Intraregional	AMHS	7	Main	64000		2005	Operational	ICD V.2.0		CDN	Automatic	yes	
				Incheon ACC /Republic of Korea	Intraregional	AFTN	7	Main	64000		Jun 2009	Operational	ICD V.1.0	EST,ACP,TOC,AOC,LAM,LRM,CPL	CDN	Automatic	yes	
				Oakland ARTCC /USA	Intraregional	AMHS	7	Main	64000		May 2017	Operational	ICD V.2.0		CDN	Automatic	yes	
		Tokyo ACC	NEC	Taipei ACC / China	Intraregional	AFTN	7	Main	64000		2012	Operational	ICD V.3.0	ABI,EST,ACP,LAM,LRM,MAC	CDN	Automatic	yes	
				Incheon ACC /Republic of Korea	Intraregional		7	Main	64000		2010	Operational	ICD V1.0	EST,ACP,TOC,AOC,LAM,LRM,CPL	CDN	Automatic	yes	
		Kobe ACC	NEC	Incheon ACC /Republic of Korea	Intraregional	AFTN	7	Main	64000		2012	Operational	ICD V.3.0					
KIRIBATI	non-implemented																	
LAO PEOPLE'S DEMOCRATIC REPUBLIC	Implemented	Vientiane ACC	THALES TOPSKY (EUROCAT-C)	Bangkok ACC /Thailand	Intraregional	AMHS	7	Main	9600		14-Jul-20	Operational	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	CDN	Automatic	no	
				Hanoi ACC /Veitnam	Intraregional	AFTN	7	Main	9600		2Q2023	Planned	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM				
				Phnom Penh ACC /Cambodia	Intraregional	AFTN	7	Main	9600		2-Jan-20	Operational	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	CDN	Automatic	no	
				Yangoon/ Myanmar	Intraregional	AFTN	7	Main	9600		4Q2023	Planned	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM				
				Kunming ACC /China	Intraregional	AFTN	7	Main	9600		1Q2023	Testing	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	CDN	Automatic	no	
				Ho Chi Minh/ Vietnam	Intraregional	AFTN	7	Main	9600		3Q2023	Planned	ICD V.2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM				
MALAYSIA	Implemented	Kuala Lumpur ACC	LEONARDO	Bangkok ACC /Thailand	Intraregional	AMHS	7	Main	9600	7	Mar 2020	Operational	ICD V.3.0	EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Singapore ACC /Singapore	Intraregional	AMHS	7	Main	9600	7	Nov 2019	Operational	ICD V.3.0	EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Chennai ACC /India	Intraregional	AMHS	7	Main	9600	7	Apr 2020	Operational	ICD V.3.0	ABI, EST, ACP, LAM, LRM, CDN, REJ,MAC,TOC,AOC	CDN	Automatic	yes	
				Ho Chi Minh ACC /Vietnam	Intraregional	AMHS	7	Main	TBA	TBA	3Q2024	Planned	ICD V.3.0	EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic	yes	
				Jakarta ACC /Indonesia	Intraregional	AMHS	7	Main	TBA	TBA	3Q2024	Planned	ICD V.3.0	EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic	yes	
		Kota Kinabalu ACC	THALES	Ujung Pandang ACC /Indonesia	Intraregional	AMHS	7	Main	TBA	TBA	2Q2024	Planned	ICD V.3.0	EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic	yes	
				Manila ACC /Philippines	Intraregional	AMHS	7	Main	TBA	TBA	3Q2024	Planned	ICD V.3.0	EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic	yes	
				Singapore ACC /Singapore	Intraregional	AMHS	7	Main	9600	1	Jul 2021	Operational	ICD V.3.0	EST, ACP, LAM, LRM	Voice	Automatic	yes	
											2Q2024	Planned	ICD V.3.0	TOC, AOC	Voice	Automatic	yes	
				Jakarta ACC /Indonesia	Intraregional	AMHS	7	Main	TBA	TBA	3Q2024	Planned	ICD V.3.0	EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic	yes	
		Kuching ACC	THALES	Singapore ACC /Singapore	Intraregional	AMHS	7	Main	9600	1	Feb 2021	Operational	ICD V.3.0	EST, ACP, LAM, LRM	Voice	Automatic	yes	
											2Q2024	Planned	ICD V.3.0	TOC, AOC	Voice	Automatic	yes	

Table of AIDC Implementation Status in APAC

State/Administration	AIDC Implementation Status(Implemented or not)	Location of AIDC System ATSUI	ATM Automation System (Make/Model)	ATSU2 /Correspondent State – Administration	Intraregional/In terregional	Transmissi on Means	Frequency of Use(days in a week)	Main/Back up Circuit	Communication Signal Speed (bps)	Average Transimis sion Delay (One Trip Time in Seconds)	Implementation Date or Target Date as MON yyyy or xQyyyy	Interface Status (Operational, Testing, Planned, No plan)	Interface Protocol / Version (OLDI or AIDC Version)	List of AIDC Messages Applicable between the Two ATSUs (ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS)	Coordination by CDN or Voice	Automatic or Manual EST	A Warning Message to Controller in Case of AIDC Failure	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
				Jakarta ACC /Indonesia	Intraregional	AMHS	7	Main	TBA	TBA	3Q2024	Planned	ICD V.3.0	EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic	yes	
MALDIVES	Implemented	Male ACC	LEONARDO	Mumbai ACC / India	Intraregional	AFTN	7	Main			3Q2021	Operational	ICD V.3.0	ABI, EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic	yes	
				Chennai ACC /India	Intraregional	AFTN	7	Main			3Q2021	Operational	ICD V.3.0	ABI, EST, ACP, LAM, LRM, TOC, AOC	Voice	Automatic		
				Mauritius ACC/Mauritius	Interregional	AFTN						No plan						
				Melbourne ACC /Australia	Intraregional	AFTN	7	Main			TBA	Testing	ICD V.3.0		Voice			
				Colombo ACC/Sri Lanka	Intraregional	AFTN		Main	64K		TBA	Testing	ICD V.3.0		Voice			Colombo AIDC connection temporarily disabled due to request from VCCC
				Trivandrum ACC/India	Intraregional	AFTN	7	Main			3Q2021	Operational	ICD V.3.0	ABI, EST, ACP, LAM, LRM, TOC, AOC	Voice			
MARSHALL ISLANDS	non-implemented																	
MICRONESIA (FEDERATED STATE OF)	non-implemented																	
MONGOLIA	Implemented	Ulaanbaatar ACC	INDRA Aircon-2100	Irkutsk ACC/Russia	Interregional	FMTF	7	Main/Backup	4800	Less than a second	2Q2017	Operational	OLDI Ver. 4.2	ABI, ACT, LAM, REV, PAC, MAC		Auto		
				Krasnoyarsk ACC/Russia	Interregional	FMTF	7	Main/Backup	4800	Less than a second	4Q2018	Operational	OLDI Ver. 4.3	ABI, ACT, LAM, REV, PAC, MAC		Auto		
				Beijing ACC/China	Intraregional	Dedicated line	7	Main/Backup	4800	6	4Q2023	Testing	ICD V.3.0	EST, ACP, TOC, AOC, LAM, LRM, PAC, MAC		Auto		
				Lanzhou ACC/China	Intraregional	Dedicated line	7	Main/Backup	4800	7.4	4Q2023	Testing	ICD V.3.0	EST, ACP, TOC, AOC, LAM, LRM, PAC, MAC		Auto		
MYANMAR	Testing	Yangon ACC	THALES Automation system (Topsky ATC)	Bangkok ACC /Thailand	Intraregional	AMHS					4Q2020	Testing	ICD V.2.0					
				Kolkata ACC /India	Intraregional	AFTN					4Q2018	Testing	ICD V.2.0					Existing ATM system are likely to be upgraded in Lahore and Karachi ACC.
				Chennai ACC /India	Intraregional	AFTN					4Q2018	Testing	ICD V.2.0					
				Kunming ACC /China	Intraregional	AFTN						Testing	ICD V.2.0					
				Vientianne ACC /Lao PDR	Intraregional	AFTN					4Q2018	Testing	ICD V.2.0					
				Dhaka ACC /Bangladesh	Intraregional	AFTN					4Q2018		ICD V.2.0					
NAURU	non-implemented																	
NEPAL	non-implemented	Kathmandu ACC	ATM system from NEC	Kolkata ACC /India	Intraregional	AFTN												
				Varanasi ACC/India	Intraregional	AFTN												
				Lhasa ACC /China	Intraregional	AFTN												
NEW ZEALAND	Implemented	Auckland ACC	ADACEL OCS (Oceanic Control System)	Brisbane ACC /Australia	Intraregional	AFTN	7	Backup				Operational		ABI, CDN, EST, PAC, ACP, REJ, MAC, MIS, TOC, AOC, LAM, LRM	CDN	Automatic		
						AMHS	7	Main	IP?	1.5		Operational		ABI, CDN, EST, PAC, ACP, REJ, MAC, MIS, TOC, AOC, LAM, LRM	CDN	Automatic		
				Nadi ACC /Fiji	Intraregional	AFTN	7	Backup				Operational		ABI, CPL, CDN, PAC, ACP, REJ, MAC, MIS, TOC, AOC, LAM, LRM	CDN	Automatic		
						AMHS	7	Main	IP?	1		Operational		ABI, CPL, CDN, PAC, ACP, REJ, MAC, MIS, TOC, AOC, LAM, LRM	CDN	Automatic		
				Oakland ARTCC /USA	Intraregional	AFTN	7	Backup				Operational		ABI, CPL, CDN, PAC, ACP, REJ, MAC, MIS, LAM, LRM	CDN	Automatic		
						AMHS	7	Main	IP?	1		Operational		ABI, CPL, CDN, PAC, ACP, REJ, MAC, MIS, LAM, LRM	CDN	Automatic		
				Papeete ACC /French Polynesia	Intraregional	AFTN	7	Main	64k	5		Operational		ABI, CPL, CDN, PAC, ACP, REJ, MAC, MIS, TOC, AOC, LAM, LRM	CDN	Automatic		
				Chile	Interregional	AFTN	7	Backup				Operational		EST, ACP	Voice	Automatic		
						AMHS	7	Main	IP/??			Operational		EST, ACP	Voice	Automatic		
				Mumbai ACC /India	Intraregional	AMHS	7	Main	128 & 64Kbps		Jun 2025	Testing	ICD Version 2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	*Trial run carried out between Karachi and Ahmedabad. Partial connectivity between both systems is observed and Some issues regarding the auto acceptance of EST messages in
				Muscat ACC /Oman	Interregional	AFTN	7	Main	64Kbps		Jun 2025	No Plan	ICD Version 2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	

Table of AIDC Implementation Status in APAC

State/Administration	AIDC Implementation Status(Implemented or not)	Location of AIDC System ATSUI	ATM Automation System (Make/Model)	ATSU2 /Correspondent State – Administration	Intraregional/In terregional	Transmissi on Means	Frequency of Use(days in a week)	Main/Back up Circuit	Communication Signal Speed (bps)	Average Transmis sion Delay (One Trip Time in Seconds)	Implementation Date or Target Date as MON yyyy or xQyyyy	Interface Status (Operational, Testing, Planned, No plan)	Interface Protocol / Version (OLDI or AIDC Version)	List of AIDC Messages Applicable between the Two ATSUs (ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS)	Coordination by CDN or Voice	Automatic or Manual EST	A Warning Message to Controller in Case of AIDC Failure	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
PAKISTAN	Testing	Karachi ACC	Indra AIRCON 2100	Tehran ACC /Iran	Interregional	AFTN	7	Main	1 Mbps		Jun 2025	No Plan	ICD Version 2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	Karachi ATM need to be addressed *Trial run between Karachi and Mumbai was remained unsuccessful due to integration problems. * Trial run carried out between Lahore and Delhi ACCs in March 2021. Delhi ATM system rejects the ABI messages due to adding double space in FPL by Lahore ATM system (East bound Flights). Lahore ATM does not generate ACP message in response to ABI message sent by Delhi ATM system (West Bound) Note :- Due to restructuring of Karachi ACC and Lahore ACC no need to AIDC testing /requirement between Karachi ACC and Delhi ACC. .*AIDC is not fully functional with neighbouring FIRs due to difference in AIDC version. AIDC will be fully functional up to June, 2025 after replacement of ATM System at Karachi & Lahore ACCs.
				Ahmadabad ACC /India	Intraregional	AMHS	7	Main	Via Mumbai AMHS		Jun 2025	Testing	ICD Version 2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	
				Kabul ACC /Afghanistan	Intraregional	AFTN	7	Main	1Mbps		Jun 2025	No Plan	ICD Version 2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	
		Lahore ACC	Indra AIRCON 2100	Delhi ACC /India	Intraregional	AMHS	7	Main	VIA Mumbai AHMS		Jun 2025	Testing	ICD Version 2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	
				Kabul ACC /Afghanistan	Intraregional	AFTN	7	Main	1 Mbps via Karachi AMHS		Jun 2025	No Plan	ICD Version 2.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	
		Islamabad ACC	Si ATM	Kabul ACC /Afghanistan	Intraregional	AFTN	7	Main	1 Mbps via Karachi AMHS			No Plan	ICD Version 3.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	
				Urumqui ACC /China	Intraregional	AFTN	7	Main	Via Beijing AFTN			No Plan	ICD Version 3.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	
				Tajakistan ACC /Tajakistan	Interregional	AFTN	7	Main	Via Tehran AFTN			No Plan	ICD Version 3.0	ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC	Voice	Automatic	Yes	
PALAU	non-implemented																	
PAPUA NEW GUINEA	Implemented	Port Moresby	Thales (TopSky-ATC)	Brisbane ACC/Australia	Intraregional	AMHS						Operational	ICD V.3.0					
				Ujung Pandang ACC/Indonesia	Intraregional	AFTN						Planned	ICD V.3.0					
				Oakland ARTCC /USA	Intraregional	AFTN						Testing	ICD V.3.0					
PHILIPPINES	Implemented	Manila ACC	THALES	Hong Kong ACC / Hong Kong, China	Intraregional	AFTN												
				Singapore ACC /Singapore	Intraregional	AMHS					May 2019	Operational						
											Dec 2020	Operational						
				Taipei ACC/China	Intraregional	AFTN												
				Kota Kinabalu ACC /Malaysia	Intraregional	AMHS					Dec 2019	Operational						
				Ho Chi Minh ACC /Viet Nam	Intraregional	AMHS						Testing						
				Oakland ARTCC /USA	Intraregional	AMHS						Testing						
												Planned						
REPUBLIC OF KOREA	Implemented	Incheon ACC	Leidos System	Fukuoka ATMC /Japan	Intraregional	Dedicated L	7	Main	64000	1	2010	Operational	ICD V.1.0	CPL, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
				Shanghai ACC/China	Intraregional						3Q2023	Planned						
				Dalian ACC /China	Intraregional	Dedicated L	7	Backup	64000	1	Nov 2016	Operational	ICD V.3.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
		Daegu ACC	Leidos System	Fukuoka ATMC /Japan	Intraregional	Dedicated L	7	Backup	64000	1	2010	Operational	ICD V.1.0	CPL, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
				Shanghai ACC/China	Intraregional						3Q2023	Planned						
				Dalian ACC /China	Intraregional	Dedicated L	7	Main	64000	1	Nov 2016	Operational	ICD V.3.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
SAMOA	non-implemented																	
				Ho Chi Minh ACC /Vietnam	Intraregional	AMHS	7	Main	64k	80ms	Jul 2014	Operational	ICD V.1.0	EST,ACP,LAM,LRM	Voice	Automatic	yes	
				Manila ACC /Philippines	Intraregional	AMHS	7	Main	64k	45ms	Nov 2019	Operational	ICD V.3.0	EST,ACP,LAM,LRM,TOC,AOC	Voice	Automatic	yes	

Table of AIDC Implementation Status in APAC

State/Administration	AIDC Implementation Status(Implemented or not)	Location of AIDC System ATSUI	ATM Automation System (Make/Model)	ATSU2 /Correspondent State – Administration	Intraregional/In terregional	Transmissi on Means	Frequency of Use(days in a week)	Main/Back up Circuit	Communication Signal Speed (bps)	Average Transmis sion Delay (One Trip Time in Seconds)	Implementation Date or Target Date as MON yyyy or xQyyyy	Interface Status (Operational, Testing, Planned, No plan)	Interface Protocol / Version (OLDI or AIDC Version)	List of AIDC Messages Applicable between the Two ATSUs (ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS)	Coordination by CDN or Voice	Automatic or Manual EST	A Warning Message to Controller in Case of AIDC Failure	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
SINGAPORE	Implemented	Singapore ACC	THALES	Jakarta ACC /Indonesia	Intraregional	AMHS	0	Main	64k	60ms		Planned	ICD V.3.0					
				Kuala Lumpur ACC /Malaysia	Intraregional	AMHS	7	Main	64k	20ms	Nov 2019	Operational	ICD V.3.0	EST,ACP,LAM,LRM	Voice	Automatic	yes	
				Kota Kinabalu ACC /Malaysia	Intraregional	AMHS	7	Main	64k	55ms	Jul 2021	Operational	ICD V.3.0	EST,ACP,LAM,LRM,TOC,AOC	Voice	Automatic	yes	
				Kuching ACC /Malaysia	Intraregional	AMHS	7	Main	64k	50ms	Feb 2021	Operational	ICD V.3.0	EST,ACP,LAM,LRM,TOC,AOC	Voice	Automatic	yes	
SOLOMON ISLANDS	non-implemented			Nadi ACC /Fiji	Intraregional													
				Port Moresby ACC/PNG	Intraregional													
				Brisbane ATSC /Australia	Intraregional													
SRI LANKA	Testing	Colombo ACC	INTELCAN	Male ACC /Maldives	Intraregional	AFTN			64000		SEP 2023	Testing	ICD V.3.0		Voice	Manual	no	ABI message is not working during trials.
				Jakarta ACC / Indonesia	Intraregional	AMHS			2048000		SEP 2023	Planned	ICD V.3.0		Voice	Manual	no	
				Melbourne ACC /Australia	Intraregional	AMHS			2048000		SEP 2023	Planned	ICD V.3.0		Voice	Manual	no	
				Chennai ACC /India	Intraregional	AMHS			2048000		SEP 2023	Testing	ICD V.3.0		Voice	Manual	no	ABI message is not working during trials.
THAILAND	Implemented	Bangkok ACC	THALES	Kuala Lumpur ACC /Malaysia	Intraregional	AMHS					Mar 2020	Operational	ICD V.3.0	EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Phnom Penh ACC /Cambodia	Intraregional	AMHS					Feb 2021	Operational	ICD V.3.0	ABI, EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Vientiane ACC /Lao PDR	Intraregional	AMHS					Jul 2020	Operational	ICD V.3.0	ABI, EST, ACP, TOC, AOC, LAM, LRM	Voice	Automatic	yes	
				Yangon ACC /Myanmar	Intraregional	AMHS						Testing						Continuous operational use still not possible due to system limitation at Yangon ACC
TIMOR LESTE	non-implemented																	
TONGA	non-implemented																	
TUVALU	non-implemented																	
VANUATU	non-implemented																	
UNITED STATES	Implemented	Oakland ARTCC	Liedos, ATOP System	Anchorage ARTCC /United States	Intraregional	AMHS	7	Main	64,000	3	Oct 2005	Operational	ICD V.2.0	ABI, CPL, EST, MAC, CDN, ACP, REJ, EMG, MIS, LAM, LRM, PAC	CDN	Automatic	yes	
				Auckland OAC /New Zealand	Intraregional	AMHS	7	Main	64,000	4	Oct 2005	Operational	ICD V.2.0	ABI, CPL, MAC, CDN, ACP, REJ, LAM, LRM, PAC	CDN	Automatic	yes	
				Fukuoka ATMC /Japan	Intraregional	AMHS	7	Main	64,000	4	Oct 2005	Operational	ICD V.2.0	ABI, ACP, CDN, CPL, LAM, LRM, MAC	CDN	Automatic	yes	
				Nadi ATMC /Fiji	Intraregional	AMHS	7	Main	64,000	5	Oct 2005	Operational	ICD V.2.0	ABI, CPL, CDN, PAC, ACP, MAC, REJ, LAM, LRM	CDN	Automatic	yes	
				Brisbane ACC /Australia	Intraregional	AMHS	7	Main	64,000	1	Oct 2005	Operational	ICD V.2.0	ABI, EST, ACP, MAC, CDN, LAM, LRM	CDN	Automatic	yes	Full CDN functionality proposed 1-30-2023 via LOA.
				Tahiti ACC /French Polynesia	Intraregional	AMHS	7	Main	64,000	10	Dec 2014	Operational	ICD V 2.0	ABI, CPL, CDN, PAC, ACP, MAC, LAM, LRM	CDN	Automatic	yes	
				Port Moresby/PNG	Intraregional	AMHS	7	Main	64,000	6	Dec 2021	Operational	ICD V 2.0	ABI, EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Manila /Philippines			7						ICD V.2.0					AIDC testing implemented via MOU with verbal verification for 30 days. Pending test results AIDC incorporation permanently via LOA.
					Intraregional	AMHS		Main	64,000	5	Dec 2022	Planned		ABI, EST, ACP, LAM, LRM	Voice	Automatic	yes	
				Mazatlan ACC	Interregional	AMHS	7	Main	64,000	4	Mar 2015	Operational	ICD V.2.0	ABI, ACP, EST, LAM, LRM	Voice	Automatic	yes	
				Ujung Padang/Indonesia									ICD V 2.0					Pending meeting to determine implementation dates in Jan 2023. Initial testing completed, propose additional live testing phase followed by revised LOA.
					Intraregional	AMHS		Main	64,000		Mar 2023	Planned		TBD-ABI, EST, ACP, LAM, LRM	Voice	Automatic	yes	
VIET NAM	Implemented	Ho Chi Minh ACC	THALES	Sanya ACC /China	Intraregional	AFTN												
					Intraregional	AMHS												
				Phnom Penh ACC /Cambodia	Intraregional	AMHS						Testing						
				Vientiane ACC /Lao PDR	Intraregional	AMHS												
				Singapore ACC /Singapore	Intraregional	AMHS					Jul 2014	Operational	ICD V.1.0					
				Manila /Philippines	Intraregional	AFTN						Testing						

Table of AIDC Implementation Status in APAC																		
State/Administration	AIDC Implementation Status(Implemented or not)	Location of AIDC System ATSU1	ATM Automation System (Make/Model)	ATSU2 /Correspondent State – Administration	Intraregional/Interregional	Transmission Means	Frequency of Use(days in a week)	Main/Back up Circuit	Communication Signal Speed (bps)	Average Transimission Delay (One Trip Time in Seconds)	Implementation Date or Target Date as MON yyyy or xQyyyy	Interface Status (Operational, Testing, Planned, No plan)	Interface Protocol / Version (OLDI or AIDC Version)	List of AIDC Messages Applicable between the Two ATSUs (ABI, EST, ACP, TOC, AOC, LAM, LRM, PAC, CDN, CPL, REJ, MAC; TRU, EMG, MIS, TDM, ASM, FAN, FCN; ADS)	Coordination by CDN or Voice	Automatic or Manual EST	A Warning Message to Controller in Case of AIDC Failure	Remarks
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
				Kuala Lumpur /Malaysia	Intraregional	AFTN												
		Hanoi ACC	Selex	Vientiane ACC/Lao PDR	Intraregional	AMHS						Testing						

ACSICG/11
Appendix A to WP/10

State/Administration	Last updated	Meeting	History
Afghanistan			
Australia	1/30/2023	AP135/22(CNS)	
Bangladesh			
Brunei Darussalam			
Bhutan			
Cambodia	6/29/2023	ATMAS TF/4	
China	12/6/2022	AP135/22(CNS)	
Hong Kong, China	1/30/2023	AP135/22(CNS)	
Macau China			
Cook Islands			
Democratic People's Republic of Korea			
France (New Caledonia, French Polynesia, and Wallis & Futuna)			
Fiji			
India			
Indonesia			
Lao PDR	1/24/2023	AP135/22(CNS)	
Japan	8/25/2023	CNS SG/27	1/16/2023
Kiribati			
Malaysia	6/29/2023	ATMAS TF/4	1/9/2023 4/3/2023 4/13/2023
Maldives	5/24/2023	AP135/22(CNS)	
Marshall Islands			
Micronesia (Federated States of)			
Mongolia	8/31/2023	CNS SG/27	
Myanmar			
Nauru			
Nepal			
New Zealand	8/25/2023	CNS SG/27	12/21/2022
Pakistan	11/29/2022	AP135/22(CNS)	
Papua New Guinea			
Palau			
Philippines			
Republic of Korea	1/31/2023	AP135/22(CNS)	
Samoa			
Solomon Islands			
Singapore	1/6/2023	AP135/22(CNS)	
Sri Lanka	2/14/2023	AP135/22(CNS)	
Tonga			
Thailand	1/16/2023	AP135/22(CNS)	
Tuvalu			
Timor LESTE			
United States	12/21/2022	AP135/22(CNS)	
Vanuatu			
Viet Nam			