

International Civil Aviation Organization

ICAO

WORKING PAPER (WP/16)**ICAO Asia and Pacific (APAC)****Twenty-third Meeting of the Meteorological Information Exchange Working Group (MET/IE WG/23)**

Bangkok, Thailand, 25 to 28 March 2025

Agenda Item 3: Quality control, monitoring, and management of meteorological information exchange**ASIA/PACIFIC PERFORMANCE INDICES**

(Presented by Thailand)

SUMMARY

This paper discusses the results of OPMET monitoring, both TAC and IWXXM of 5 RODBs: Bangkok, Brisbane, Nadi, Singapore, Tokyo. The Data from 1-30 November 2024. The results of the report are prepared by RODB Bangkok.

1. INTRODUCTION

1.1 At the MET/IE meeting, it was agreed that the Asia-Pacific monitoring would be conducted annually in November.

1.2 OPMET Statistics Web Application is used to calculate the OPMET performance index in both TAC and IWXXM formats. OPMET data are obtained from 5 RODBs during 1-30 November 2024.

1.3 The dataset is based on ROBEX Handbook sixteenth Edition April 2024. The number of aerodromes METAR(SA)/TAF(FT) of TAC as table below.

No. of aerodromes listed in Appendix A – Collection and Dissemination of METAR (SA) bulletins, Table A: METAR	322
No. of aerodromes listed in Appendix B – Collection and Dissemination of TAF (FT) bulletins, Table B: TAF	318

2. DISCUSSION**2.1 Calculation of Performance Indices**

- The Availability calculation method is in **Appendix A**.
- The Timeliness calculation method refers to the MET/SG 28-WP07 ROBEX Handbook updates in accordance with the review of the performance indices (PIs) used in APAC OPMET Monitoring.
- METAR Timeliness = on average 95% ANP required and available METAR observation reports (not including SPECI; no NIL, no AMD observations; including COR observations) is received within 5 minutes before observation time and maximum 10 minutes after the

observation time (MM observation time(s) from the YYGGgg-Group in the bulletin Abbreviated Header = DDHHMM based on monitoring): $HH:(MM - 5') \leq RX\text{-Time} \leq HH:(MM + 10')$.

- TAF Timeliness = on average 95% ANP required and available TAF (excluding NIL and TAF reports with BBB = AMD; inclusive BBB = COR reports) is received within 60 minutes before the start period of validity of TAF (TAF validity period = GGGG based on monitoring): $(GGGG - 60') \leq RX\text{-Time} \leq (GGGG + 0')$.

2.2 The **Appendix B Tables A and B** show the Asia/Pacific Performance indices measured per aerodrome for TAC and IWXXM respectively.

2.3 The **Appendix B Tables C and D** are subsets of Appendix B Table A and show the aerodromes with TAC Performance Indices of 0 (zero) at all RODBs, indicating nil report for METAR (SA) and TAF (FT) respectively.

2.4 The **Appendix B Tables E and F** are subsets of Appendix B Table B and show the aerodromes with IWXXM Performance Indices of 0 (zero) at both RODBs, indicating nil report for METAR (LA) and TAF (LT) respectively.

2.5 The **Appendix C Tables A and B** show the Asia/Pacific Performance indices measured per ROC for TAC and IWXXM respectively.

2.6 The **Appendix D Tables A, B, C and D** show the IWXXM Performance indices at RODB Bangkok during 1-30 November 2024 for METAR/TAF, SPECI, SIGMET/AIRMET and Advisories respectively.

3. ACTION BY THE MEETING

3.1 The meeting is invited to discuss the following:

- a) note the information contained in this paper;
- b) use the result tables to improve the OPMET data exchange in general; and
- c) investigate unavailable data from the aerodromes.

APPENDIX A

New Availability Index Calculation

From the PI ad hoc group meeting, it was proposed to adjust the method of calculating the Availability Index:

- Old Method:

1.0 represents perfect availability that at least one report is received from the aerodrome during the 24-hour period.

- New Method:

The calculation will be based on actual number of reports received compared to expected number of reports in 24-hour period. 1.0 represents the actual number of reports received equals to the expected number of reports from the aerodrome.

This availability index will reflect the readiness of reports from the aerodrome more accurately. The requirement of METAR and TAF Availability is on average 95%.

The table in Appendix A shows an example of the calculation of the Availability Index using both the old and new methods, based on a simulated scenario of receiving reports from VTBS at various times.

AN EXAMPLE OF THE CALCULATION OF THE AVAILABILITY INDEX USING BOTH THE OLD AND NEW METHODS

[illegible]

APPENDIX B

ASIA/PACIFIC PERFORMANCE INDICES – TAC/IWXXM
1-30 November 2024

Table A – ASIA/PACIFIC PERFORMANCE INDICES (TAC)

	PI ≥ 0.95			0.95 > PI > 0						PI = 0			
Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
AGGH	AOP	SANG31	YBBN	0.68	0.83	0.78	0.76	0.38	0.47	0.76	0.63	0.62	0.33
AGGH	AOP	FTNG31	YBBN	0.36	0.40	0.39	0.39	0.00	0.32	0.40	0.39	0.39	0.00
ANYN	NON AOP	SANG31	YBBN	0.39	0.45	0.46	0.44	0.00	0.34	0.44	0.43	0.43	0.00
ANYN	NON AOP	FTNG31	YBBN	0.58	0.69	0.68	0.68	0.00	0.49	0.69	0.68	0.68	0.00
AYGN	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMH	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMH	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMO	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMO	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYNZ	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYNZ	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYPY	AOP	SANG31	YBBN	0.71	0.84	0.83	0.83	0.00	0.41	0.60	0.58	0.58	0.00
AYPY	AOP	FTNG31	YBBN	0.60	0.71	0.69	0.69	0.00	0.50	0.71	0.69	0.69	0.00
AYVN	AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYVN	AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYWK	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYWK	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NCRG	AOP	SAPS31	NFFN	1.00	1.00	1.00	1.00	0.99	0.04	0.04	0.04	0.04	0.04
NCRG	AOP	FTPS31	NFFN	0.98	0.98	0.98	0.98	0.98	0.81	0.98	0.98	0.98	0.98
NFFN	AOP	SAPS31	NFFN	0.96	0.97	0.98	0.97	1.00	0.04	0.92	0.96	0.30	0.99
NFFN	AOP	FTPS31	NFFN	0.97	0.97	0.97	0.97	0.97	0.80	0.97	0.97	0.97	0.97
NFNA	AOP	SAPS31	NFFN	0.96	0.98	0.96	0.96	0.96	0.04	0.05	0.04	0.04	0.04
NFNA	AOP	FTPS31	NFFN	0.98	0.98	0.98	0.98	0.98	0.81	0.98	0.98	0.98	0.98
NFTF	AOP	SAPS31	NFFN	0.92	0.94	0.92	0.92	0.91	0.04	0.04	0.04	0.04	0.04
NFTF	AOP	FTPS31	NFFN	0.98	0.98	0.98	0.98	0.98	0.81	0.98	0.98	0.98	0.98
NFTL	AOP	SAPS31	NFFN	0.51	0.53	0.51	0.51	0.51	0.04	0.04	0.04	0.04	0.04
NFTV	AOP	SAPS31	NFFN	0.73	0.74	0.73	0.73	0.72	0.04	0.04	0.04	0.04	0.04
NFTV	AOP	FTPS31	NFFN	0.97	0.97	0.97	0.97	0.97	0.80	0.97	0.97	0.97	0.97
NGFU	AOP	SAPS31	NFFN	0.86	0.87	0.86	0.86	0.85	0.04	0.04	0.04	0.04	0.04
NGFU	AOP	FTPS31	NFFN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NGTA	AOP	SAPS31	NFFN	0.42	0.78	0.73	0.49	0.42	0.04	0.71	0.68	0.15	0.04
NGTA	AOP	FTPS31	NFFN	0.97	0.97	0.97	0.97	0.97	0.80	0.97	0.97	0.97	0.97
NIUE	AOP	SAPS31	NFFN	0.99	0.96	0.96	0.96	0.95	0.70	0.04	0.04	0.04	0.04
NIUE	AOP	FTPS31	NFFN	0.98	0.98	0.98	0.98	0.98	0.81	0.98	0.98	0.98	0.98
NLWW	AOP	SAPS32	NFFN	0.95	0.91	0.91	0.91	0.91	0.79	0.91	0.90	0.91	0.91
NLWW	AOP	FTPS32	NFFN	0.99	0.96	0.95	0.95	0.99	0.82	0.96	0.95	0.95	0.98
NSFA	AOP	SAPS31	NFFN	0.88	0.88	0.88	0.88	0.87	0.04	0.04	0.04	0.04	0.04

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
NSFA	AOP	FTPS31	NFFN	0.97	0.97	0.97	0.97	0.97	0.81	0.97	0.97	0.97	0.97
NTAA	AOP	SAPS33	NFFN	1.00	1.00	1.00	1.00	1.00	0.83	1.00	1.00	1.00	1.00
NTAA	AOP	FTPS33	NFFN	0.92	1.00	0.92	1.00	0.92	0.77	0.96	0.92	0.96	0.92
NVSS	AOP	SAPS31	NFFN	0.68	0.71	0.68	0.68	0.68	0.04	0.04	0.04	0.04	0.04
NVSS	AOP	FTPS31	NFFN	0.91	0.91	0.91	0.91	0.91	0.74	0.91	0.91	0.91	0.91
NVVV	AOP	SAPS31	NFFN	0.77	0.79	0.77	0.77	0.76	0.04	0.04	0.04	0.04	0.04
NVVV	AOP	FTPS31	NFFN	0.92	0.92	0.92	0.92	0.92	0.75	0.92	0.92	0.92	0.92
NWWW	AOP	SAPS32	NFFN	1.00	1.00	1.00	1.00	1.00	0.82	0.91	0.90	0.91	0.91
NWWW	AOP	FTPS32	NFFN	0.99	0.96	0.95	0.95	0.99	0.82	0.96	0.95	0.95	0.98
NZAA	AOP	SANZ31	NZKL	0.87	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
NZAA	AOP	FTNZ31	NZKL	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
NZCH	AOP	SANZ31	NZKL	0.87	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
NZCH	AOP	FTNZ31	NZKL	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
NZQN	AOP	SANZ32	NZKL	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
NZQN	AOP	FTNZ32	NZKL	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
NZWN	AOP	SANZ31	NZKL	0.87	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
NZWN	AOP	FTNZ31	NZKL	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
OPFA	AOP	SAPK31	OPKC	0.22	0.29	0.28	0.27	0.27	0.18	0.28	0.26	0.26	0.26
OPFA	AOP	FTPK31	OPKC	0.62	0.69	0.76	0.68	0.68	0.50	0.65	0.71	0.62	0.62
OPGW	NON AOP	SAPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPGW	NON AOP	FTPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPIS	AOP	SAPK31	OPKC	0.54	0.72	0.70	0.69	0.69	0.45	0.69	0.66	0.66	0.65
OPIS	AOP	FTPK31	OPKC	0.66	0.78	0.82	0.74	0.74	0.55	0.75	0.78	0.70	0.70
OPKC	AOP	SAPK31	OPKC	0.56	0.72	0.70	0.69	0.69	0.47	0.70	0.66	0.66	0.66
OPKC	AOP	FTPK31	OPKC	0.78	0.82	0.86	0.81	0.81	0.58	0.78	0.82	0.76	0.76
OPLA	AOP	SAPK31	OPKC	0.54	0.71	0.69	0.68	0.68	0.44	0.68	0.65	0.65	0.65
OPLA	AOP	FTPK31	OPKC	0.68	0.80	0.85	0.79	0.79	0.57	0.76	0.81	0.74	0.74
OPMT	AOP	SAPK31	OPKC	0.44	0.73	0.57	0.55	0.55	0.36	0.68	0.53	0.53	0.52
OPMT	AOP	FTPK31	OPKC	0.67	0.76	0.83	0.74	0.73	0.56	0.72	0.78	0.68	0.68
OPNH	AOP	SAPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPNH	AOP	FTPK31	OPKC	0.62	0.01	0.00	0.00	0.00	0.25	0.01	0.00	0.00	0.00
OPPS	AOP	SAPK31	OPKC	0.47	0.62	0.61	0.59	0.59	0.39	0.60	0.57	0.57	0.57
OPPS	AOP	FTPK31	OPKC	0.67	0.78	0.83	0.75	0.75	0.56	0.73	0.79	0.70	0.70
OPSK	NON AOP	SAPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPSK	NON AOP	FTPK31	OPKC	0.63	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00
OPST	NON AOP	SAPK31	OPKC	0.28	0.36	0.35	0.41	0.34	0.23	0.34	0.33	0.39	0.32
OPST	NON AOP	FTPK31	OPKC	0.69	0.77	0.86	0.83	0.75	0.57	0.73	0.82	0.81	0.70
PLCH	AOP	SAPS31	NFFN	0.17	0.69	0.69	0.36	0.17	0.04	0.58	0.58	0.25	0.04
PLCH	AOP	FTPS31	NFFN	0.98	0.98	0.98	0.98	0.98	0.81	0.98	0.98	0.98	0.98
RCFN	NON AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
RCFN	NON AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RCKH	AOP	SAHK31	VHHH	0.69	0.87	0.87	0.87	0.87	0.61	0.87	0.86	0.87	0.87
RCKH	AOP	FTHK32	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RCMQ	NON AOP	SAHK31	VHHH	0.70	0.87	0.87	0.87	0.87	0.61	0.87	0.87	0.87	0.87

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
RCMQ	NON AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RCNN	NON AOP	SAHK31	VHHH	0.70	0.87	0.87	0.87	0.87	0.61	0.87	0.86	0.87	0.87
RCNN	NON AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RCSS	AOP	SAHK31	VHHH	0.70	0.87	0.87	0.87	0.87	0.61	0.87	0.86	0.87	0.87
RCSS	AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RCTP	AOP	SAHK31	VHHH	0.79	0.99	0.99	0.99	0.99	0.69	0.99	0.98	0.99	0.99
RCTP	AOP	FTHK32	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RJAA	AOP	SAJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJAA	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJAH	NON AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	0.99	1.00	0.00
RJAH	NON AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJBB	AOP	SAJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJBB	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCB	NON AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCB	NON AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCC	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCC	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCH	AOP	SAJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCH	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCK	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCK	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCM	NON AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJCM	NON AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJEC	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJEC	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFF	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFF	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFK	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFK	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFM	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFM	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFO	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFO	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFR	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFR	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFS	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFS	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFT	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFT	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFU	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJFU	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJGG	AOP	SAJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJGG	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJNK	NON AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	0.99	1.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
RJNK	NON AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJNS	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJNS	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJNT	NON AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJNT	NON AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOA	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOA	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOB	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOB	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOC	NON AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOC	NON AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOH	NON AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	0.99	1.00	0.00
RJOH	NON AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOK	NON AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOK	NON AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOM	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOM	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOO	AOP	SAJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOO	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOT	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJOT	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSA	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSA	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSF	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSF	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSI	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSI	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSK	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSK	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSN	AOP	SAJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSN	AOP	FTJP32	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJSS	AOP	SAJP31	RJTD	0.75	0.94	0.94	0.94	0.00	0.66	0.94	0.94	0.94	0.00
RJSS	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJTT	AOP	SAJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RJTT	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RKJB	AOP	SAKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99
RKJB	AOP	FTKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99
RKNY	AOP	SAKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99
RKNY	AOP	FTKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.68	1.00	0.98	0.98	0.98
RKPC	AOP	SAKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99
RKPC	AOP	FTKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99
RKPK	AOP	SAKO31	RKSI	0.79	1.00	0.99	0.99	0.99	0.69	0.99	0.98	0.99	0.99
RKPK	AOP	FTKO31	RKSI	0.79	1.00	0.99	0.99	0.99	0.68	1.00	0.98	0.98	0.98
RKSI	AOP	SAKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
RKSI	AOP	FTKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99
RKSS	AOP	SAKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99
RKSS	AOP	FTKO31	RKSI	0.80	1.00	1.00	1.00	1.00	0.68	1.00	0.98	0.98	0.98
RKTN	AOP	SAKO31	RKSI	0.79	1.00	0.99	0.99	0.99	0.69	0.99	0.98	0.99	0.99
RKTN	AOP	FTKO31	RKSI	0.79	1.00	0.99	0.99	0.99	0.68	0.99	0.98	0.98	0.98
RKTU	AOP	SAKO31	RKSI	0.79	0.99	0.99	0.99	0.99	0.69	0.99	0.98	0.98	0.98
RKTU	AOP	FTKO31	RKSI	0.80	0.99	0.99	0.99	0.99	0.68	0.99	0.98	0.98	0.98
ROAH	AOP	SAJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
ROAH	AOP	FTJP31	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
ROIG	AOP	SAJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
ROIG	AOP	FTJP38	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
RPLB	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.68	0.98	0.97	0.98	0.98
RPLB	AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RPLC	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.68	0.99	0.97	0.98	0.98
RPLC	AOP	FTHK32	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RPLI	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.68	0.98	0.98	0.98	0.98
RPLI	AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RPLL	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.68	0.99	0.97	0.98	0.98
RPLL	AOP	FTHK32	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RPMD	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.99	0.99	0.99
RPMD	AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RPMZ	AOP	SAHK31	VHHH	0.76	0.94	0.94	0.94	0.94	0.65	0.93	0.93	0.93	0.93
RPMZ	AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RPVM	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.68	0.99	0.97	0.98	0.98
RPVM	AOP	FTHK32	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
RPVP	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.98	0.98	0.98
RPVP	AOP	FTHK33	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VAAH	AOP	SAIN31	VABB	0.75	0.95	0.94	0.94	0.94	0.64	0.94	0.92	0.93	0.92
VAAH	AOP	FTIN31	VABB	0.69	0.87	0.88	0.88	0.88	0.54	0.82	0.81	0.81	0.81
VABB	AOP	SAIN31	VABB	0.74	0.94	0.94	0.94	0.94	0.63	0.93	0.92	0.92	0.92
VABB	AOP	FTIN31	VABB	0.73	0.93	0.92	0.92	0.92	0.63	0.92	0.91	0.91	0.91
VANP	AOP	SAIN31	VABB	0.74	0.94	0.93	0.93	0.93	0.63	0.93	0.92	0.92	0.92
VANP	AOP	FTIN31	VABB	0.67	0.83	0.83	0.83	0.83	0.58	0.83	0.82	0.82	0.82
VCBI	AOP	SASB31	VCCC	0.00	0.96	0.96	0.96	0.96	0.00	0.94	0.95	0.90	0.90
VCBI	AOP	FTSB31	VABB	0.77	0.97	0.97	0.98	0.97	0.65	0.83	0.92	0.93	0.92
VCCH	AOP	SASB31	VCCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VCCH	AOP	FTSB31	VABB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VCRI	AOP	SASB31	VCCC	0.00	0.73	0.73	0.73	0.73	0.00	0.69	0.70	0.67	0.67
VCRI	AOP	FTSB31	VABB	0.76	0.97	0.96	0.97	0.96	0.65	0.87	0.93	0.94	0.93
VDPP	AOP	SAAE32	VTBB	0.79	0.99	0.99	0.99	0.99	0.68	0.98	0.63	0.98	0.97
VDPP	AOP	FTAE32	VTBB	0.78	1.00	1.00	0.98	1.00	0.68	1.00	0.71	0.98	0.98
VDSA	AOP	SAAE32	VTBB	0.77	0.97	0.97	0.97	0.97	0.67	0.97	0.80	0.96	0.96
VDSA	AOP	FTAE32	VTBB	0.78	1.00	1.00	0.98	1.00	0.68	1.00	0.71	0.98	0.98
VDSV	NON AOP	SAAE32	VTBB	0.76	0.96	0.95	0.96	0.96	0.65	0.94	0.61	0.93	0.93

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
VDSV	NON AOP	FTAE32	VTBB	0.78	1.00	1.00	0.98	1.00	0.68	1.00	0.71	0.98	0.98
VEBN	NON AOP	SAIN32	VIDP	0.74	0.93	0.92	0.92	0.92	0.59	0.92	0.86	0.87	0.86
VEBN	NON AOP	FTIN32	VABB	0.75	0.97	0.98	0.98	0.98	0.62	0.97	0.96	0.96	0.96
VECC	AOP	SAIN33	VECC	0.00	1.00	1.00	0.99	0.99	0.00	1.00	0.99	0.97	0.96
VECC	AOP	FTIN33	VABB	0.74	0.95	0.94	0.94	0.94	0.63	0.95	0.93	0.93	0.93
VEGT	AOP	SAIN33	VECC	0.00	0.98	0.98	0.98	0.97	0.00	0.96	0.94	0.95	0.94
VEGT	AOP	FTIN33	VABB	0.73	0.92	0.92	0.92	0.92	0.62	0.92	0.92	0.92	0.92
VEGY	AOP	SAIN33	VECC	0.00	0.33	0.33	0.33	0.33	0.00	0.32	0.32	0.32	0.32
VEGY	AOP	FTIN33	VABB	0.56	0.71	0.71	0.71	0.71	0.48	0.71	0.70	0.70	0.70
VEPT	AOP	SAIN33	VECC	0.00	0.97	0.97	0.96	0.96	0.00	0.91	0.90	0.90	0.90
VEPT	AOP	FTIN33	VABB	0.74	0.95	0.94	0.94	0.94	0.63	0.95	0.93	0.93	0.93
VGEG	AOP	SABW31	VECC	0.00	0.40	0.41	0.40	0.40	0.00	0.38	0.41	0.37	0.37
VGEG	AOP	FTBW31	VECC	0.00	0.00	0.00	0.32	0.00	0.00	0.00	0.00	0.03	0.00
VGHS	AOP	SABW31	VECC	0.00	0.97	0.99	0.98	0.97	0.00	0.77	0.96	0.81	0.75
VGHS	AOP	FTBW31	VECC	0.78	1.00	1.00	0.98	1.00	0.68	1.00	0.55	0.98	0.98
VGSY	AOP	SABW31	VECC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VGSY	AOP	FTBW31	VECC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VHHH	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
VHHH	AOP	FTHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VIAR	AOP	SAIN32	VIDP	0.74	0.93	0.93	0.93	0.93	0.60	0.93	0.88	0.88	0.88
VIAR	AOP	FTIN32	VABB	0.75	1.00	1.00	1.00	1.00	0.63	1.00	0.99	0.99	0.99
VIBN	AOP	SAIN32	VIDP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VIBN	AOP	FTIN32	VABB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VIDP	AOP	SAIN32	VIDP	0.79	0.99	1.00	0.99	0.99	0.65	0.99	0.99	0.95	0.95
VIDP	AOP	FTIN32	VABB	0.75	0.99	1.00	1.00	1.00	0.62	0.99	0.98	0.98	0.98
VIJP	AOP	SAIN32	VIDP	0.61	0.79	0.78	0.78	0.78	0.48	0.76	0.66	0.68	0.67
VIJP	AOP	FTIN32	VABB	0.74	0.99	1.00	1.00	1.00	0.63	0.99	0.98	0.98	0.98
VILK	AOP	SAIN32	VIDP	0.37	0.52	0.48	0.48	0.48	0.27	0.49	0.42	0.42	0.42
VILK	AOP	FTIN32	VABB	0.76	0.98	0.99	0.99	0.99	0.62	0.98	0.98	0.98	0.98
VLLB	AOP	SAAE33	VTBB	0.57	0.72	0.72	0.72	0.72	0.49	0.71	0.70	0.71	0.71
VLLB	AOP	FTAE33	VTBB	0.76	0.99	1.00	0.99	0.99	0.66	0.99	0.72	0.99	0.99
VLLN	NON AOP	SAAE33	VTBB	0.59	0.76	0.76	0.75	0.75	0.50	0.74	0.73	0.74	0.73
VLLN	NON AOP	FTAE33	VTBB	0.76	0.99	1.00	0.99	0.99	0.66	0.99	0.72	0.99	0.99
VLPS	AOP	SAAE33	VTBB	0.58	0.74	0.73	0.73	0.73	0.49	0.72	0.70	0.71	0.71
VLPS	AOP	FTAE33	VTBB	0.76	0.99	1.00	0.99	0.99	0.66	0.99	0.72	0.99	0.99
VLSK	AOP	SAAE33	VTBB	0.57	0.71	0.71	0.70	0.70	0.47	0.70	0.67	0.68	0.68
VLSK	AOP	FTAE33	VTBB	0.76	0.99	1.00	0.99	0.99	0.66	0.99	0.72	0.99	0.99
VLVT	AOP	SAAE32	VTBB	0.54	0.68	0.68	0.68	0.67	0.46	0.67	0.47	0.66	0.66
VLVT	AOP	FTAE32	VTBB	0.77	0.99	1.00	0.98	0.99	0.67	0.99	0.68	0.97	0.97
VMMC	AOP	SAHK31	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
VMMC	AOP	FTHK32	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VNKT	AOP	SAAS31	VECC	0.00	1.00	1.00	0.98	0.98	0.00	0.98	0.98	0.97	0.96
VNKT	AOP	FTAS31	VECC	0.00	0.98	0.98	0.31	0.00	0.00	0.98	0.98	0.31	0.00
VOBL	AOP	SAIN31	VABB	0.76	0.96	0.97	0.96	0.96	0.65	0.95	0.95	0.95	0.94

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
VOBL	AOP	FTIN31	VABB	0.73	0.94	0.98	0.97	0.93	0.62	0.94	0.97	0.96	0.92
VOCB	AOP	SAIN31	VABB	0.68	0.87	0.90	0.90	0.86	0.56	0.85	0.88	0.88	0.83
VOCB	AOP	FTIN31	VABB	0.72	0.95	0.93	0.92	0.92	0.62	0.94	0.92	0.92	0.92
VOCI	AOP	SAIN31	VABB	0.72	0.90	0.90	0.90	0.90	0.60	0.88	0.87	0.87	0.86
VOCI	AOP	FTIN31	VABB	0.72	0.92	0.92	0.92	0.92	0.62	0.92	0.90	0.90	0.90
VOCL	AOP	SAIN31	VABB	0.76	0.96	0.96	0.96	0.96	0.65	0.95	0.95	0.95	0.94
VOCL	AOP	FTIN31	VABB	0.72	0.92	0.92	0.92	0.92	0.62	0.92	0.90	0.90	0.90
VOHS	AOP	SAIN31	VABB	0.67	0.86	0.85	0.85	0.85	0.56	0.84	0.81	0.82	0.81
VOHS	AOP	FTIN31	VABB	0.74	0.95	0.94	0.94	0.94	0.61	0.92	0.91	0.91	0.91
VOML	AOP	SAIN31	VABB	0.75	0.94	0.98	0.98	0.94	0.62	0.91	0.95	0.95	0.90
VOML	AOP	FTIN31	VABB	0.73	0.94	0.98	0.97	0.93	0.62	0.94	0.97	0.96	0.92
VOMM	AOP	SAIN31	VABB	0.77	0.96	0.96	0.97	0.96	0.64	0.95	0.94	0.94	0.94
VOMM	AOP	FTIN31	VABB	0.72	0.94	0.93	0.92	0.92	0.62	0.94	0.92	0.92	0.92
VOTR	AOP	SAIN31	VABB	0.74	0.93	0.93	0.93	0.93	0.59	0.89	0.87	0.88	0.87
VOTR	AOP	FTIN31	VABB	0.73	0.95	0.93	0.93	0.93	0.62	0.94	0.92	0.92	0.92
VOTV	AOP	SAIN31	VABB	0.76	0.96	0.96	0.96	0.96	0.65	0.95	0.94	0.95	0.94
VOTV	AOP	FTIN31	VABB	0.73	0.93	0.92	0.92	0.92	0.62	0.92	0.90	0.90	0.90
VQPR	AOP	SAAS31	VECC	0.00	0.45	0.44	0.45	0.44	0.00	0.43	0.42	0.43	0.42
VQPR	AOP	FTAS31	VECC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VRMG	AOP	SAMV31	VCCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VRMG	AOP	FTMV31	VABB	0.61	0.80	0.77	0.76	0.77	0.52	0.80	0.73	0.72	0.73
VRMH	AOP	SAMV31	VCCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VRMH	AOP	FTMV31	VABB	0.62	0.81	0.78	0.77	0.78	0.52	0.81	0.74	0.73	0.74
VRMM	AOP	SAMV31	VCCC	0.00	0.95	0.94	0.94	0.94	0.00	0.92	0.67	0.89	0.89
VRMM	AOP	FTMV31	VABB	0.62	0.81	0.78	0.77	0.78	0.52	0.81	0.74	0.73	0.74
VTBD	AOP	SAAE31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTBD	AOP	FTAE31	VTBB	0.79	0.99	1.00	0.99	0.99	0.69	0.99	1.00	0.99	0.99
VTBO	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.67	1.00	1.00	0.99	0.99
VTBO	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTBS	AOP	SAAE31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTBS	AOP	FTAE31	VTBB	0.79	0.99	1.00	0.99	0.99	0.69	0.99	1.00	0.99	0.99
VTBU	AOP	SAAE31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTBU	AOP	FTAE31	VTBB	0.79	0.99	1.00	0.99	0.99	0.69	0.99	1.00	0.99	0.99
VTCC	AOP	SAAE31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTCC	AOP	FTAE31	VTBB	0.79	0.99	1.00	0.99	0.99	0.69	0.99	1.00	0.99	0.99
VTCH	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.67	1.00	1.00	0.99	0.99
VTCH	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTCL	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.68	1.00	1.00	0.99	0.99
VTCL	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTGN	NON AOP	SATH31	VTBB	0.79	1.00	1.00	1.00	0.99	0.67	1.00	1.00	0.99	0.99
VTGN	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTCP	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.67	1.00	1.00	0.99	0.99
VTCP	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTCT	AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.68	1.00	1.00	0.99	0.99

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
VTCT	AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTPB	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.67	1.00	1.00	0.99	0.99
VTPB	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTPH	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.66	0.99	0.99	0.98	0.98
VTPH	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTPM	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.67	0.99	1.00	0.99	0.99
VTPM	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTPO	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.67	1.00	1.00	0.99	0.99
VTPO	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTTP	AOP	SATH31	VTBB	0.71	0.88	0.88	0.88	0.87	0.59	0.87	0.88	0.87	0.87
VTTP	AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTPT	NON AOP	SATH31	VTBB	0.80	1.00	1.00	1.00	0.99	0.67	1.00	1.00	0.99	0.99
VTPT	NON AOP	FTTH31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSB	AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	0.99	0.99
VTSB	AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSC	NON AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTSC	NON AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSE	NON AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTSE	NON AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSF	NON AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	0.99	0.99
VTSF	NON AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSG	AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	0.99	0.99
VTSG	AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSM	AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	0.99	0.99
VTSM	AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSP	AOP	SAAE31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSP	AOP	FTAE31	VTBB	0.79	0.99	1.00	0.99	0.99	0.69	0.99	1.00	0.99	0.99
VTSR	NON AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTSR	NON AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSS	AOP	SAAE31	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSS	AOP	FTAE31	VTBB	0.79	0.99	1.00	0.99	0.99	0.69	0.99	1.00	0.99	0.99
VTST	NON AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	0.99	0.99
VTST	NON AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTSY	NON AOP	SATH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTSY	NON AOP	FTTH32	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUD	NON AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTUD	NON AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUI	NON AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTUI	NON AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUK	AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTUK	AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUL	NON AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	0.99	0.99
VTUL	NON AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUO	NON AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
VTUO	NON AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUQ	NON AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTUQ	NON AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUU	AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTUU	AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUV	NON AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTUV	NON AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VTUW	NON AOP	SATH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VTUW	NON AOP	FTTH33	VTBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
VVCI	AOP	SAAE34	VTBB	0.78	0.99	1.00	0.99	0.99	0.67	0.98	0.99	0.97	0.98
VVCI	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.69	1.00	0.83	1.00	1.00
VVCR	AOP	SAAE34	VTBB	0.78	0.99	1.00	1.00	1.00	0.67	0.99	0.99	0.98	0.98
VVCR	AOP	FTAE34	VTBB	0.78	0.99	0.99	0.99	0.99	0.68	0.99	0.99	0.99	0.99
VVCT	AOP	SAAE34	VTBB	0.77	0.98	0.99	0.98	0.98	0.65	0.95	0.75	0.94	0.94
VVCT	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.68	0.99	0.91	0.99	0.99
VVDN	AOP	SAAE34	VTBB	0.78	0.98	0.99	0.99	0.99	0.67	0.98	0.99	0.97	0.98
VVDN	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VVNB	AOP	SAAE34	VTBB	0.78	0.99	1.00	0.99	0.99	0.67	0.98	0.98	0.97	0.97
VVNB	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.69	1.00	0.83	1.00	1.00
VVPB	AOP	SAAE34	VTBB	0.78	0.99	1.00	0.99	0.99	0.67	0.98	0.98	0.97	0.97
VVPB	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.69	1.00	1.00	1.00	1.00
VVPQ	AOP	SAAE34	VTBB	0.77	0.98	1.00	0.98	0.98	0.63	0.93	0.90	0.92	0.92
VVPQ	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.68	0.99	0.91	0.99	0.99
VVTS	AOP	SAAE34	VTBB	0.78	0.99	1.00	1.00	1.00	0.68	0.99	0.99	0.98	0.98
VVTS	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.68	0.99	0.92	0.99	0.99
VVVD	AOP	SAAE34	VTBB	0.78	0.99	1.00	1.00	1.00	0.67	0.98	0.99	0.97	0.98
VVVD	AOP	FTAE34	VTBB	0.79	1.00	1.00	1.00	1.00	0.69	1.00	0.83	1.00	1.00
VYMD	AOP	SAAE32	VTBB	0.20	0.25	0.25	0.25	0.25	0.18	0.25	0.25	0.25	0.25
VYMD	AOP	FTAE32	VTBB	0.65	0.82	0.82	0.80	0.82	0.60	0.82	0.32	0.80	0.80
VYNT	AOP	SAAE32	VTBB	0.18	0.24	0.23	0.22	0.22	0.15	0.23	0.21	0.22	0.22
VYNT	AOP	FTAE32	VTBB	0.68	0.92	0.90	0.88	0.89	0.58	0.91	0.48	0.87	0.87
VYYY	AOP	SAAE32	VTBB	0.76	0.96	0.96	0.95	0.95	0.64	0.95	0.94	0.94	0.93
VYYY	AOP	FTAE32	VTBB	0.78	0.99	1.00	0.98	0.99	0.67	0.98	0.50	0.96	0.96
WAAA	AOP	SAID31	WIII	0.73	0.92	0.92	0.92	0.92	0.61	0.75	0.88	0.89	0.89
WAAA	AOP	FTSR31	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WABB	AOP	SAID31	WIII	0.73	0.92	0.91	0.91	0.91	0.62	0.74	0.88	0.89	0.89
WABB	AOP	FTSR31	WSSS	0.78	0.98	0.98	0.99	0.98	0.67	0.97	0.97	0.98	0.97
WADD	AOP	SAID31	WIII	0.76	0.95	0.95	0.95	0.95	0.64	0.76	0.91	0.92	0.92
WADD	AOP	FTSR31	WSSS	0.79	0.99	0.99	0.99	0.99	0.69	0.99	0.99	0.99	0.99
WADL	AOP	SAID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WADL	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WADY	AOP	SAID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WADY	AOP	FTID33	WIII	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAHI	AOP	SAID32	WIII	0.00	0.98	0.00	0.00	0.00	0.00	0.95	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
WAHI	AOP	FTID32	WIII	0.00	0.92	0.01	0.00	0.00	0.00	0.32	0.00	0.00	0.00
WAHS	AOP	SAID33	WIII	0.78	0.97	0.97	0.97	0.97	0.67	0.79	0.94	0.96	0.96
WAHS	AOP	FTID33	WIII	0.00	0.94	0.01	0.00	0.00	0.00	0.21	0.00	0.00	0.00
WAJJ	AOP	SAID33	WIII	0.79	0.99	0.99	0.99	0.99	0.69	0.82	0.97	0.98	0.98
WAJJ	AOP	FTID33	WIII	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAKK	AOP	SAID33	WIII	0.74	0.94	0.93	0.93	0.93	0.62	0.72	0.86	0.88	0.88
WALL	AOP	SAID32	WIII	0.75	0.95	0.94	0.94	0.94	0.63	0.78	0.90	0.92	0.92
WALL	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAMM	AOP	SAID32	WIII	0.63	0.80	0.79	0.79	0.79	0.53	0.62	0.74	0.75	0.75
WAMM	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAOO	AOP	SAID32	WIII	0.71	0.89	0.89	0.89	0.89	0.61	0.72	0.84	0.86	0.86
WAOO	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAPP	AOP	SAID33	WIII	0.76	0.95	0.96	0.96	0.95	0.64	0.78	0.91	0.93	0.93
WAPP	AOP	FTID33	WIII	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAQQ	AOP	SAID33	WIII	0.76	0.92	0.92	0.92	0.92	0.64	0.74	0.87	0.89	0.89
WAQQ	AOP	FTID33	WIII	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WARR	AOP	SAID31	WIII	0.76	0.97	0.95	0.95	0.95	0.65	0.79	0.93	0.94	0.94
WARR	AOP	FTSR31	WSSS	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.99	0.99	0.99
WATT	AOP	SAID33	WIII	0.76	0.96	0.96	0.96	0.96	0.65	0.80	0.93	0.94	0.94
WATT	AOP	FTID33	WIII	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WBGB	NON AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.98	0.99	0.99
WBGB	NON AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBGG	AOP	SAMS31	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.98	0.98	0.98
WBGG	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBGR	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.97	0.96	0.97	0.97
WBGR	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBGS	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.67	0.96	0.95	0.96	0.96
WBGS	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBKK	AOP	SAMS31	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.99	0.99	0.99
WBKK	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBKL	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.98	0.99	0.99
WBKL	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBKS	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.98	0.99	0.99
WBKS	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBKW	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.98	0.99	0.99
WBKW	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WBSB	AOP	SAMS31	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.99	0.99	0.99
WBSB	AOP	FTSR33	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WIBB	AOP	SAID32	WIII	0.75	0.94	0.94	0.94	0.94	0.63	0.76	0.89	0.90	0.90
WIBB	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIDD	AOP	SAID31	WIII	0.73	0.92	0.92	0.92	0.92	0.60	0.72	0.85	0.86	0.86
WIDN	AOP	SAID32	WIII	0.74	0.93	0.93	1.00	0.93	0.61	0.74	0.87	0.98	0.89
WIDN	AOP	FTID32	WIII	0.00	0.00	0.00	0.77	0.00	0.00	0.00	0.00	0.76	0.00
WIEE	AOP	SAID32	WIII	0.72	0.92	0.91	0.91	0.91	0.61	0.75	0.88	0.89	0.89

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
WIEE	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIIH	AOP	SAID31	WIII	0.66	0.83	0.83	0.86	0.83	0.55	0.65	0.77	0.79	0.78
WIIH	AOP	FTSR31	WSSS	0.79	0.99	0.99	0.99	0.99	0.70	0.99	0.99	0.99	0.99
WIII	AOP	SAID31	WIII	0.75	0.95	0.94	0.94	0.94	0.63	0.77	0.90	0.91	0.91
WIII	AOP	FTSR31	WSSS	0.79	0.99	0.99	0.99	0.99	0.69	0.99	0.99	0.99	0.99
WILL	AOP	SAID33	WIII	0.76	0.96	0.96	0.95	0.95	0.66	0.78	0.92	0.94	0.94
WILL	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIMM	AOP	SAID31	WIII	0.58	0.75	0.73	0.73	0.73	0.43	0.54	0.63	0.63	0.63
WIMM	AOP	FTSR31	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WIMN	AOP	SAID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIMN	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIOO	AOP	SAID32	WIII	0.77	0.97	0.97	0.96	0.96	0.66	0.80	0.94	0.95	0.95
WIOO	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIPP	AOP	SAID32	WIII	0.67	0.85	0.84	0.84	0.84	0.53	0.67	0.77	0.78	0.78
WIPP	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WITT	AOP	SAID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WITT	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WMKD	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.98	0.98	0.98	0.98
WMKD	AOP	FTSR32	WSSS	0.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
WMKJ	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.98	0.99	0.99
WMKJ	AOP	FTSR32	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WMKK	AOP	SAMS31	WMKK	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	0.99
WMKK	AOP	FTSR32	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WMKL	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.69	0.99	0.98	0.99	0.99
WMKL	AOP	FTSR32	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WMKM	AOP	SAMS38	WMKK	0.80	1.00	1.00	1.00	1.00	0.68	0.98	0.98	0.98	0.98
WMKM	AOP	FTSR32	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WMKP	AOP	SAMS31	WMKK	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
WMKP	AOP	FTSR32	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WMSA	AOP	SAMS31	WMKK	0.00	0.50	0.50	0.50	0.00	0.00	0.50	0.50	0.50	0.00
WMSA	AOP	FTSR32	WSSS	0.81	0.99	1.00	1.00	1.00	0.70	0.99	0.99	0.99	0.99
WPDL	AOP	SATM31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WPDL	AOP	FTTM31	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
WSAP	AOP	SAMS31	WMKK	0.40	0.50	0.50	0.50	0.50	0.35	0.50	0.50	0.50	0.50
WSAP	AOP	FTSR31	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WSSL	AOP	SAMS31	WMKK	0.40	0.50	0.50	0.50	0.50	0.35	0.50	0.50	0.50	0.50
WSSL	AOP	FTSR31	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WSSS	AOP	SAMS31	WMKK	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
WSSS	AOP	FTSR31	WSSS	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00
YAMB	NON AOP	SAAU36	YBBN	0.77	0.97	0.96	0.96	0.00	0.65	0.95	0.94	0.94	0.00
YAMB	NON AOP	FTAU36	YBBN	0.77	0.97	0.97	0.97	0.00	0.67	0.97	0.97	0.97	0.00
YBAS	AOP	SAAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.98	0.98	0.00
YBAS	AOP	FTAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YBBN	AOP	SAAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.67	0.97	0.96	0.97	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
YBBN	AOP	FTAU31	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YBCG	AOP	SAAU31	YBBN	0.77	0.98	0.97	0.97	0.00	0.67	0.98	0.97	0.97	0.00
YBCG	AOP	FTAU31	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YBCS	AOP	SAAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YBCS	AOP	FTAU31	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YBHM	NON AOP	SAAU34	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.97	0.98	0.00
YBHM	NON AOP	FTAU34	YBBN	0.72	0.94	0.92	0.92	0.00	0.62	0.94	0.92	0.92	0.00
YBLN	AOP	SAAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YBLN	AOP	FTAU32	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YBMA	NON AOP	SAAU34	YBBN	0.78	0.99	0.98	0.98	0.00	0.68	0.99	0.98	0.98	0.00
YBMA	NON AOP	FTAU34	YBBN	0.75	0.97	0.95	0.95	0.00	0.65	0.97	0.95	0.95	0.00
YBRK	AOP	SAAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YBRK	AOP	FTAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YBRM	AOP	SAAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YBRM	AOP	FTAU32	YBBN	0.79	0.98	0.98	0.98	0.00	0.69	0.98	0.98	0.98	0.00
YBSU	AOP	SAAU32	YBBN	0.77	0.98	0.97	0.97	0.00	0.67	0.97	0.97	0.97	0.00
YBSU	AOP	FTAU32	YBBN	0.78	0.98	0.97	0.98	0.00	0.68	0.98	0.97	0.98	0.00
YBTL	AOP	SAAU36	YBBN	0.78	0.99	0.98	0.98	0.00	0.62	0.90	0.90	0.90	0.00
YBTL	AOP	FTAU36	YBBN	0.77	0.96	0.96	0.96	0.00	0.67	0.96	0.96	0.96	0.00
YBWW	AOP	SAAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YBWW	AOP	FTAU32	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YCFS	AOP	SAAU32	YBBN	0.76	0.97	0.96	0.96	0.00	0.67	0.97	0.96	0.96	0.00
YCFS	AOP	FTAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.69	0.98	0.98	0.98	0.00
YCIN	NON AOP	SAAU35	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YCIN	NON AOP	FTAU35	YBBN	0.75	0.93	0.92	0.92	0.00	0.66	0.93	0.92	0.92	0.00
YFRT	NON AOP	SAAU35	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YFRT	NON AOP	FTAU35	YBBN	0.77	0.97	0.97	0.97	0.00	0.67	0.97	0.97	0.97	0.00
YGEL	AOP	SAAU33	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YGEL	AOP	FTAU33	YBBN	0.77	0.97	0.97	0.97	0.00	0.67	0.97	0.97	0.97	0.00
YGLA	NON AOP	SAAU33	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YGLA	NON AOP	FTAU33	YBBN	0.77	0.96	0.95	0.95	0.00	0.67	0.96	0.95	0.95	0.00
YHID	AOP	SAAU33	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YHID	AOP	FTAU33	YBBN	0.79	1.00	0.99	0.99	0.00	0.69	1.00	0.99	0.99	0.00
YLHI	AOP	SAAU32	YBBN	0.78	0.98	0.97	0.97	0.00	0.65	0.94	0.93	0.94	0.00
YLHI	AOP	FTAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.69	0.98	0.98	0.98	0.00
YMAV	AOP	SAAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YMAV	AOP	FTAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YMHB	AOP	SAAU31	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YMHB	AOP	FTAU31	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YMLT	AOP	SAAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YMLT	AOP	FTAU32	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YMML	AOP	SAAU31	YBBN	0.78	0.98	0.98	0.98	0.00	0.66	0.95	0.94	0.95	0.00
YMML	AOP	FTAU31	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YPAD	AOP	SAAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.66	0.95	0.95	0.95	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
YPAD	AOP	FTAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YPCC	AOP	SAAU32	YBBN	0.76	0.95	0.95	0.95	0.00	0.66	0.95	0.94	0.95	0.00
YPCC	AOP	FTAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YPDN	AOP	SAAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.65	0.95	0.94	0.94	0.00
YPDN	AOP	FTAU31	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YPEA	NON AOP	SAAU36	YBBN	0.79	0.99	0.99	0.99	0.00	0.67	0.97	0.96	0.96	0.00
YPEA	NON AOP	FTAU36	YBBN	0.70	0.88	0.88	0.88	0.00	0.61	0.88	0.88	0.88	0.00
YPGV	NON AOP	SAAU35	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YPGV	NON AOP	FTAU35	YBBN	0.79	0.98	0.98	0.98	0.00	0.69	0.98	0.98	0.98	0.00
YPJT	NON AOP	SAAU33	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YPJT	NON AOP	FTAU33	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YPKG	AOP	SAAU32	YBBN	0.79	0.98	0.98	0.98	0.00	0.69	0.98	0.98	0.98	0.00
YPKG	AOP	FTAU32	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YPKU	NON AOP	SAAU35	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YPKU	NON AOP	FTAU35	YBBN	0.72	0.93	0.92	0.92	0.00	0.62	0.93	0.92	0.92	0.00
YPLM	AOP	SAAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YPLM	AOP	FTAU32	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YPPD	AOP	SAAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YPPD	AOP	FTAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YPPH	AOP	SAAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.62	0.89	0.88	0.88	0.00
YPPH	AOP	FTAU31	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YPTN	AOP	SAAU36	YBBN	0.78	0.98	0.98	0.98	0.00	0.66	0.96	0.95	0.96	0.00
YPTN	AOP	FTAU36	YBBN	0.66	0.83	0.83	0.83	0.00	0.58	0.83	0.83	0.83	0.00
YPWR	NON AOP	SAAU33	YBBN	0.79	0.98	0.98	0.98	0.00	0.69	0.98	0.98	0.98	0.00
YPWR	NON AOP	FTAU33	YBBN	0.80	0.98	0.98	0.98	0.00	0.70	0.98	0.98	0.98	0.00
YPXM	AOP	SAAU32	YBBN	0.43	0.71	0.62	0.62	0.00	0.32	0.71	0.61	0.61	0.00
YPXM	AOP	FTAU32	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YSCB	AOP	SAAU31	YBBN	0.77	0.97	0.96	0.96	0.00	0.67	0.96	0.96	0.96	0.00
YSCB	AOP	FTAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.99	0.99	0.00
YSDU	NON AOP	SAAU33	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.97	0.98	0.00
YSDU	NON AOP	FTAU33	YBBN	0.78	0.97	0.97	0.97	0.00	0.68	0.97	0.97	0.97	0.00
YSNF	AOP	SAAU32	YBBN	0.78	0.98	0.98	0.98	0.00	0.67	0.96	0.95	0.95	0.00
YSNF	AOP	FTAU32	YBBN	0.79	1.00	0.99	0.99	0.00	0.69	1.00	0.99	0.99	0.00
YSRI	NON AOP	SAAU33	YBBN	0.78	0.98	0.98	0.98	0.00	0.68	0.98	0.98	0.98	0.00
YSRI	NON AOP	FTAU33	YBBN	0.77	0.97	0.97	0.97	0.00	0.67	0.97	0.97	0.97	0.00
YSSY	AOP	SAAU31	YBBN	0.79	0.99	0.99	0.99	0.00	0.66	0.96	0.95	0.96	0.00
YSSY	AOP	FTAU31	YBBN	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00
YSTW	NON AOP	SAAU33	YBBN	0.79	0.99	0.99	0.99	0.00	0.69	0.99	0.98	0.99	0.00
YSTW	NON AOP	FTAU33	YBBN	0.77	0.97	0.96	0.96	0.00	0.67	0.97	0.96	0.96	0.00
YWLM	AOP	SAAU36	YBBN	0.78	0.98	0.98	0.98	0.00	0.62	0.90	0.90	0.90	0.00
YWLM	AOP	FTAU36	YBBN	0.77	0.96	0.96	0.96	0.00	0.67	0.96	0.96	0.96	0.00
ZBAA	AOP	SACI31	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZBAA	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBAD	NON AOP	SACI31	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
ZBAD	NON AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBHH	AOP	SACI41	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZBHH	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBSJ	NON AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZBSJ	NON AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBTJ	AOP	SACI31	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZBTJ	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYN	AOP	SACI31	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZBYN	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGGG	AOP	SACI31	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZGGG	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGHA	AOP	SACI41	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZGHA	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGKL	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZGKL	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGNN	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZGNN	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGOW	NON AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZGOW	NON AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGSZ	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZGSZ	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZHCC	NON AOP	SACI41	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZHCC	NON AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZHHH	AOP	SACI41	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZHHH	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZJHK	NON AOP	SACI41	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZJHK	NON AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZJSY	AOP	SACI41	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZJSY	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZLLL	AOP	SACI41	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZLLL	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZLXY	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZLXY	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZMCK	AOP	SACI31	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZMCK	AOP	FTCI31	ZBBB	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
ZMUB	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZMUB	AOP	FTCI32	ZBBB	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
ZPPP	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZPPP	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSAM	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZSAM	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSFZ	AOP	SACI32	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00
ZSFZ	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSHC	AOP	SACI31	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00

MET/IE WG/23
Appendix B to WP/16

[illegible]**Table B – ASIA/PACIFIC PERFORMANCE INDICES (IWXXM)**

	PI ≥ 0.95		0.95 > PI > 0				PI = 0
Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
AGGH	AOP	3.0	LANG31	YBBN	0.78	0.78	0.63
AGGH	AOP	3.0	LTNG31	YBBN	0.39	0.39	0.39
ANYN	NON AOP	3.0	LANG31	YBBN	0.46	0.46	0.44
ANYN	NON AOP	3.0	LTNG31	YBBN	0.67	0.67	0.67
AYGN	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYMH	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
AYMH	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYMO	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYMO	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYNZ	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYNZ	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYPY	AOP	3.0	LANG31	YBBN	0.83	0.83	0.58
AYPY	AOP	3.0	LTNG31	YBBN	0.69	0.69	0.69
AYVN	AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYVN	AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYWK	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYWK	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
NCRG	AOP	3.0	LAPS31	NFFN	1.00	1.00	0.04
NCRG	AOP	3.0	LTPS31	NFFN	0.98	0.98	0.98
NFFN	AOP	3.0	LAPS31	NFFN	0.96	0.96	0.04
NFFN	AOP	3.0	LTPS31	NFFN	0.97	0.97	0.97
NFNA	AOP	3.0	LAPS31	NFFN	0.96	0.96	0.04
NFNA	AOP	3.0	LTPS31	NFFN	0.98	0.98	0.98
NFTF	AOP	3.0	LAPS31	NFFN	0.92	0.92	0.04
NFTF	AOP	3.0	LTPS31	NFFN	0.98	0.98	0.98
NFTL	AOP	3.0	LAPS31	NFFN	0.51	0.51	0.04
NFTV	AOP	3.0	LAPS31	NFFN	0.73	0.73	0.04
NFTV	AOP	3.0	LTPS31	NFFN	0.97	0.97	0.97
NGFU	AOP	3.0	LAPS31	NFFN	0.86	0.86	0.04
NGFU	AOP	-	LTPS31	NFFN	0.00	0.00	0.00
NGTA	AOP	3.0	LAPS31	NFFN	0.42	0.42	0.04
NGTA	AOP	3.0	LTPS31	NFFN	0.97	0.97	0.97
NIUE	AOP	3.0	LAPS31	NFFN	0.96	0.96	0.04
NIUE	AOP	3.0	LTPS31	NFFN	0.98	0.98	0.98
NLWW	AOP	3.0	LAPS32	NFFN	0.91	0.91	0.90
NLWW	AOP	3.0	LTPS32	NFFN	0.95	0.95	0.95
NSFA	AOP	3.0	LAPS31	NFFN	0.88	0.88	0.04
NSFA	AOP	3.0	LTPS31	NFFN	0.97	0.97	0.97
NTAA	AOP	3.0	LAPS33	NFFN	0.97	0.97	0.97
NTAA	AOP	3.0	LTPS33	NFFN	0.92	0.92	0.93
NVSS	AOP	3.0	LAPS31	NFFN	0.68	0.68	0.04
NVSS	AOP	3.0	LTPS31	NFFN	0.91	0.91	0.91
NVVV	AOP	3.0	LAPS31	NFFN	0.77	0.77	0.04
NVVV	AOP	3.0	LTPS31	NFFN	0.92	0.92	0.92

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
NWWW	AOP	3.0	LAPS32	NFFN	1.00	1.00	0.90
NWWW	AOP	3.0	LTPS32	NFFN	0.95	0.95	0.95
NZAA	AOP	3.0	LANZ31	NZKL	1.00	1.00	1.00
NZAA	AOP	3.0	LTNZ31	NZKL	1.00	1.00	1.00
NZCH	AOP	3.0	LANZ31	NZKL	1.00	1.00	1.00
NZCH	AOP	3.0	LTNZ31	NZKL	1.00	1.00	1.00
NZQN	AOP	3.0	LANZ32	NZKL	1.00	1.00	1.00
NZQN	AOP	3.0	LTNZ32	NZKL	1.00	1.00	1.00
NZWN	AOP	3.0	LANZ31	NZKL	1.00	1.00	1.00
NZWN	AOP	3.0	LTNZ31	NZKL	1.00	1.00	1.00
OPFA	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPFA	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPGW	NON AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPGW	NON AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPIS	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPIS	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPKC	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPKC	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPLA	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPLA	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPMT	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPMT	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPNH	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPNH	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPPS	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPPS	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPSK	NON AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPSK	NON AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPST	NON AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPST	NON AOP	-	LTPK31	OPKC	0.00	0.00	0.00
PLCH	AOP	3.0	LAPS31	NFFN	0.17	0.17	0.04
PLCH	AOP	3.0	LTPS31	NFFN	0.98	0.98	0.98
RCFN	NON AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.88
RCFN	NON AOP	2023-1	LTHK33	VHHH	1.00	1.00	1.00
RCKH	AOP	2023-1	LAHK31	VHHH	0.87	0.87	0.67
RCKH	AOP	2023-1	LTHK32	VHHH	1.00	1.00	1.00
RCMQ	NON AOP	2023-1	LAHK31	VHHH	0.87	0.87	0.67
RCMQ	NON AOP	2023-1	LTHK33	VHHH	0.99	0.99	0.99

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
RCNN	NON AOP	2023-1	LAHK31	VHHH	0.87	0.87	0.66
RCNN	NON AOP	2023-1	LTHK33	VHHH	1.00	1.00	1.00
RCSS	AOP	2023-1	LAHK31	VHHH	0.87	0.87	0.67
RCSS	AOP	2023-1	LTHK33	VHHH	1.00	1.00	1.00
RCTP	AOP	2023-1	LAHK31	VHHH	0.99	0.99	0.79
RCTP	AOP	2023-1	LTHK32	VHHH	1.00	1.00	1.00
RJAA	AOP	3.0	LAJP31	RJTD	0.00	1.00	0.00
RJAA	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00
RJAH	NON AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJAH	NON AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJBB	AOP	3.0	LAJP31	RJTD	0.00	1.00	0.00
RJBB	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00
RJCB	NON AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJCB	NON AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJCC	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJCC	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJCH	AOP	3.0	LAJP31	RJTD	0.00	1.00	0.00
RJCH	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00
RJCK	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJCK	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJCM	NON AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJCM	NON AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJEC	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJEC	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJFF	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJFF	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJFK	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJFK	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJFM	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJFM	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJFO	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJFO	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJFR	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJFR	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJFS	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJFS	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJFT	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJFT	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
RJFU	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJFU	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJGG	AOP	3.0	LAJP31	RJTD	0.00	1.00	0.00
RJGG	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00
RJNK	NON AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJNK	NON AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJNS	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJNS	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJNT	NON AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJNT	NON AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJOA	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJOA	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJOB	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJOB	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJOC	NON AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJOC	NON AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJOH	NON AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJOH	NON AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJOK	NON AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJOK	NON AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJOM	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJOM	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJOO	AOP	3.0	LAJP31	RJTD	0.00	1.00	0.00
RJOO	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00
RJOT	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJOT	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJSA	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJSA	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJSF	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJSF	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJSI	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJSI	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJSK	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
RJSK	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RJSN	AOP	3.0	LAJP32	RJTD	0.00	1.00	0.00
RJSN	AOP	3.0	LTJP32	RJTD	0.00	1.00	0.00
RJSS	AOP	3.0	LAJP31	RJTD	0.00	0.94	0.00
RJSS	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
RJTT	AOP	3.0	LAJP31	RJTD	0.00	1.00	0.00
RJTT	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00
RKJB	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKJB	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKNY	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKNY	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKPC	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKPC	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKPK	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKPK	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKSI	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKSI	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKSS	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKSS	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKTN	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKTN	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKTU	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKTU	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
ROAH	AOP	3.0	LAJP31	RJTD	0.00	1.00	0.00
ROAH	AOP	3.0	LTJP31	RJTD	0.00	1.00	0.00
ROIG	AOP	3.0	LAJP38	RJTD	0.00	1.00	0.00
ROIG	AOP	3.0	LTJP38	RJTD	0.00	1.00	0.00
RPLB	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.59
RPLB	AOP	2023-1	LTHK33	VHHH	1.00	1.00	1.00
RPLC	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.59
RPLC	AOP	2023-1	LTHK32	VHHH	1.00	1.00	1.00
RPLI	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.78
RPLI	AOP	2023-1	LTHK33	VHHH	0.99	0.99	1.00
RPLL	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.59
RPLL	AOP	2023-1	LTHK32	VHHH	1.00	1.00	1.00
RPMD	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.83
RPMD	AOP	2023-1	LTHK33	VHHH	1.00	1.00	1.00
RPMZ	AOP	2023-1	LAHK31	VHHH	0.94	0.94	0.78
RPMZ	AOP	2023-1	LTHK33	VHHH	1.00	1.00	1.00
RPVM	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.59
RPVM	AOP	2023-1	LTHK32	VHHH	1.00	1.00	1.00
RPVP	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.78
RPVP	AOP	2023-1	LTHK33	VHHH	1.00	1.00	1.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VAAH	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VAAH	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VABB	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VABB	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VANP	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VANP	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VCBI	AOP	-	LTSB31	VABB	0.00	0.00	0.00
VCBI	AOP	-	LASB31	VCCC	0.00	0.00	0.00
VCCH	AOP	-	LTSB31	VABB	0.00	0.00	0.00
VCCH	AOP	-	LASB31	VCCC	0.00	0.00	0.00
VCRI	AOP	-	LTSB31	VABB	0.00	0.00	0.00
VDPP	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VDSA	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VDSA	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VDSV	NON AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VDSV	NON AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VEBN	NON AOP	-	LTIN32	VABB	0.00	0.00	0.00
VEBN	NON AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VECC	AOP	-	LTIN33	VABB	0.00	0.00	0.00
VECC	AOP	-	LAIN33	VECC	0.00	0.00	0.00
VEGT	AOP	-	LTIN33	VABB	0.00	0.00	0.00
VEGT	AOP	-	LAIN33	VECC	0.00	0.00	0.00
VEGY	AOP	-	LTIN33	VABB	0.00	0.00	0.00
VEGY	AOP	-	LAIN33	VECC	0.00	0.00	0.00
VEPT	AOP	-	LTIN33	VABB	0.00	0.00	0.00
VEPT	AOP	-	LAIN33	VECC	0.00	0.00	0.00
VGEG	AOP	-	LABW31	VECC	0.00	0.00	0.00
VGEG	AOP	-	LTBW31	VECC	0.00	0.00	0.00
VGHS	AOP	-	LABW31	VECC	0.00	0.00	0.00
VGHS	AOP	-	LTBW31	VECC	0.00	0.00	0.00
VGSY	AOP	-	LABW31	VECC	0.00	0.00	0.00
VGSY	AOP	-	LTBW31	VECC	0.00	0.00	0.00
VHHH	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.79
VHHH	AOP	2023-1	LTHK31	VHHH	0.88	0.88	0.88
VIAR	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIAR	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VIBN	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIBN	AOP	-	LAIN32	VIDP	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VIDP	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIDP	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VIJP	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIJP	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VILK	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VILK	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VLLB	AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VLLB	AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VLLN	NON AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VLLN	NON AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VLPS	AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VLPS	AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VLSK	AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VLSK	AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VLVT	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VLVT	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VMMC	AOP	2023-1	LAHK31	VHHH	1.00	1.00	0.79
VMMC	AOP	2023-1	LTHK32	VHHH	1.00	1.00	1.00
VNKT	AOP	-	LAAS31	VECC	0.00	0.00	0.00
VNKT	AOP	-	LTAS31	VECC	0.00	0.00	0.00
VOBL	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOBL	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOCB	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOCB	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOCI	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOCI	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOCL	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOCL	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOHS	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOHS	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOML	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOML	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOMM	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOMM	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOTR	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOTR	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOTV	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOTV	AOP	-	LTIN31	VABB	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VQPR	AOP	-	LAAS31	VECC	0.00	0.00	0.00
VQPR	AOP	-	LTAS31	VECC	0.00	0.00	0.00
VRMG	AOP	-	LTMV31	VABB	0.00	0.00	0.00
VRMG	AOP	-	LAMV31	VCCC	0.00	0.00	0.00
VRMH	AOP	-	LTMV31	VABB	0.00	0.00	0.00
VRMH	AOP	-	LAMV31	VCCC	0.00	0.00	0.00
VRMM	AOP	-	LTMV31	VABB	0.00	0.00	0.00
VRMM	AOP	-	LAMV31	VCCC	0.00	0.00	0.00
VTBD	AOP	2021-2	LAAE31	VTBB	1.00	0.93	1.00
VTBD	AOP	2021-2	LTAE31	VTBB	1.00	0.92	1.00
VTBO	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTBO	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTBS	AOP	2021-2	LAAE31	VTBB	1.00	0.93	1.00
VTBS	AOP	2021-2	LTAE31	VTBB	1.00	0.92	1.00
VTBU	AOP	2021-2	LAAE31	VTBB	1.00	0.93	1.00
VTBU	AOP	2021-2	LTAE31	VTBB	1.00	0.92	1.00
VTCC	AOP	2021-2	LAAE31	VTBB	1.00	0.93	1.00
VTCC	AOP	2021-2	LTAE31	VTBB	1.00	0.92	1.00
VTCH	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTCH	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTCL	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTCL	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTCH	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTCH	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTCP	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTCP	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTCT	AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTCT	AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTPB	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTPB	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTPH	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	0.99
VTPH	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTPM	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTPM	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTPO	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00
VTPO	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTTP	AOP	2021-2	LATH31	VTBB	0.88	0.86	0.88
VTTP	AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTPT	NON AOP	2021-2	LATH31	VTBB	1.00	0.98	1.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VTPT	NON AOP	2021-2	LTTH31	VTBB	1.00	0.98	1.00
VTSB	AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTSB	AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSC	NON AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTSC	NON AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSE	NON AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTSE	NON AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSF	NON AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTSF	NON AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSG	AOP	2021-2	LATH32	VTBB	1.00	0.99	1.00
VTSG	AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSM	AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTSM	AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSP	AOP	2021-2	LAAE31	VTBB	1.00	0.93	1.00
VTSP	AOP	2021-2	LTAE31	VTBB	1.00	0.92	1.00
VTSR	NON AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTSR	NON AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSS	AOP	2021-2	LAAE31	VTBB	1.00	0.93	1.00
VTSS	AOP	2021-2	LTAE31	VTBB	1.00	0.92	1.00
VTST	NON AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTST	NON AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTSY	NON AOP	2021-2	LATH32	VTBB	1.00	1.00	1.00
VTSY	NON AOP	2021-2	LTTH32	VTBB	1.00	0.96	1.00
VTUD	NON AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00
VTUD	NON AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUI	NON AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00
VTUI	NON AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUK	AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00
VTUK	AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUL	NON AOP	2021-2	LATH33	VTBB	1.00	0.99	0.99
VTUL	NON AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUO	NON AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00
VTUO	NON AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUQ	NON AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00
VTUQ	NON AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUU	AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00
VTUU	AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUV	NON AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VTUV	NON AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VTUW	NON AOP	2021-2	LATH33	VTBB	1.00	0.99	1.00
VTUW	NON AOP	2021-2	LTTH33	VTBB	1.00	0.98	1.00
VVCI	AOP	2021-2	LAAE34	VTBB	0.34	0.33	0.34
VVCI	AOP	2021-2	LTAE34	VTBB	1.00	1.00	0.82
VVCR	AOP	2021-2	LAAE34	VTBB	0.88	0.85	0.88
VVCR	AOP	2021-2	LTAE34	VTBB	0.99	0.99	0.99
VVCT	AOP	2021-2	LAAE34	VTBB	0.93	0.89	0.71
VVCT	AOP	2021-2	LTAE34	VTBB	1.00	1.00	0.91
VVDN	AOP	2021-2	LAAE34	VTBB	0.98	0.95	0.98
VVDN	AOP	2021-2	LTAE34	VTBB	1.00	1.00	1.00
VVNB	AOP	2021-2	LAAE34	VTBB	0.55	0.53	0.54
VVNB	AOP	2021-2	LTAE34	VTBB	1.00	1.00	0.82
VVPB	AOP	2021-2	LAAE34	VTBB	0.99	0.96	0.98
VVPB	AOP	2021-2	LTAE34	VTBB	1.00	1.00	1.00
VVPQ	AOP	2021-2	LAAE34	VTBB	0.97	0.94	0.87
VVPQ	AOP	2021-2	LTAE34	VTBB	1.00	1.00	0.91
VVTS	AOP	2021-2	LAAE34	VTBB	0.58	0.56	0.57
VVTS	AOP	2021-2	LTAE34	VTBB	1.00	1.00	0.92
VVVD	AOP	-	LAAE34	VTBB	0.00	0.00	0.00
VVVD	AOP	-	LTAE34	VTBB	0.00	0.00	0.00
VYMD	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VYMD	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VYNT	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VYNT	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VYYY	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VYYY	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
WAAA	AOP	-	LAID31	WIII	0.00	0.00	0.00
WAAA	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WABB	AOP	-	LAID31	WIII	0.00	0.00	0.00
WABB	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WADD	AOP	-	LAID31	WIII	0.00	0.00	0.00
WADD	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WADL	AOP	-	LAID32	WIII	0.00	0.00	0.00
WADL	AOP	-	LTID32	WIII	0.00	0.00	0.00
WADY	AOP	-	LAID33	WIII	0.00	0.00	0.00
WADY	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAHI	AOP	-	LAID32	WIII	0.00	0.00	0.00
WAHI	AOP	-	LTID32	WIII	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
WAHS	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAHS	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAJJ	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAJJ	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAKK	AOP	-	LAID33	WIII	0.00	0.00	0.00
WALL	AOP	-	LAID32	WIII	0.00	0.00	0.00
WALL	AOP	-	LTID32	WIII	0.00	0.00	0.00
WAMM	AOP	-	LAID32	WIII	0.00	0.00	0.00
WAMM	AOP	-	LTID32	WIII	0.00	0.00	0.00
WAOO	AOP	-	LAID32	WIII	0.00	0.00	0.00
WAOO	AOP	-	LTID32	WIII	0.00	0.00	0.00
WAPP	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAPP	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAQQ	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAQQ	AOP	-	LTID33	WIII	0.00	0.00	0.00
WARR	AOP	-	LAID31	WIII	0.00	0.00	0.00
WARR	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WATT	AOP	-	LAID33	WIII	0.00	0.00	0.00
WATT	AOP	-	LTID33	WIII	0.00	0.00	0.00
WBGB	NON AOP	3.0	LAMS38	WMKK	0.00	1.00	0.00
WBGB	NON AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBGG	AOP	3.0	LAMS31	WMKK	0.00	0.99	0.00
WBGG	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBGR	AOP	3.0	LAMS38	WMKK	0.00	1.00	0.00
WBGR	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBGS	AOP	3.0	LAMS38	WMKK	0.00	0.99	0.00
WBGS	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBKK	AOP	3.0	LAMS31	WMKK	0.00	1.00	0.00
WBKK	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBKL	AOP	3.0	LAMS38	WMKK	0.00	0.99	0.00
WBKL	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBKS	AOP	3.0	LAMS38	WMKK	0.00	0.99	0.00
WBKS	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBKW	AOP	3.0	LAMS38	WMKK	0.00	0.99	0.00
WBKW	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WBSB	AOP	3.0	LAMS31	WMKK	0.00	1.00	0.00
WBSB	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WIBB	AOP	-	LAID32	WIII	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
WIBB	AOP	2021-2	LTID32	WIII	0.00	0.00	0.00
WIDD	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIDN	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIDN	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIEE	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIEE	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIHH	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIHH	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WIII	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIII	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WILL	AOP	-	LAID33	WIII	0.00	0.00	0.00
WILL	AOP	-	LTID33	WIII	0.00	0.00	0.00
WIMM	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIMM	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WIMN	AOP	-	LAID33	WIII	0.00	0.00	0.00
WIMN	AOP	-	LTID33	WIII	0.00	0.00	0.00
WIOO	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIOO	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIPP	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIPP	AOP	-	LTID32	WIII	0.00	0.00	0.00
WITT	AOP	-	LAID32	WIII	0.00	0.00	0.00
WITT	AOP	-	LTID32	WIII	0.00	0.00	0.00
WMKD	AOP	3.0	LAMS38	WMKK	0.00	0.99	0.00
WMKD	AOP	3.0	LTSR32	WSSS	0.00	0.98	0.00
WMKJ	AOP	3.0	LAMS38	WMKK	0.00	0.00	0.00
WMKJ	AOP	3.0	LTSR32	WSSS	0.00	0.98	0.00
WMKK	AOP	3.0	LAMS31	WMKK	0.00	1.00	0.00
WMKK	AOP	3.0	LTSR32	WSSS	0.00	0.98	0.00
WMKL	AOP	3.0	LAMS38	WMKK	0.00	0.99	0.00
WMKL	AOP	3.0	LTSR32	WSSS	0.00	0.00	0.00
WMKM	AOP	3.0	LAMS38	WMKK	0.00	0.99	0.00
WMKM	AOP	3.0	LTSR32	WSSS	0.00	0.00	0.00
WMKP	AOP	3.0	LAMS31	WMKK	0.00	1.00	0.00
WMKP	AOP	3.0	LTSR32	WSSS	0.00	0.98	0.00
WMSA	AOP	3.0	LAMS31	WMKK	0.00	0.00	0.00
WMSA	AOP	3.0	LTSR32	WSSS	0.00	0.98	0.00
WPD L	AOP	3.0	LATM31	YBBN	0.00	0.00	0.00
WPD L	AOP	3.0	LTTM31	YBBN	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
WSAP	AOP	3.0	LAMS31	WMKK	0.00	0.50	0.00
WSAP	AOP	3.0	LTSR31	WSSS	0.00	0.00	0.00
WSSL	AOP	3.0	LAMS31	WMKK	0.00	0.50	0.00
WSSL	AOP	3.0	LTSR31	WSSS	0.00	0.00	0.00
WSSS	AOP	3.0	LAMS31	WMKK	1.00	1.00	1.00
WSSS	AOP	3.0	LTSR31	WSSS	0.00	0.00	0.00
YAMB	NON AOP	2021-2	LAAU36	YBBN	0.96	0.95	0.94
YAMB	NON AOP	2021-2	LTAU36	YBBN	0.97	0.61	0.97
YBAS	AOP	2021-2	LAAU32	YBBN	0.99	0.97	0.98
YBAS	AOP	2021-2	LTAU32	YBBN	0.99	0.45	0.99
YBBN	AOP	2021-2	LAAU31	YBBN	0.99	0.98	0.96
YBBN	AOP	2021-2	LTAU31	YBBN	1.00	0.67	1.00
YBCG	AOP	2021-2	LAAU31	YBBN	0.97	0.96	0.96
YBCG	AOP	2021-2	LTAU31	YBBN	1.00	0.60	1.00
YBCS	AOP	2021-2	LAAU31	YBBN	0.99	0.98	0.98
YBCS	AOP	2021-2	LTAU31	YBBN	1.00	0.76	1.00
YBHM	NON AOP	2021-2	LAAU34	YBBN	0.98	0.96	0.97
YBHM	NON AOP	2021-2	LTAU34	YBBN	0.92	0.84	0.93
YBLN	AOP	2021-2	LAAU32	YBBN	0.99	0.97	0.99
YBLN	AOP	2021-2	LTAU32	YBBN	1.00	0.55	1.00
YBMA	NON AOP	2021-2	LAAU34	YBBN	0.98	0.97	0.98
YBMA	NON AOP	2021-2	LTAU34	YBBN	0.95	0.86	0.95
YBRK	AOP	2021-2	LAAU32	YBBN	0.99	0.98	0.99
YBRK	AOP	2021-2	LTAU32	YBBN	0.98	0.63	0.98
YBRM	AOP	2021-2	LAAU32	YBBN	0.99	0.97	0.99
YBRM	AOP	2021-2	LTAU32	YBBN	0.98	0.60	0.98
YBSU	AOP	2021-2	LAAU32	YBBN	0.97	0.96	0.97
YBSU	AOP	2021-2	LTAU32	YBBN	0.98	0.54	0.98
YBTL	AOP	2021-2	LAAU36	YBBN	0.98	0.97	0.90
YBTL	AOP	2021-2	LTAU36	YBBN	0.96	0.68	0.96
YBWW	AOP	2021-2	LAAU32	YBBN	0.98	0.96	0.98
YBWW	AOP	2021-2	LTAU32	YBBN	1.00	0.43	1.00
YCFS	AOP	2021-2	LAAU32	YBBN	0.96	0.95	0.96
YCFS	AOP	2021-2	LTAU32	YBBN	0.98	0.40	0.98
YCIN	NON AOP	2021-2	LAAU35	YBBN	0.99	0.97	0.99
YCIN	NON AOP	2021-2	LTAU35	YBBN	0.92	0.49	0.92
YFRT	NON AOP	2021-2	LAAU35	YBBN	0.98	0.96	0.98
YFRT	NON AOP	2021-2	LTAU35	YBBN	0.97	0.75	0.97
YGEL	AOP	2021-2	LAAU33	YBBN	0.98	0.96	0.98

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
YGEL	AOP	2021-2	LTAU33	YBBN	0.97	0.57	0.97
YGLA	NON AOP	2021-2	LAAU33	YBBN	0.99	0.97	0.99
YGLA	NON AOP	2021-2	LTAU33	YBBN	0.95	0.75	0.95
YHID	AOP	2021-2	LAAU33	YBBN	0.99	0.97	0.98
YHID	AOP	2021-2	LTAU33	YBBN	0.99	0.76	0.99
YLHI	AOP	2021-2	LAAU32	YBBN	0.97	0.96	0.93
YLHI	AOP	2021-2	LTAU32	YBBN	0.97	0.46	0.97
YMAV	AOP	2021-2	LAAU32	YBBN	0.98	0.96	0.98
YMAV	AOP	2021-2	LTAU32	YBBN	0.98	0.44	0.98
YMHB	AOP	2021-2	LAAU31	YBBN	0.98	0.96	0.97
YMHB	AOP	2021-2	LTAU31	YBBN	0.98	0.60	0.98
YMLT	AOP	2021-2	LAAU32	YBBN	0.98	0.96	0.98
YMLT	AOP	2021-2	LTAU32	YBBN	0.99	0.48	0.99
YMML	AOP	2021-2	LAAU31	YBBN	0.98	0.96	0.94
YMML	AOP	2021-2	LTAU31	YBBN	0.98	0.65	0.98
YPAD	AOP	2021-2	LAAU31	YBBN	0.99	0.98	0.94
YPAD	AOP	2021-2	LTAU31	YBBN	0.99	0.68	0.99
YPCC	AOP	2021-2	LAAU32	YBBN	0.95	0.93	0.94
YPCC	AOP	2021-2	LTAU32	YBBN	0.98	0.60	0.98
YPDN	AOP	2021-2	LAAU31	YBBN	0.99	0.98	0.93
YPDN	AOP	2021-2	LTAU31	YBBN	1.00	0.71	1.00
YPEA	NON AOP	2021-2	LAAU36	YBBN	0.99	0.97	0.96
YPEA	NON AOP	2021-2	LTAU36	YBBN	0.88	0.66	0.88
YPGV	NON AOP	2021-2	LAAU35	YBBN	0.99	0.98	0.99
YPGV	NON AOP	2021-2	LTAU35	YBBN	0.98	0.60	0.98
YPJT	NON AOP	2021-2	LAAU33	YBBN	0.99	0.98	0.99
YPJT	NON AOP	2021-2	LTAU33	YBBN	0.99	0.61	0.99
YPKG	AOP	2021-2	LAAU32	YBBN	0.98	0.97	0.98
YPKG	AOP	2021-2	LTAU32	YBBN	1.00	0.56	1.00
YPKU	NON AOP	2021-2	LAAU35	YBBN	0.98	0.96	0.98
YPKU	NON AOP	2021-2	LTAU35	YBBN	0.92	0.59	0.92
YPLM	AOP	2021-2	LAAU32	YBBN	0.99	0.98	0.99
YPLM	AOP	2021-2	LTAU32	YBBN	1.00	0.55	1.00
YPPD	AOP	2021-2	LAAU32	YBBN	0.99	0.98	0.99
YPPD	AOP	2021-2	LTAU32	YBBN	0.98	0.63	0.98
YPPH	AOP	2021-2	LAAU31	YBBN	0.99	0.97	0.88
YPPH	AOP	2021-2	LTAU31	YBBN	1.00	0.67	1.00
YPTN	AOP	2021-2	LAAU36	YBBN	0.98	0.97	0.95

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
YPTN	AOP	2021-2	LTAU36	YBBN	0.83	0.57	0.83
YPWR	NON AOP	2021-2	LAAU33	YBBN	0.98	0.97	0.98
YPWR	NON AOP	2021-2	LTAU33	YBBN	0.98	0.62	0.98
YPXM	AOP	2021-2	LAAU32	YBBN	0.62	0.62	0.61
YPXM	AOP	2021-2	LTAU32	YBBN	0.99	0.48	0.99
YSCB	AOP	2021-2	LAAU31	YBBN	0.96	0.95	0.95
YSCB	AOP	2021-2	LTAU31	YBBN	0.99	0.60	0.99
YSDU	NON AOP	2021-2	LAAU33	YBBN	0.98	0.96	0.97
YSDU	NON AOP	2021-2	LTAU33	YBBN	0.97	0.60	0.97
YSNF	AOP	2021-2	LAAU32	YBBN	0.98	0.96	0.95
YSNF	AOP	2021-2	LTAU32	YBBN	0.99	0.50	0.99
YSRI	NON AOP	2021-2	LAAU33	YBBN	0.98	0.96	0.98
YSRI	NON AOP	2021-2	LTAU33	YBBN	0.97	0.49	0.97
YSSY	AOP	2021-2	LAAU31	YBBN	0.99	0.97	0.95
YSSY	AOP	2021-2	LTAU31	YBBN	1.00	0.70	1.00
YSTW	NON AOP	2021-2	LAAU33	YBBN	0.99	0.97	0.98
YSTW	NON AOP	2021-2	LTAU33	YBBN	0.96	0.60	0.96
YWLM	AOP	2021-2	LAAU36	YBBN	0.98	0.96	0.89
YWLM	AOP	2021-2	LTAU36	YBBN	0.96	0.69	0.96
ZBAA	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZBAA	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZBAD	NON AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZBAD	NON AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZBHH	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZBHH	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZBSJ	NON AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZBSJ	NON AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZBTJ	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZBTJ	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZBYN	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZBYN	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZGGG	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZGGG	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZGHA	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZGHA	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZGKL	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZGKL	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZGNN	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZGNN	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
ZGOW	NON AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZGOW	NON AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZGSZ	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZGSZ	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZHCC	NON AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZHCC	NON AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZHHH	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZHHH	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZJHK	NON AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZJHK	NON AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZJSY	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZJSY	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZLLL	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZLLL	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZLXY	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZLXY	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZMCK	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZMCK	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZMUB	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZMUB	AOP	3.0	LTCI32	ZBBB	0.02	0.02	0.03
ZPPP	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZPPP	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZSAM	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZSAM	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZSFZ	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZSFZ	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZSHC	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZSHC	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZSNB	NON AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZSNB	NON AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZSNJ	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZSNJ	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZSOF	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZSOF	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZSPD	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZSPD	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZSQD	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZSQD	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZSSS	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
ZSSS	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZUCK	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZUCK	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZUTF	NON AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZUTF	NON AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZUUU	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZUUU	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZWSH	AOP	3.0	LACI32	ZBBB	1.00	1.00	0.98
ZWSH	AOP	3.0	LTCI32	ZBBB	0.00	0.00	0.00
ZWWW	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZWWW	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZYCC	NON AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZYCC	NON AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZYHB	AOP	3.0	LACI41	ZBBB	1.00	1.00	0.98
ZYHB	AOP	3.0	LTCI41	ZBBB	0.00	0.00	0.00
ZYTL	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZYTL	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00
ZYTX	AOP	3.0	LACI31	ZBBB	1.00	1.00	0.99
ZYTX	AOP	3.0	LTCI31	ZBBB	0.00	0.00	0.00

Table C – SA-Availability/Timeliness Index = 0 (nil report)

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
VGSY	AOP	SABW31	VECC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WADL	AOP	SAID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WITT	AOP	SAID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WADY	AOP	SAID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIMN	AOP	SAID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VIBN	AOP	SAIN32	VIDP	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VRMG	AOP	SAMV31	VCCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VRMH	AOP	SAMV31	VCCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYGN	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMH	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMO	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYNZ	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYVN	AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYWK	NON AOP	SANG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPGW	NON AOP	SAPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPNH	AOP	SAPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPSK	NON AOP	SAPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VCCH	AOP	SASB31	VCCC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
WPDL	AOP	SATM31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table D – FT-Availability/Timeliness Index = 0 (nil report)

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
VQPR	AOP	FTAS31	VECC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VGSY	AOP	FTBW31	VECC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBAA	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBAD	NON AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBTJ	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBYN	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGGG	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSHC	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSPD	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSSS	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZWWW	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZYTL	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZYTX	AOP	FTCI31	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBSJ	NON AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGKL	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGNN	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGOW	NON AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGSZ	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZLXY	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZPPP	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSAM	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSFZ	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSNB	NON AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSQD	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZUTF	NON AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZUUU	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZWSH	AOP	FTCI32	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZBHH	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZGHA	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZHCC	NON AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZHHH	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZJHK	NON AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZJSY	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZLLL	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSNJ	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZSOF	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZUCK	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZYCC	NON AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
ZYHB	AOP	FTCI41	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Bulletin	ROC	Availability					Timeliness				
				NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
WADL	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WALL	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAMM	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAOO	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIBB	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIEE	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIOO	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIPP	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WITT	AOP	FTID32	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WADY	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAJJ	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAPP	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WAQQ	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WATT	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WILL	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WIMN	AOP	FTID33	WIII	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VIBN	AOP	FTIN32	VABB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMH	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYMO	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYNZ	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYVN	AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
AYWK	NON AOP	FTNG31	YBBN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OPGW	NON AOP	FTPK31	OPKC	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
NGFU	AOP	FTPS31	NFFN	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
VCCH	AOP	FTSB31	VABB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Table E – LA-Availability/Timeliness Index = 0 (nil report)

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VDPP	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VDSA	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VDSV	NON AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VLVT	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VYMD	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VYNT	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VYYY	AOP	-	LAAE32	VTBB	0.00	0.00	0.00
VLLB	AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VLLN	NON AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VLPS	AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VLSK	AOP	-	LAAE33	VTBB	0.00	0.00	0.00
VVVD	AOP	-	LAAE34	VTBB	0.00	0.00	0.00
VNKT	AOP	-	LAAS31	VECC	0.00	0.00	0.00
VQPR	AOP	-	LAAS31	VECC	0.00	0.00	0.00
VGEG	AOP	-	LABW31	VECC	0.00	0.00	0.00
VGHS	AOP	-	LABW31	VECC	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VGSY	AOP	-	LABW31	VECC	0.00	0.00	0.00
WAAA	AOP	-	LAID31	WIII	0.00	0.00	0.00
WABB	AOP	-	LAID31	WIII	0.00	0.00	0.00
WADD	AOP	-	LAID31	WIII	0.00	0.00	0.00
WARR	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIDD	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIHH	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIII	AOP	-	LAID31	WIII	0.00	0.00	0.00
WIMM	AOP	-	LAID31	WIII	0.00	0.00	0.00
WADL	AOP	-	LAID32	WIII	0.00	0.00	0.00
WAHI	AOP	-	LAID32	WIII	0.00	0.00	0.00
WALL	AOP	-	LAID32	WIII	0.00	0.00	0.00
WAMM	AOP	-	LAID32	WIII	0.00	0.00	0.00
WAOO	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIBB	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIDN	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIEE	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIOO	AOP	-	LAID32	WIII	0.00	0.00	0.00
WIPP	AOP	-	LAID32	WIII	0.00	0.00	0.00
WITT	AOP	-	LAID32	WIII	0.00	0.00	0.00
WADY	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAHS	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAJJ	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAKK	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAPP	AOP	-	LAID33	WIII	0.00	0.00	0.00
WAQQ	AOP	-	LAID33	WIII	0.00	0.00	0.00
WATT	AOP	-	LAID33	WIII	0.00	0.00	0.00
WILL	AOP	-	LAID33	WIII	0.00	0.00	0.00
WIMN	AOP	-	LAID33	WIII	0.00	0.00	0.00
VAAH	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VABB	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VANP	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOBL	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOCB	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOCI	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOCL	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOHS	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOML	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOML	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOMM	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOTR	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VOTV	AOP	-	LAIN31	VABB	0.00	0.00	0.00
VEBN	NON AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VIAR	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VIBN	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VIDP	AOP	-	LAIN32	VIDP	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VIJP	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VILK	AOP	-	LAIN32	VIDP	0.00	0.00	0.00
VECC	AOP	-	LAIN33	VECC	0.00	0.00	0.00
VEGT	AOP	-	LAIN33	VECC	0.00	0.00	0.00
VEGY	AOP	-	LAIN33	VECC	0.00	0.00	0.00
VEPT	AOP	-	LAIN33	VECC	0.00	0.00	0.00
RKJB	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKNY	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKPC	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKPK	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKSI	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKSS	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKTN	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
RKTU	AOP	-	LAKO31	RKSI	0.00	0.00	0.00
WMSA	AOP	-	LAMS31	WMKK	0.00	0.00	0.00
WMKJ	AOP	-	LAMS38	WMKK	0.00	0.00	0.00
VRMG	AOP	-	LAMV31	VCCC	0.00	0.00	0.00
VRMH	AOP	-	LAMV31	VCCC	0.00	0.00	0.00
VRMM	AOP	-	LAMV31	VCCC	0.00	0.00	0.00
AYGN	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYMH	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYMO	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYNZ	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYVN	AOP	-	LANG31	YBBN	0.00	0.00	0.00
AYWK	NON AOP	-	LANG31	YBBN	0.00	0.00	0.00
OPFA	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPGW	NON AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPIS	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPKC	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPLA	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPMT	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPNH	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPPS	AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPSK	NON AOP	-	LAPK31	OPKC	0.00	0.00	0.00
OPST	NON AOP	-	LAPK31	OPKC	0.00	0.00	0.00
VCBI	AOP	-	LASB31	VCCC	0.00	0.00	0.00
VCCH	AOP	-	LASB31	VCCC	0.00	0.00	0.00
WPDJ	AOP	-	LATM31	YBBN	0.00	0.00	0.00

Table F – LT-Availability/Timeliness Index = 0 (nil report)

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VDSA	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VDSV	NON AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VLVT	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VYMD	AOP	-	LTAE32	VTBB	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
VYNT	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VYYY	AOP	-	LTAE32	VTBB	0.00	0.00	0.00
VLLB	AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VLLN	NON AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VLPS	AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VLSK	AOP	-	LTAE33	VTBB	0.00	0.00	0.00
VVVD	AOP	-	LTAE34	VTBB	0.00	0.00	0.00
VNKT	AOP	-	LTAS31	VECC	0.00	0.00	0.00
VQPR	AOP	-	LTAS31	VECC	0.00	0.00	0.00
VGEG	AOP	-	LTBW31	VECC	0.00	0.00	0.00
VGHS	AOP	-	LTBW31	VECC	0.00	0.00	0.00
VGSY	AOP	-	LTBW31	VECC	0.00	0.00	0.00
ZBAA	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZBAD	NON AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZBTJ	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZBYN	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZGGG	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZMCK	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZSHC	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZSPD	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZSSS	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZWWW	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZYTL	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZYTX	AOP	-	LTCI31	ZBBB	0.00	0.00	0.00
ZBSJ	NON AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZGKL	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZGNN	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZGOW	NON AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZGSZ	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZLXY	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZPPP	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZSAM	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZSFZ	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZSNB	NON AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZSQD	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZUTF	NON AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZUUU	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZWSH	AOP	-	LTCI32	ZBBB	0.00	0.00	0.00
ZBHH	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZGHA	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZHCC	NON AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZHHH	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZJHK	NON AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZJSY	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZLLL	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
ZSNJ	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZSOF	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZUCK	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZYCC	NON AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
ZYHB	AOP	-	LTCI41	ZBBB	0.00	0.00	0.00
WADL	AOP	-	LTID32	WIII	0.00	0.00	0.00
WAHI	AOP	-	LTID32	WIII	0.00	0.00	0.00
WALL	AOP	-	LTID32	WIII	0.00	0.00	0.00
WAMM	AOP	-	LTID32	WIII	0.00	0.00	0.00
WAOO	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIBB	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIDN	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIEE	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIOO	AOP	-	LTID32	WIII	0.00	0.00	0.00
WIPP	AOP	-	LTID32	WIII	0.00	0.00	0.00
WITT	AOP	-	LTID32	WIII	0.00	0.00	0.00
WADY	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAHS	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAJJ	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAPP	AOP	-	LTID33	WIII	0.00	0.00	0.00
WAQQ	AOP	-	LTID33	WIII	0.00	0.00	0.00
WATT	AOP	-	LTID33	WIII	0.00	0.00	0.00
WILL	AOP	-	LTID33	WIII	0.00	0.00	0.00
WIMN	AOP	-	LTID33	WIII	0.00	0.00	0.00
VAAH	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VABB	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VANP	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOBL	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOCB	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOCI	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOCL	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOHS	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOMM	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOTR	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VOTV	AOP	-	LTIN31	VABB	0.00	0.00	0.00
VEBN	NON AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIAR	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIBN	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIDP	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VIJP	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VILK	AOP	-	LTIN32	VABB	0.00	0.00	0.00
VECC	AOP	-	LTIN33	VABB	0.00	0.00	0.00
VEGT	AOP	-	LTIN33	VABB	0.00	0.00	0.00
VEGY	AOP	-	LTIN33	VABB	0.00	0.00	0.00
VEPT	AOP	-	LTIN33	VABB	0.00	0.00	0.00
RKJB	AOP	-	LTKO31	RKSI	0.00	0.00	0.00

MET/IE WG/23
Appendix B to WP/16

Aerodrome	AOP	Version	Bulletin	ROC	Availability		Timeliness
					VTBB	WSSS	VTBB
RKNY	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKPC	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKPK	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKSI	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKSS	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKTN	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
RKTU	AOP	-	LTKO31	RKSI	0.00	0.00	0.00
VRMG	AOP	-	LTMV31	VABB	0.00	0.00	0.00
VRMH	AOP	-	LTMV31	VABB	0.00	0.00	0.00
VRMM	AOP	-	LTMV31	VABB	0.00	0.00	0.00
AYMH	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYMO	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYNZ	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYVN	AOP	-	LTNG31	YBBN	0.00	0.00	0.00
AYWK	NON AOP	-	LTNG31	YBBN	0.00	0.00	0.00
OPFA	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPGW	NON AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPIS	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPKC	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPLA	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPMT	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPNH	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPPS	AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPSK	NON AOP	-	LTPK31	OPKC	0.00	0.00	0.00
OPST	NON AOP	-	LTPK31	OPKC	0.00	0.00	0.00
NGFU	AOP	-	LTPS31	NFFN	0.00	0.00	0.00
VCBI	AOP	-	LTSB31	VABB	0.00	0.00	0.00
VCCH	AOP	-	LTSB31	VABB	0.00	0.00	0.00
VCRI	AOP	-	LTSB31	VABB	0.00	0.00	0.00
WAAA	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WABB	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WADD	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WARR	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WIHH	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WIII	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WIMM	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WSAP	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WSSL	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WSSS	AOP	-	LTSR31	WSSS	0.00	0.00	0.00
WMKL	AOP	-	LTSR32	WSSS	0.00	0.00	0.00
WMKM	AOP	-	LTSR32	WSSS	0.00	0.00	0.00
WBSB	AOP	-	LTSR33	WSSS	0.00	0.00	0.00
WPDL	AOP	-	LTTM31	YBBN	0.00	0.00	0.00

APPENDIX C

STATE PERFORMANCE INDICES

Table A: TAC State Performance Indices

		PI ≥ 0.95					0.95 > PI > 0					PI = 0				
Message Type	ROC	Availability					Timeliness									
		NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN	NFFN	RJTD	VTBB	WSSS	YBBN
FT	NFFN	0.90	0.90	0.90	0.90	0.90	0.74	0.90	0.90	0.90	0.90					
SA	NFFN	0.80	0.86	0.85	0.81	0.79	0.23	0.34	0.34	0.25	0.27					
FT	NZKL	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00					
SA	NZKL	0.85	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00					
FT	OPKC	0.60	0.54	0.58	0.53	0.52	0.44	0.51	0.55	0.50	0.49					
SA	OPKC	0.31	0.42	0.39	0.39	0.38	0.25	0.40	0.37	0.37	0.36					
FT	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00					
SA	RJTD	0.80	1.00	1.00	1.00	0.00	0.70	1.00	1.00	1.00	0.00					
FT	RKSI	0.80	1.00	1.00	1.00	1.00	0.68	1.00	0.98	0.98	0.98					
SA	RKSI	0.80	1.00	1.00	1.00	1.00	0.69	1.00	0.99	0.99	0.99					
FT	VABB	0.66	0.85	0.85	0.85	0.85	0.56	0.84	0.83	0.83	0.83					
SA	VABB	0.74	0.93	0.94	0.94	0.93	0.62	0.91	0.91	0.91	0.90					
SA	VCCC	0.00	0.44	0.44	0.44	0.44	0.00	0.42	0.39	0.41	0.41					
FT	VECC	0.16	0.40	0.40	0.32	0.20	0.14	0.40	0.31	0.26	0.20					
SA	VECC	0.00	0.68	0.68	0.67	0.67	0.00	0.64	0.66	0.64	0.62					
FT	VHHH	0.80	1.00	1.00	1.00	1.00	0.70	1.00	1.00	1.00	1.00					
SA	VHHH	0.77	0.96	0.96	0.96	0.96	0.67	0.96	0.95	0.95	0.95					
SA	VIDP	0.54	0.69	0.69	0.68	0.68	0.43	0.68	0.63	0.63	0.63					
FT	VTBB	0.79	0.99	0.99	0.99	0.99	0.69	0.99	0.91	0.99	0.99					
SA	VTBB	0.75	0.94	0.94	0.94	0.94	0.64	0.94	0.91	0.93	0.93					
FT	WIII	0.00	0.10	0.00	0.04	0.00	0.00	0.03	0.00	0.04	0.00					
SA	WIII	0.60	0.79	0.75	0.75	0.75	0.50	0.64	0.71	0.73	0.72					
SA	WMKK	0.72	0.92	0.92	0.92	0.89	0.62	0.91	0.90	0.91	0.88					
FT	WSSS	0.77	0.96	0.96	1.00	0.96	0.67	0.96	0.96	0.96	0.96					
FT	YBBN	0.69	0.86	0.86	0.86	0.00	0.60	0.86	0.86	0.86	0.00					
SA	YBBN	0.67	0.84	0.83	0.83	0.01	0.57	0.82	0.81	0.82	0.01					
FT	ZBBB	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00					
SA	ZBBB	0.80	1.00	1.00	1.00	1.00	0.70	1.00	0.99	1.00	1.00					

Table B: IWXXM State Performance Indices

		PI ≥ 0.95			0.95 > PI > 0			PI = 0		
Message Type	Version	ROC	Availability		Timeliness					
			VTBB	WSSS	VTBB					
LA	3.0	NFFN	0.79	0.79	0.21					
LT	3.0	NFFN	0.90	0.90	0.90					
LA	3.0	NZKL	1.00	1.00	1.00					

MET/IE WG/23
Appendix C to WP/16

Message Type	Version	ROC	Availability		Timeliness
			VTBB	WSSS	VTBB
LT	3.0	NZKL	1.00	1.00	1.00
LA	-	OPKC	0.00	0.00	0.00
LT	-	OPKC	0.00	0.00	0.00
LA	3.0	RJTD	0.00	1.00	0.00
LT	3.0	RJTD	0.00	1.00	0.00
LA	-	RKSI	0.00	0.00	0.00
LT	-	RKSI	0.00	0.00	0.00
LA	-	VABB	0.00	0.00	0.00
LT	-	VABB	0.00	0.00	0.00
LA	-	VCCC	0.00	0.00	0.00
LA	-	VECC	0.00	0.00	0.00
LT	-	VECC	0.00	0.00	0.00
LA	2023-1	VHHH	0.96	0.96	0.72
LT	2023-1	VHHH	0.99	0.99	0.99
LA	-	VIDP	0.00	0.00	0.00
LA	2021-2	VTBB	0.75	0.73	0.75
LT	2021-2	VTBB	0.79	0.76	0.77
LA	-	WIII	0.00	0.00	0.00
LT	-	WIII	0.00	0.00	0.00
LA	3.0	WMKK	0.05	0.84	0.05
LT	3.0	WSSS	0.00	0.19	0.00
LA	3.0	YBBN	0.04	0.04	0.03
LA	2021-2	YBBN	0.80	0.78	0.78
LT	3.0	YBBN	0.03	0.03	0.03
LT	2021-2	YBBN	0.81	0.51	0.81
LA	3.0	ZBBB	1.00	1.00	0.98
LT	-	ZBBB	0.00	0.00	0.00

APPENDIX D

RODB BANGKOK'S IWXXM STATISTICS

Table A: METAR AND TAF DURING 1-30 NOVEMBER 2024

No.	Aerodrome	AOP	Version	TYPE	Bulletin	ROBEX Centre	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
1	AGGH	AOP	3.0	LA	NG31	YBBN	846	843 (99.65%)	0 (0.00%)	13 (1.54%)	0 (0.00%)
2	AGGH	AOP	3.0	LT	NG31	YBBN	80	79 (98.75%)	0 (0.00%)	19 (23.75%)	0 (0.00%)
3	ANYN	NON AOP	3.0	LT	NG31	YBBN	88	88 (100.00%)	0 (0.00%)	69 (78.41%)	0 (0.00%)
4	ANYN	NON AOP	3.0	LA	NG31	YBBN	753	750 (99.60%)	0 (0.00%)	17 (2.26%)	0 (0.00%)
5	AYGN	NON AOP	3.0	LA	NG31	YBBN	741	738 (99.60%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
6	AYMH	NON AOP	3.0	LA	NG31	YBBN	857	851 (99.30%)	0 (0.00%)	41 (4.78%)	0 (0.00%)
7	AYMO	NON AOP	3.0	LA	NG31	YBBN	741	738 (99.60%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
8	AYNZ	NON AOP	3.0	LA	NG31	YBBN	885	880 (99.44%)	0 (0.00%)	14 (1.58%)	0 (0.00%)
9	AYPY	AOP	3.0	LA	NG31	YBBN	923	918 (99.46%)	0 (0.00%)	27 (2.93%)	0 (0.00%)
10	AYPY	AOP	3.0	LT	NG31	YBBN	99	99 (100.00%)	0 (0.00%)	8 (8.08%)	0 (0.00%)
11	AYVN	AOP	3.0	LA	NG31	YBBN	741	738 (99.60%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
12	AYWK	NON AOP	3.0	LA	NG31	YBBN	741	738 (99.60%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
13	NCRG	AOP	3.0	LT	PS31	NFFN	120	120 (100.00%)	0 (0.00%)	1 (0.83%)	0 (0.00%)
14	NCRG	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
15	NFFN	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
16	NFFN	AOP	3.0	LT	PS31	NFFN	123	123 (100.00%)	0 (0.00%)	2 (1.63%)	0 (0.00%)
17	NFNA	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	3 (0.42%)	0 (0.00%)
18	NFNA	AOP	3.0	LT	PS31	NFFN	121	121 (100.00%)	0 (0.00%)	3 (2.48%)	0 (0.00%)
19	NFTF	AOP	3.0	LT	PS31	NFFN	120	120 (100.00%)	0 (0.00%)	2 (1.67%)	0 (0.00%)
20	NFTF	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	3 (0.42%)	0 (0.00%)
21	NFTL	AOP	3.0	LA	PS31	NFFN	723	720 (99.59%)	0 (0.00%)	1 (0.14%)	0 (0.00%)
22	NFTV	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	11 (1.52%)	0 (0.00%)
23	NFTV	AOP	3.0	LT	PS31	NFFN	121	121 (100.00%)	0 (0.00%)	1 (0.83%)	0 (0.00%)
24	NGFU	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	21 (2.91%)	0 (0.00%)
25	NGTA	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
26	NGTA	AOP	3.0	LT	PS31	NFFN	121	121 (100.00%)	0 (0.00%)	1 (0.83%)	0 (0.00%)
27	NIUE	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
28	NIUE	AOP	3.0	LT	PS31	NFFN	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
29	NLWW	AOP	3.0	LT	PS32	NFFN	137	137 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
30	NLWW	AOP	3.0	LA	PS32	NFFN	721	721 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
31	NSFA	AOP	3.0	LA	PS31	NFFN	736	733 (99.59%)	0 (0.00%)	14 (1.90%)	0 (0.00%)
32	NSFA	AOP	3.0	LT	PS31	NFFN	120	120 (100.00%)	0 (0.00%)	2 (1.67%)	0 (0.00%)
33	NTAA	AOP	3.0	LA	PS33	NFFN	720	720 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
34	NTAA	AOP	3.0	LT	PS33	NFFN	123	123 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
35	NVSS	AOP	3.0	LA	PS31	NFFN	733	730 (99.59%)	0 (0.00%)	7 (0.95%)	0 (0.00%)
36	NVSS	AOP	3.0	LT	PS31	NFFN	122	122 (100.00%)	0 (0.00%)	3 (2.46%)	0 (0.00%)
37	NVVV	AOP	3.0	LA	PS31	NFFN	733	730 (99.59%)	0 (0.00%)	8 (1.09%)	0 (0.00%)
38	NVVV	AOP	3.0	LT	PS31	NFFN	122	122 (100.00%)	0 (0.00%)	3 (2.46%)	0 (0.00%)
39	NWWW	AOP	3.0	LT	PS32	NFFN	137	137 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
40	NWWW	AOP	3.0	LA	PS32	NFFN	721	721 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
41	NZAA	AOP	3.0	LA	NZ31	NZKL	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
42	NZAA	AOP	3.0	LT	NZ31	NZKL	251	245 (97.61%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
43	NZCH	AOP	3.0	LT	NZ31	NZKL	262	254 (96.95%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
44	NZCH	AOP	3.0	LA	NZ31	NZKL	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
45	NZQN	AOP	3.0	LT	NZ32	NZKL	97	97 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
46	NZQN	AOP	3.0	LA	NZ32	NZKL	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
47	NZWN	AOP	3.0	LA	NZ31	NZKL	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	Version	TYPE	Bulletin	ROBEX Centre	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
48	NZWN	AOP	3.0	LT	NZ31	NZKL	255	249 (97.65%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
49	PLCH	AOP	3.0	LT	PS31	NFFN	121	121 (100.00%)	0 (0.00%)	1 (0.83%)	0 (0.00%)
50	PLCH	AOP	3.0	LA	PS31	NFFN	722	719 (99.58%)	0 (0.00%)	2 (0.28%)	0 (0.00%)
51	RCFN	NON AOP	2023-1	LT	HK33	VHHH	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
52	RCFN	NON AOP	2023-1	LA	HK31	VHHH	1439	1439 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
53	RCKH	AOP	2023-1	LA	HK31	VHHH	1439	1439 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
54	RCKH	AOP	2023-1	LT	HK32	VHHH	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
55	RCMQ	NON AOP	2023-1	LA	HK31	VHHH	1442	1442 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
56	RCMQ	NON AOP	2023-1	LT	HK33	VHHH	131	131 (100.00%)	0 (0.00%)	4 (3.05%)	0 (0.00%)
57	RCNN	NON AOP	2023-1	LA	HK31	VHHH	1445	1445 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
58	RCNN	NON AOP	2023-1	LT	HK33	VHHH	127	127 (100.00%)	0 (0.00%)	2 (1.57%)	0 (0.00%)
59	RCSS	AOP	2023-1	LT	HK33	VHHH	124	124 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
60	RCSS	AOP	2023-1	LA	HK31	VHHH	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
61	RCTP	AOP	2023-1	LA	HK31	VHHH	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
62	RCTP	AOP	2023-1	LT	HK32	VHHH	123	123 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
63	RPLB	AOP	2023-1	LT	HK33	VHHH	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
64	RPLB	AOP	2023-1	LA	HK31	VHHH	757	757 (100.00%)	0 (0.00%)	7 (0.92%)	0 (0.00%)
65	RPLC	AOP	2023-1	LA	HK31	VHHH	760	760 (100.00%)	0 (0.00%)	3 (0.39%)	0 (0.00%)
66	RPLC	AOP	2023-1	LT	HK32	VHHH	127	127 (100.00%)	0 (0.00%)	1 (0.79%)	0 (0.00%)
67	RPLI	AOP	2023-1	LT	HK33	VHHH	124	124 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
68	RPLI	AOP	2023-1	LA	HK31	VHHH	760	760 (100.00%)	0 (0.00%)	7 (0.92%)	0 (0.00%)
69	RPLL	AOP	2023-1	LA	HK31	VHHH	765	765 (100.00%)	0 (0.00%)	7 (0.92%)	0 (0.00%)
70	RPLL	AOP	2023-1	LT	HK32	VHHH	124	124 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
71	RPMD	AOP	2023-1	LT	HK33	VHHH	121	121 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
72	RPMD	AOP	2023-1	LA	HK31	VHHH	752	752 (100.00%)	0 (0.00%)	5 (0.66%)	0 (0.00%)
73	RPMZ	AOP	2023-1	LA	HK31	VHHH	747	747 (100.00%)	0 (0.00%)	1 (0.13%)	0 (0.00%)
74	RPMZ	AOP	2023-1	LT	HK33	VHHH	125	125 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
75	RPVM	AOP	2023-1	LT	HK32	VHHH	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
76	RPVM	AOP	2023-1	LA	HK31	VHHH	750	750 (100.00%)	0 (0.00%)	4 (0.53%)	0 (0.00%)
77	RPVP	AOP	2023-1	LA	HK31	VHHH	747	747 (100.00%)	0 (0.00%)	4 (0.54%)	0 (0.00%)
78	RPVP	AOP	2023-1	LT	HK33	VHHH	121	121 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
79	VHHH	AOP	2023-1	LT	HK31	VHHH	215	215 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
80	VHHH	AOP	2023-1	LA	HK31	VHHH	1439	1439 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
81	VMMC	AOP	2023-1	LA	HK31	VHHH	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
82	VMMC	AOP	2023-1	LT	HK32	VHHH	126	126 (100.00%)	0 (0.00%)	1 (0.79%)	0 (0.00%)
83	VTBD	AOP	2021-2	LT	AE31	VTBB	121	121 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
84	VTBD	AOP	2021-2	LA	AE31	VTBB	1442	1442 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
85	VTBO	NON AOP	2021-2	LA	TH31	VTBB	727	727 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
86	VTBO	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
87	VTBS	AOP	2021-2	LT	AE31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
88	VTBS	AOP	2021-2	LA	AE31	VTBB	1446	1446 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
89	VTBU	AOP	2021-2	LA	AE31	VTBB	1461	1461 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
90	VTBU	AOP	2021-2	LT	AE31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
91	VTCC	AOP	2021-2	LA	AE31	VTBB	1456	1456 (100.00%)	0 (0.00%)	1 (0.07%)	0 (0.00%)
92	VTCC	AOP	2021-2	LT	AE31	VTBB	121	121 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
93	VTCH	NON AOP	2021-2	LA	TH31	VTBB	721	721 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
94	VTCH	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
95	VTCL	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
96	VTCL	NON AOP	2021-2	LA	TH31	VTBB	723	723 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
97	VTCN	NON AOP	2021-2	LA	TH31	VTBB	724	724 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
98	VTCN	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	Version	TYPE	Bulletin	ROBEX Centre	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
99	VTCP	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
100	VTCP	NON AOP	2021-2	LA	TH31	VTBB	720	720 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
101	VTCT	AOP	2021-2	LA	TH31	VTBB	724	724 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
102	VTCT	AOP	2021-2	LT	TH31	VTBB	121	121 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
103	VTPB	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
104	VTPB	NON AOP	2021-2	LA	TH31	VTBB	726	726 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
105	VTPH	NON AOP	2021-2	LA	TH31	VTBB	739	739 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
106	VTPH	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
107	VTPM	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
108	VTPM	NON AOP	2021-2	LA	TH31	VTBB	723	723 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
109	VTPO	NON AOP	2021-2	LA	TH31	VTBB	722	722 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
110	VTPO	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
111	VTTP	AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
112	VTTP	AOP	2021-2	LA	TH31	VTBB	720	720 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
113	VTPT	NON AOP	2021-2	LA	TH31	VTBB	725	725 (100.00%)	0 (0.00%)	424 (58.48%)	0 (0.00%)
114	VTPT	NON AOP	2021-2	LT	TH31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
115	VTSB	AOP	2021-2	LA	TH32	VTBB	722	722 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
116	VTSB	AOP	2021-2	LT	TH32	VTBB	120	119 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
117	VTSC	NON AOP	2021-2	LT	TH32	VTBB	120	119 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
118	VTSC	NON AOP	2021-2	LA	TH32	VTBB	721	721 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
119	VTSE	NON AOP	2021-2	LA	TH32	VTBB	724	724 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
120	VTSE	NON AOP	2021-2	LT	TH32	VTBB	120	119 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
121	VTSF	NON AOP	2021-2	LT	TH32	VTBB	121	120 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
122	VTSF	NON AOP	2021-2	LA	TH32	VTBB	737	737 (100.00%)	0 (0.00%)	1 (0.14%)	0 (0.00%)
123	VTSG	AOP	2021-2	LA	TH32	VTBB	723	723 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
124	VTSG	AOP	2021-2	LT	TH32	VTBB	120	119 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
125	VTSM	AOP	2021-2	LT	TH32	VTBB	120	119 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
126	VTSM	AOP	2021-2	LA	TH32	VTBB	728	728 (100.00%)	0 (0.00%)	2 (0.27%)	0 (0.00%)
127	VTSP	AOP	2021-2	LA	AE31	VTBB	1449	1449 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
128	VTSP	AOP	2021-2	LT	AE31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
129	VTSR	NON AOP	2021-2	LA	TH32	VTBB	761	761 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
130	VTSR	NON AOP	2021-2	LT	TH32	VTBB	120	119 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
131	VTSS	AOP	2021-2	LA	AE31	VTBB	1473	1473 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
132	VTSS	AOP	2021-2	LT	AE31	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
133	VTST	NON AOP	2021-2	LA	TH32	VTBB	733	733 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
134	VTST	NON AOP	2021-2	LT	TH32	VTBB	120	119 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
135	VTSY	NON AOP	2021-2	LT	TH32	VTBB	121	120 (99.17%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
136	VTSY	NON AOP	2021-2	LA	TH32	VTBB	725	725 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
137	VTUD	NON AOP	2021-2	LA	TH33	VTBB	720	720 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
138	VTUD	NON AOP	2021-2	LT	TH33	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
139	VTUI	NON AOP	2021-2	LT	TH33	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
140	VTUI	NON AOP	2021-2	LA	TH33	VTBB	727	727 (100.00%)	0 (0.00%)	3 (0.41%)	0 (0.00%)
141	VTUK	AOP	2021-2	LA	TH33	VTBB	723	723 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
142	VTUK	AOP	2021-2	LT	TH33	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
143	VTUL	NON AOP	2021-2	LT	TH33	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
144	VTUL	NON AOP	2021-2	LA	TH33	VTBB	728	728 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
145	VTUO	NON AOP	2021-2	LA	TH33	VTBB	722	722 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
146	VTUO	NON AOP	2021-2	LT	TH33	VTBB	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
147	VTUQ	NON AOP	2021-2	LT	TH33	VTBB	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
148	VTUQ	NON AOP	2021-2	LA	TH33	VTBB	733	733 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
149	VTUU	AOP	2021-2	LA	TH33	VTBB	724	724 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	Version	TYPE	Bulletin	ROBEX Centre	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
150	VTUU	AOP	2021-2	LT	TH33	VTBB	123	123 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
151	VTUV	NON AOP	2021-2	LT	TH33	VTBB	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
152	VTUV	NON AOP	2021-2	LA	TH33	VTBB	723	723 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
153	VTUW	NON AOP	2021-2	LA	TH33	VTBB	725	725 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
154	VTUW	NON AOP	2021-2	LT	TH33	VTBB	120	120 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
155	VVCI	AOP	2021-2	LT	AE34	VTBB	121	121 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
156	VVCI	AOP	2021-2	LA	AE34	VTBB	499	499 (100.00%)	0 (0.00%)	3 (0.60%)	0 (0.00%)
157	VVCR	AOP	2021-2	LA	AE34	VTBB	1289	1289 (100.00%)	0 (0.00%)	3 (0.23%)	0 (0.00%)
158	VVCR	AOP	2021-2	LT	AE34	VTBB	126	126 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
159	VVCT	AOP	2021-2	LT	AE34	VTBB	128	128 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
160	VVCT	AOP	2021-2	LA	AE34	VTBB	1354	1354 (100.00%)	0 (0.00%)	4 (0.30%)	0 (0.00%)
161	VVDN	AOP	2021-2	LA	AE34	VTBB	1422	1422 (100.00%)	0 (0.00%)	4 (0.28%)	0 (0.00%)
162	VVDN	AOP	2021-2	LT	AE34	VTBB	125	125 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
163	VVNB	AOP	2021-2	LT	AE34	VTBB	125	125 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
164	VVNB	AOP	2021-2	LA	AE34	VTBB	799	799 (100.00%)	0 (0.00%)	1 (0.13%)	0 (0.00%)
165	VVPB	AOP	2021-2	LA	AE34	VTBB	1449	1449 (100.00%)	0 (0.00%)	5 (0.35%)	0 (0.00%)
166	VVPB	AOP	2021-2	LT	AE34	VTBB	132	132 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
167	VVPQ	AOP	2021-2	LA	AE34	VTBB	1422	1422 (100.00%)	0 (0.00%)	19 (1.34%)	0 (0.00%)
168	VVPQ	AOP	2021-2	LT	AE34	VTBB	128	128 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
169	VVTS	AOP	2021-2	LA	AE34	VTBB	836	836 (100.00%)	0 (0.00%)	16 (1.91%)	0 (0.00%)
170	VVTS	AOP	2021-2	LT	AE34	VTBB	133	133 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
171	WSSS	AOP	3.0	LA	MS31	WMKK	1442	1442 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
172	YAMB	NON AOP	2021-2	LA	AU36	YBBN	1473	1473 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
173	YAMB	NON AOP	2021-2	LT	AU36	YBBN	367	367 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
174	YBAS	AOP	2021-2	LT	AU32	YBBN	244	244 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
175	YBAS	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
176	YBBN	AOP	2021-2	LA	AU31	YBBN	1474	1474 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
177	YBBN	AOP	2021-2	LT	AU31	YBBN	460	460 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
178	YBCG	AOP	2021-2	LA	AU31	YBBN	1439	1439 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
179	YBCG	AOP	2021-2	LT	AU31	YBBN	453	453 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
180	YBCS	AOP	2021-2	LT	AU31	YBBN	369	369 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
181	YBCS	AOP	2021-2	LA	AU31	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
182	YBHM	NON AOP	2021-2	LT	AU34	YBBN	190	190 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
183	YBHM	NON AOP	2021-2	LA	AU34	YBBN	1441	1441 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
184	YBLN	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
185	YBLN	AOP	2021-2	LT	AU32	YBBN	193	193 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
186	YBMA	NON AOP	2021-2	LA	AU34	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
187	YBMA	NON AOP	2021-2	LT	AU34	YBBN	176	176 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
188	YBRK	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
189	YBRK	AOP	2021-2	LT	AU32	YBBN	187	187 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
190	YBRM	AOP	2021-2	LT	AU32	YBBN	189	189 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
191	YBRM	AOP	2021-2	LA	AU32	YBBN	1441	1441 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
192	YBSU	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
193	YBSU	AOP	2021-2	LT	AU32	YBBN	282	282 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
194	YBTL	AOP	2021-2	LT	AU36	YBBN	282	282 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
195	YBTL	AOP	2021-2	LA	AU36	YBBN	1561	1561 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
196	YBWW	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
197	YBWW	AOP	2021-2	LT	AU32	YBBN	295	295 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
198	YCFS	AOP	2021-2	LT	AU32	YBBN	262	262 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
199	YCFS	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	1 (0.07%)	0 (0.00%)
200	YCIN	NON AOP	2021-2	LA	AU35	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	Version	TYPE	Bulletin	ROBEX Centre	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
201	YCIN	NON AOP	2021-2	LT	AU35	YBBN	195	195 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
202	YFRT	NON AOP	2021-2	LT	AU35	YBBN	252	252 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
203	YFRT	NON AOP	2021-2	LA	AU35	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
204	YGEL	AOP	2021-2	LA	AU33	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
205	YGEL	AOP	2021-2	LT	AU33	YBBN	266	266 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
206	YGLA	NON AOP	2021-2	LT	AU33	YBBN	230	230 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
207	YGLA	NON AOP	2021-2	LA	AU33	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
208	YHID	AOP	2021-2	LA	AU33	YBBN	1441	1441 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
209	YHID	AOP	2021-2	LT	AU33	YBBN	196	196 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
210	YLHI	AOP	2021-2	LA	AU32	YBBN	1494	1494 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
211	YLHI	AOP	2021-2	LT	AU32	YBBN	221	221 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
212	YMAV	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
213	YMAV	AOP	2021-2	LT	AU32	YBBN	244	244 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
214	YMHB	AOP	2021-2	LT	AU31	YBBN	437	437 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
215	YMHB	AOP	2021-2	LA	AU31	YBBN	1439	1439 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
216	YMLT	AOP	2021-2	LT	AU32	YBBN	209	209 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
217	YMLT	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
218	YMML	AOP	2021-2	LT	AU31	YBBN	476	476 (100.00%)	0 (0.00%)	1 (0.21%)	0 (0.00%)
219	YMML	AOP	2021-2	LA	AU31	YBBN	1487	1487 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
220	YPAD	AOP	2021-2	LA	AU31	YBBN	1503	1503 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
221	YPAD	AOP	2021-2	LT	AU31	YBBN	417	417 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
222	YPCC	AOP	2021-2	LT	AU32	YBBN	182	182 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
223	YPCC	AOP	2021-2	LA	AU32	YBBN	1442	1442 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
224	YPDN	AOP	2021-2	LA	AU31	YBBN	1519	1519 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
225	YPDN	AOP	2021-2	LT	AU31	YBBN	420	420 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
226	YPEA	NON AOP	2021-2	LT	AU36	YBBN	301	301 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
227	YPEA	NON AOP	2021-2	LA	AU36	YBBN	1476	1476 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
228	YPGV	NON AOP	2021-2	LA	AU35	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
229	YPGV	NON AOP	2021-2	LT	AU35	YBBN	168	168 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
230	YPJT	NON AOP	2021-2	LT	AU33	YBBN	264	264 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
231	YPJT	NON AOP	2021-2	LA	AU33	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
232	YPKG	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
233	YPKG	AOP	2021-2	LT	AU32	YBBN	204	204 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
234	YPKU	NON AOP	2021-2	LA	AU35	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
235	YPKU	NON AOP	2021-2	LT	AU35	YBBN	193	193 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
236	YPLM	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
237	YPLM	AOP	2021-2	LT	AU32	YBBN	193	193 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
238	YPPD	AOP	2021-2	LT	AU32	YBBN	179	179 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
239	YPPD	AOP	2021-2	LA	AU32	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
240	YPPH	AOP	2021-2	LA	AU31	YBBN	1588	1588 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
241	YPPH	AOP	2021-2	LT	AU31	YBBN	423	423 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
242	YPTN	AOP	2021-2	LT	AU36	YBBN	274	274 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
243	YPTN	AOP	2021-2	LA	AU36	YBBN	1476	1476 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
244	YPWR	NON AOP	2021-2	LA	AU33	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
245	YPWR	NON AOP	2021-2	LT	AU33	YBBN	270	270 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
246	YPXM	AOP	2021-2	LT	AU32	YBBN	254	254 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
247	YPXM	AOP	2021-2	LA	AU32	YBBN	1449	1449 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
248	YSCB	AOP	2021-2	LA	AU31	YBBN	1439	1439 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
249	YSCB	AOP	2021-2	LT	AU31	YBBN	486	486 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
250	YSDU	NON AOP	2021-2	LT	AU33	YBBN	256	256 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
251	YSDU	NON AOP	2021-2	LA	AU33	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	Version	TYPE	Bulletin	ROBEX Centre	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
252	YSNF	AOP	2021-2	LA	AU32	YBBN	1470	1470 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
253	YSNF	AOP	2021-2	LT	AU32	YBBN	210	210 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
254	YSRI	NON AOP	2021-2	LA	AU33	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
255	YSRI	NON AOP	2021-2	LT	AU33	YBBN	291	291 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
256	YSSY	AOP	2021-2	LT	AU31	YBBN	466	466 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
257	YSSY	AOP	2021-2	LA	AU31	YBBN	1487	1487 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
258	YSTW	NON AOP	2021-2	LT	AU33	YBBN	253	253 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
259	YSTW	NON AOP	2021-2	LA	AU33	YBBN	1440	1440 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
260	YWLM	AOP	2021-2	LA	AU36	YBBN	1559	1559 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
261	YWLM	AOP	2021-2	LT	AU36	YBBN	342	342 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
262	ZBAA	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
263	ZBAA	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
264	ZBAD	NON AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
265	ZBAD	NON AOP	3.0	LA	CI31	ZBBB	1441	1373 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
266	ZBHH	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
267	ZBHH	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
268	ZBSJ	NON AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
269	ZBSJ	NON AOP	3.0	LT	CI32	ZBBB	147	3 (2.04%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
270	ZBTJ	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
271	ZBTJ	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
272	ZBYN	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
273	ZBYN	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
274	ZGGG	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
275	ZGGG	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
276	ZGHA	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
277	ZGHA	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
278	ZGKL	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
279	ZGKL	AOP	3.0	LT	CI32	ZBBB	121	1 (0.83%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
280	ZGNN	AOP	3.0	LT	CI32	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
281	ZGNN	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
282	ZGOW	NON AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
283	ZGOW	NON AOP	3.0	LT	CI32	ZBBB	125	5 (4.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
284	ZGSZ	AOP	3.0	LT	CI32	ZBBB	125	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
285	ZGSZ	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
286	ZHCC	NON AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
287	ZHCC	NON AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
288	ZHEC	-	3.0	LT	-	-	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
289	ZHEC	-	3.0	LA	-	-	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
290	ZHHH	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
291	ZHHH	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
292	ZJHK	NON AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
293	ZJHK	NON AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
294	ZJSY	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
295	ZJSY	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
296	ZLLL	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
297	ZLLL	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
298	ZLXY	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
299	ZLXY	AOP	3.0	LT	CI32	ZBBB	122	1 (0.82%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
300	ZMCK	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
301	ZMCK	AOP	3.0	LA	CI31	ZBBB	1453	1385 (95.32%)	0 (0.00%)	697 (47.97%)	0 (0.00%)
302	ZMUB	AOP	3.0	LA	CI32	ZBBB	722	703 (97.37%)	0 (0.00%)	411 (56.93%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	Version	TYPE	Bulletin	ROBEX Centre	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
303	ZMUB	AOP	3.0	LT	CI32	ZBBB	310	187 (60.32%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
304	ZPPP	AOP	3.0	LT	CI32	ZBBB	135	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
305	ZPPP	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
306	ZSAM	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
307	ZSAM	AOP	3.0	LT	CI32	ZBBB	123	3 (2.44%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
308	ZSFZ	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
309	ZSFZ	AOP	3.0	LT	CI32	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
310	ZSHC	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
311	ZSHC	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
312	ZSNB	NON AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
313	ZSNB	NON AOP	3.0	LT	CI32	ZBBB	124	4 (3.23%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
314	ZSNJ	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
315	ZSNJ	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
316	ZSOF	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
317	ZSOF	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
318	ZSPD	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
319	ZSPD	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
320	ZSQD	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
321	ZSQD	AOP	3.0	LT	CI32	ZBBB	127	4 (3.15%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
322	ZSSS	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
323	ZSSS	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
324	ZUCK	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
325	ZUCK	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
326	ZUGY	NON AOP	3.0	LA	-	-	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
327	ZUGY	NON AOP	3.0	LT	-	-	121	1 (0.83%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
328	ZUTF	NON AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
329	ZUTF	NON AOP	3.0	LT	CI32	ZBBB	126	6 (4.76%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
330	ZUUU	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
331	ZUUU	AOP	3.0	LT	CI32	ZBBB	125	5 (4.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
332	ZWSH	AOP	3.0	LA	CI32	ZBBB	720	701 (97.36%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
333	ZWSH	AOP	3.0	LT	CI32	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
334	ZWWW	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
335	ZWWW	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
336	ZYCC	NON AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
337	ZYCC	NON AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
338	ZYHB	AOP	3.0	LT	CI41	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
339	ZYHB	AOP	3.0	LA	CI41	ZBBB	720	668 (92.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
340	ZYTL	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
341	ZYTL	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
342	ZYTX	AOP	3.0	LT	CI31	ZBBB	120	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
343	ZYTX	AOP	3.0	LA	CI31	ZBBB	1440	1372 (95.28%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

Table B: SPECI DURING 1-30 NOVEMBER 2024

No.	Aerodrome	AOP	TYPE	Bulletin	ROC	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
1	NFFN	AOP	LP	PS31	NFFN	3.0	26	26 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
2	NSTU	AOP	LP	-	-	3.0	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
3	RCFN	NON AOP	LP	HK31	VHHH	2023-1	42	42 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
4	RCKH	AOP	LP	HK31	VHHH	2023-1	81	81 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
5	RCMQ	NON AOP	LP	HK31	VHHH	2023-1	141	141 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	TYPE	Bulletin	ROC	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
6	RCNN	NON AOP	LP	HK31	VHHH	2023-1	70	70 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
7	RCSS	AOP	LP	HK31	VHHH	2023-1	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
8	RCTP	AOP	LP	HK31	VHHH	2023-1	316	316 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
9	RPLB	AOP	LP	HK31	VHHH	2023-1	2	2 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
10	RPLI	AOP	LP	HK31	VHHH	2023-1	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
11	RPLL	AOP	LP	HK31	VHHH	2023-1	11	11 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
12	RPMD	AOP	LP	HK31	VHHH	2023-1	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
13	RPMZ	AOP	LP	HK31	VHHH	2023-1	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
14	RPVM	AOP	LP	HK31	VHHH	2023-1	15	15 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
15	RPVP	AOP	LP	HK31	VHHH	2023-1	3	3 (100.00%)	0 (0.00%)	1 (33.33%)	0 (0.00%)
16	VHHH	AOP	LP	HK31	VHHH	2023-1	102	102 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
17	VMMC	AOP	LP	HK31	VHHH	2023-1	9	9 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
18	VTBD	AOP	LP	AE31	VTBB	2021-2	11	11 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
19	VTBO	NON AOP	LP	TH31	VTBB	2021-2	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
20	VTBS	AOP	LP	AE31	VTBB	2021-2	11	11 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
21	VTBU	AOP	LP	AE31	VTBB	2021-2	4	4 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
22	VTCC	AOP	LP	AE31	VTBB	2021-2	10	10 (100.00%)	0 (0.00%)	1 (10.00%)	0 (0.00%)
23	VTCH	NON AOP	LP	TH31	VTBB	2021-2	28	28 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
24	VTCL	NON AOP	LP	TH31	VTBB	2021-2	34	34 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
25	VTGN	NON AOP	LP	TH31	VTBB	2021-2	22	22 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
26	VTCP	NON AOP	LP	TH31	VTBB	2021-2	23	23 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
27	VTCT	AOP	LP	TH31	VTBB	2021-2	10	10 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
28	VTPB	NON AOP	LP	TH31	VTBB	2021-2	2	2 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
29	VTPH	NON AOP	LP	TH31	VTBB	2021-2	3	3 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
30	VTPM	NON AOP	LP	TH31	VTBB	2021-2	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
31	VTPP	AOP	LP	TH31	VTBB	2021-2	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
32	VTSE	AOP	LP	TH32	VTBB	2021-2	33	33 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
33	VTSC	NON AOP	LP	TH32	VTBB	2021-2	41	41 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
34	VTSE	NON AOP	LP	TH32	VTBB	2021-2	33	33 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
35	VTSE	NON AOP	LP	TH32	VTBB	2021-2	103	103 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
36	VTSG	AOP	LP	TH32	VTBB	2021-2	39	39 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
37	VTSM	AOP	LP	TH32	VTBB	2021-2	99	99 (100.00%)	0 (0.00%)	6 (6.06%)	0 (0.00%)
38	VTSP	AOP	LP	AE31	VTBB	2021-2	20	20 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
39	VTSR	NON AOP	LP	TH32	VTBB	2021-2	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
40	VTSS	AOP	LP	AE31	VTBB	2021-2	80	80 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
41	VTST	NON AOP	LP	TH32	VTBB	2021-2	37	37 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
42	VTST	NON AOP	LP	TH32	VTBB	2021-2	12	12 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
43	VTUQ	NON AOP	LP	TH33	VTBB	2021-2	3	3 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
44	VTUV	NON AOP	LP	TH33	VTBB	2021-2	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
45	VVCI	AOP	LP	AE34	VTBB	2021-2	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
46	VVCR	AOP	LP	AE34	VTBB	2021-2	5	5 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
47	VVDN	AOP	LP	AE34	VTBB	2021-2	2	2 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
48	VVPQ	AOP	LP	AE34	VTBB	2021-2	2	2 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
49	WSSS	AOP	LP	MS31	WMKK	3.0	46	46 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
50	YAMB	NON AOP	LP	AU36	YBBN	2021-2	430	430 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
51	YBAS	AOP	LP	AU32	YBBN	2021-2	90	90 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
52	YBBN	AOP	LP	AU31	YBBN	2021-2	327	326 (99.69%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
53	YBCG	AOP	LP	AU31	YBBN	2021-2	421	421 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	TYPE	Bulletin	ROC	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
54	YBCS	AOP	LP	AU31	YBBN	2021-2	100	100 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
55	YBHM	NON AOP	LP	AU34	YBBN	2021-2	263	263 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
56	YBLN	AOP	LP	AU32	YBBN	2021-2	121	121 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
57	YBMA	NON AOP	LP	AU34	YBBN	2021-2	197	197 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
58	YBRK	AOP	LP	AU32	YBBN	2021-2	85	85 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
59	YBRM	AOP	LP	AU32	YBBN	2021-2	85	85 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
60	YBSU	AOP	LP	AU32	YBBN	2021-2	559	559 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
61	YBTL	AOP	LP	AU36	YBBN	2021-2	119	119 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
62	YBWW	AOP	LP	AU32	YBBN	2021-2	517	517 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
63	YCFS	AOP	LP	AU32	YBBN	2021-2	444	443 (99.77%)	0 (0.00%)	2 (0.45%)	0 (0.00%)
64	YCIN	NON AOP	LP	AU35	YBBN	2021-2	169	169 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
65	YFRT	NON AOP	LP	AU35	YBBN	2021-2	219	219 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
66	YGEL	AOP	LP	AU33	YBBN	2021-2	217	217 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
67	YGLA	NON AOP	LP	AU33	YBBN	2021-2	131	131 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
68	YHID	AOP	LP	AU33	YBBN	2021-2	49	49 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
69	YLHI	AOP	LP	AU32	YBBN	2021-2	358	358 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
70	YMAV	AOP	LP	AU32	YBBN	2021-2	284	284 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
71	YMHB	AOP	LP	AU31	YBBN	2021-2	336	336 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
72	YMLT	AOP	LP	AU32	YBBN	2021-2	235	235 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
73	YMML	AOP	LP	AU31	YBBN	2021-2	373	373 (100.00%)	0 (0.00%)	3 (0.80%)	0 (0.00%)
74	YPAD	AOP	LP	AU31	YBBN	2021-2	96	96 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
75	YPCC	AOP	LP	AU32	YBBN	2021-2	690	690 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
76	YPDN	AOP	LP	AU31	YBBN	2021-2	140	140 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
77	YPEA	NON AOP	LP	AU36	YBBN	2021-2	157	157 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
78	YPGV	NON AOP	LP	AU35	YBBN	2021-2	64	64 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
79	YPJT	NON AOP	LP	AU33	YBBN	2021-2	95	95 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
80	YPKG	AOP	LP	AU32	YBBN	2021-2	154	154 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
81	YPKU	NON AOP	LP	AU35	YBBN	2021-2	200	200 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
82	YPLM	AOP	LP	AU32	YBBN	2021-2	35	35 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
83	YPPD	AOP	LP	AU32	YBBN	2021-2	22	22 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
84	YPPH	AOP	LP	AU31	YBBN	2021-2	93	93 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
85	YPTN	AOP	LP	AU36	YBBN	2021-2	178	178 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
86	YPWR	NON AOP	LP	AU33	YBBN	2021-2	187	187 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
87	YPXM	AOP	LP	AU32	YBBN	2021-2	1052	1052 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
88	YSCB	AOP	LP	AU31	YBBN	2021-2	505	505 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
89	YSDU	NON AOP	LP	AU33	YBBN	2021-2	203	203 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
90	YSNF	AOP	LP	AU32	YBBN	2021-2	442	442 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
91	YSRI	NON AOP	LP	AU33	YBBN	2021-2	272	272 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	Aerodrome	AOP	TYPE	Bulletin	ROC	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
92	YSSY	AOP	LP	AU31	YBBN	2021-2	231	231 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
93	YSTW	NON AOP	LP	AU33	YBBN	2021-2	122	122 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
94	YWLM	AOP	LP	AU36	YBBN	2021-2	235	235 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
95	ZBAA	AOP	LP	CI31	ZBBB	3.0	50	19 (38.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
96	ZBAD	NON AOP	LP	CI31	ZBBB	3.0	96	68 (70.83%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
97	ZBHH	AOP	LP	CI41	ZBBB	3.0	11	5 (45.45%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
98	ZBSJ	NON AOP	LP	CI32	ZBBB	3.0	41	4 (9.76%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
99	ZBTJ	AOP	LP	CI31	ZBBB	3.0	9	6 (66.67%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
100	ZBYN	AOP	LP	CI31	ZBBB	3.0	7	7 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
101	ZGGG	AOP	LP	CI31	ZBBB	3.0	12	12 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
102	ZGHA	AOP	LP	CI41	ZBBB	3.0	22	17 (77.27%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
103	ZGKL	AOP	LP	CI32	ZBBB	3.0	2	2 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
104	ZGNN	AOP	LP	CI32	ZBBB	3.0	4	4 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
105	ZGOW	NON AOP	LP	CI32	ZBBB	3.0	7	7 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
106	ZGSZ	AOP	LP	CI32	ZBBB	3.0	20	20 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
107	ZHCC	NON AOP	LP	CI41	ZBBB	3.0	18	13 (72.22%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
108	ZHEC	-	LP	-	-	3.0	9	2 (22.22%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
109	ZJHK	NON AOP	LP	CI41	ZBBB	3.0	27	22 (81.48%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
110	ZJSY	AOP	LP	CI41	ZBBB	3.0	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
111	ZLLL	AOP	LP	CI41	ZBBB	3.0	20	16 (80.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
112	ZLXY	AOP	LP	CI32	ZBBB	3.0	14	5 (35.71%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
113	ZPPP	AOP	LP	CI32	ZBBB	3.0	40	40 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
114	ZSAM	AOP	LP	CI32	ZBBB	3.0	6	6 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
115	ZSFZ	AOP	LP	CI32	ZBBB	3.0	10	10 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
116	ZSHC	AOP	LP	CI31	ZBBB	3.0	5	5 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
117	ZSNB	NON AOP	LP	CI32	ZBBB	3.0	28	28 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
118	ZSNJ	AOP	LP	CI41	ZBBB	3.0	25	12 (48.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
119	ZSOF	AOP	LP	CI41	ZBBB	3.0	14	8 (57.14%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
120	ZSPD	AOP	LP	CI31	ZBBB	3.0	32	29 (90.63%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
121	ZSQD	AOP	LP	CI32	ZBBB	3.0	18	8 (44.44%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
122	ZSSS	AOP	LP	CI31	ZBBB	3.0	35	32 (91.43%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
123	ZUCK	AOP	LP	CI41	ZBBB	3.0	13	13 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
124	ZUGY	NON AOP	LP	-	-	3.0	5	4 (80.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
125	ZUTF	NON AOP	LP	CI32	ZBBB	3.0	5	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
126	ZUUU	AOP	LP	CI32	ZBBB	3.0	2	2 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
127	ZWSH	AOP	LP	CI32	ZBBB	3.0	4	4 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
128	ZWWW	AOP	LP	CI31	ZBBB	3.0	85	70 (82.35%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
129	ZYCC	NON AOP	LP	CI41	ZBBB	3.0	10	10 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
130	ZYHB	AOP	LP	CI41	ZBBB	3.0	37	32 (86.49%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
131	ZYTL	AOP	LP	CI31	ZBBB	3.0	5	5 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
132	ZYTX	AOP	LP	CI31	ZBBB	3.0	9	7 (77.78%)	0 (0.00%)	0 (0.00%)	0 (0.00%)

Table C: SIGMET/AIRMET DURING 1-30 NOVEMBER 2024

No.	FIR/UIR	TYPE	Incoming Bulletin	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
1	AGGG	LV	SO20 AGGH	3.0	2	1 (50.00%)	2 (100.00%)	1 (50.00%)	0 (0.00%)
2	AGGG	LY	SO20 AGGH	3.0	3	3 (100.00%)	3 (100.00%)	3 (100.00%)	0 (0.00%)
3	AGGG	LS	SO20 AGGH	3.0	134	134 (100.00%)	2 (1.49%)	4 (2.99%)	0 (0.00%)
4	ANAU	LS	NW20 AYPY	3.0	3	3 (100.00%)	0 (0.00%)	3 (100.00%)	0 (0.00%)
5	AYOP	LS	NG20 AYPY	3.0	1	1 (100.00%)	0 (0.00%)	1 (100.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	FIR/UIR	TYPE	Incoming Bulletin	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
6	AYPM	LS	NG20 AYPY	3.0	59	59 (100.00%)	0 (0.00%)	59 (100.00%)	0 (0.00%)
7	AYPM	LV	NG20 AYPY	3.0	1	1 (100.00%)	0 (0.00%)	1 (100.00%)	0 (0.00%)
8	AYPY	LS	NG20 AYPY	3.0	1	1 (100.00%)	0 (0.00%)	1 (100.00%)	0 (0.00%)
9	NFFF	LS	FJ01 NFFN, FJ02 NFFN, FJ03 NFFN	3.0	174	174 (100.00%)	1 (0.57%)	2 (1.15%)	0 (0.00%)
10	NFFF	LY	FJ04 NFFN	3.0	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
11	NFFF	LV	FJ01 NFFN	3.0	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
12	NTTT	LV	PF20 NTAA	3.0	2	2 (100.00%)	2 (100.00%)	2 (100.00%)	0 (0.00%)
13	NTTT	LY	PF21 NTAA	3.0	4	4 (100.00%)	4 (100.00%)	4 (100.00%)	0 (0.00%)
14	NTTT	LS	PF21 NTAA, PF22 NTAA, PF23 NTAA	3.0	77	77 (100.00%)	1 (1.30%)	0 (0.00%)	0 (0.00%)
15	NZZC	LS	NZ21 NZKL	3.0	521	521 (100.00%)	2 (0.38%)	0 (0.00%)	0 (0.00%)
16	NZZC	LV	NZ21 NZKL	3.0	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
17	NZZO	LV	PS21 NZKL	3.0	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
18	NZZO	LY	PS21 NZKL	3.0	1	1 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
19	NZZO	LS	PS21 NZKL	3.0	557	557 (100.00%)	1 (0.18%)	0 (0.00%)	0 (0.00%)
20	RCAA	LS	CI31 RCTP	2021-2	1	1 (100.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
21	RCAA	LS	CI31 RCTP	3.0	48	48 (100.00%)	0 (0.00%)	4 (8.33%)	0 (0.00%)
22	RCAA	LY	CI31 RCTP	3.0	7	0 (0.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
23	RCAA	LV	CI31 RCTP	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
24	RCAA	LY	CI31 RCTP	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
25	RPHI	LV	PH31 RPLL	2023-1	62	62 (100.00%)	2 (3.23%)	60 (96.77%)	0 (0.00%)
26	RPHI	LY	PH31 RPLL	2023-1	60	60 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
27	RPHI	LS	PH31 RPLL	2023-1	124	124 (100.00%)	1 (0.81%)	0 (0.00%)	0 (0.00%)
28	VHHK	LS	SS20 VHHH	2023-1	30	30 (100.00%)	1 (3.33%)	0 (0.00%)	0 (0.00%)
29	VHHK	LY	SS20 VHHH	2023-1	52	35 (67.31%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
30	VHHK	LV	SS20 VHHH	2023-1	1	1 (100.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
31	VTBB	LV	TH31 VTBS	2021-2	4	4 (100.00%)	4 (100.00%)	2 (50.00%)	0 (0.00%)
32	VTBB	LY	TH31 VTBS	2021-2	2	2 (100.00%)	2 (100.00%)	2 (100.00%)	0 (0.00%)
33	VTBB	LS	TH31 VTBS	2021-2	184	184 (100.00%)	2 (1.09%)	0 (0.00%)	0 (0.00%)
34	WSJC	LS	SR20 WSSS	3.0	210	210 (100.00%)	1 (0.48%)	1 (0.48%)	0 (0.00%)
35	YBBB	LS	AU21 YBRF, AU21 YMMC, AU21 YMRF	2021-2	745	745 (100.00%)	3 (0.40%)	0 (0.00%)	0 (0.00%)
36	YBBB	LY	AU01 YMMC	2021-2	2	0 (0.00%)	2 (100.00%)	0 (0.00%)	0 (0.00%)
37	YBBB	LW	AU21 YBRF, AU21 YMRF	2021-2	407	406 (99.75%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
38	YBBB	LV	AU01 YMMC	2021-2	41	25 (60.98%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
39	YMMM	LV	AU01 YMMC	2021-2	10	4 (40.00%)	1 (10.00%)	0 (0.00%)	0 (0.00%)
40	YMMM	LW	AU21 YBRF, AU21 YMRF	2021-2	564	564 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
41	YMMM	LS	AU21 YBRF, AU21 YMMC, AU21 YMRF	2021-2	1490	1490 (100.00%)	3 (0.20%)	0 (0.00%)	0 (0.00%)
42	YMMM	LY	AU01 YMMC	2021-2	25	3 (12.00%)	3 (12.00%)	0 (0.00%)	0 (0.00%)
43	ZBPE	LS	CI33 ZBAA	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
44	ZBPE	LY	CI33 ZBAA	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
45	ZBPE	LV	CI33 ZBAA	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
46	ZGZU	LV	CI35 ZGGG	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
47	ZGZU	LY	CI35 ZGGG	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
48	ZGZU	LS	CI35 ZGGG	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
49	ZHWH	LS	CI45 ZHHH	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
50	ZHWH	LV	CI45 ZHHH	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
51	ZJSA	LV	CI35 ZJHK	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
52	ZJSA	LY	CI35 ZJHK	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
53	ZJSA	LS	CI35 ZJHK	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
54	ZLHW	LS	CI37 ZLXY	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)

MET/IE WG/23
Appendix D to WP/16

No.	FIR/UIR	TYPE	Incoming Bulletin	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
55	ZLHW	LV	CI37 ZLXY	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
56	ZPKM	LV	CI36 ZUUU	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
57	ZPKM	LY	CI36 ZUUU	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
58	ZPKM	LS	CI36 ZUUU	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
59	ZSHA	LS	CI34 ZSSS	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
60	ZSHA	LV	CI34 ZSSS	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
61	ZSHA	LY	CI34 ZSSS	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
62	ZWUQ	LV	CI39 ZWWW	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
63	ZWUQ	LS	CI39 ZWWW	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
64	ZYSH	LS	CI38 ZYTX	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)
65	ZYSH	LV	CI38 ZYTX	2021-2	1	0 (0.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)

Table D: ADVISORIES DURING 1-30 NOVEMBER 2024

No.	Advisory Centre	TYPE	Incoming Bulletin	Version	TOTAL	%Success	%Non-OPR	%Incomplete Translation	%Extension
1	DARWIN	LU	AU01 ADRM, AU02 ADRM, AU03 ADRM, AU04 ADRM, AU06 ADRM, AU07 ADRM	2021-2	621	619 (99.68%)	1 (0.16%)	0 (0.00%)	0 (0.00%)
2	DARWIN	LK	AU03 ADRM, AU05 ADRM	3.0	15	15 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
3	PECASUS	LN	XX01 EFKL, XX02 EFKL	3.0	104	104 (100.00%)	0 (0.00%)	0 (0.00%)	0 (0.00%)
4	WELLINGTON	LU	PS02 NZKL	2021-2	1	1 (100.00%)	1 (100.00%)	0 (0.00%)	0 (0.00%)