

Session 4

Operational Safety Risks




Overview

- What is ops safety risk?
- Why do we need to identify ops safety risks? HRCs?
- How do we identify ops safety risks?
- Facilitated Exercise I (Part 1)



What is an Ops Safety Risk?



3

- Ops safety risks arise during
 - conduct of an aviation activity
 - e.g. operation of aircraft, airports, or provision of ATS
- They involve identification of hazards & safety deficiencies
 - and related safety issues
- Involve analysis of
 - interactions between people & technology
 - ops context in which aviation activities are carried out



3

Why Identify Ops Safety Risks?

- Ops safety risks need to be
 - identified > what is safety issue?
 - addressed > eliminated or mitigated
- To prevent accidents & enhance safety
- Ops safety risks should be classified by occurrence categories
 - using taxonomy
 - CICTT



4



4

HRCs: Top Ops Safety Risks

- HRCs represent unsafe outcomes
- They are “end states”
 - need to be avoided
 - to prevent fatalities
- HRCs can be global, regional or national
 - G-HRCs, R-HRCs, N-HRCs

5





- HRCs are those that
 - resulted in high number of fatalities in past accidents
 - can result in high number of fatalities **if** they occur in future
 - comprise overall largest number of accidents (or serious incidents)

6

7

HRCs & Contributing Factors


- HRCs represent unsafe outcomes that are “end states”
- Efforts by States, regions & industry should focus on
 - addressing pre-cursors & contributing factors
 - to avoid accidents & serious incidents
- To assist, ICAO identified examples of contributing factors
 - leading to 5 G-HRCs



7

How To Identify Ops Safety Risks?

- Standardized Framework for Identification of HRCs
- Guide analysis of existing data sources
 - in transparent & repeatable manner
- Tool for
 - organizing information
 - direct data collection & analysis




8

Standardized Framework – HRCs

- For identification of HRCs
 - criteria may be used for inclusion & removal of occurrences
 - from G-, R-, N-HRC list

- Framework defines
 - Criteria – Aspects / areas to analyse
 - Specifics – Detailed elements to analyse
 - Methodology – Set of methods for analysis



Criteria	Specifics	Methodology
Number of fatalities	Fatalities by accident occurrence categories (as per the Commercial Aviation Safety Team/ICAO Common Taxonomy Team (CICTT))	1) Analyse the classification of occurrences 2) Identify categories that resulted in the highest number of fatalities
Fatality risk	Fatality risk by accident or serious incident occurrence categories (as per CICTT)	1) Analyse the classification of occurrences 2) Identify events linked to categories with the highest number of fatalities (in terms of severity) associated with the potential outcome
Number of accidents and serious incidents	Number of accidents or serious incidents by occurrence categories (as per CICTT)	1) Analyse the classification of occurrences 2) Identify categories that resulted in the highest number of accidents and serious incidents
Breakdown (based on min of 5-year data set)	Frequency of occurrences	<ul style="list-style-type: none"> • 5-year rolling average • Consider including use of rate-based data (e.g., sectors flown)
	Commonality of occurrence across the region	If an occurrence category appears in multiple States in the region, consider it potentially a regional or national one
	Use of information from accidents	<ul style="list-style-type: none"> • Focus on pre-cursors and contributing factors • Sources: ICAO and Industry • Develop and monitor associated safety performance indicators






Criteria to Identify HRCs



- Number of fatalities
- Fatality risk by accident or serious incident occurrence categories
- Number of accidents or serious incidents by occurrence categories
 - as per CICTT
- Breakdown by ICAO Region
 - based on a minimum of five-year data set
- Consideration of G- & R- HRCs
 - in setting N-HRCs

11



12

AIRPROX/TCAS ALERT/LOSS OF SEPARATION/NEAR MIDAIR COLLISIONS/MIDAIR COLLISIONS (MAC)

Air proximity issues, Traffic Collision Avoidance System (TCAS)/Airborne Collision Avoidance System (ACAS) alerts, loss of separation as well as near collisions or collisions between aircraft in flight.

Usage Notes:

Includes:

- All collisions between aircraft while both aircraft are airborne.
- Separation-related occurrences caused by either air traffic control or cockpit crew.
- AIRPROX reports
- Genuine TCAS/ACAS alerts.

Does NOT include:

- False TCAS/ACAS alerts caused by equipment malfunctions, which are coded as SCF-NP.
- Loss of separation with at least one aircraft on the ground, which may be coded as ATM, GCOL, NAV, and/or RI if the occurrence meets the criteria and usage notes for those categories.

Crossover to/from other occurrence categories:

- Code both MAC and NAV if the event was caused by a navigation error and the event meets the usage notes of both categories.
- Code both MAC and ATM if the event was caused by an ATC/ATM error and the event meets the usage notes of both categories.

12

Example: Fatality Risk


Occurrence per CICTT	Events linked to Occurrence
<ul style="list-style-type: none"> • Mid-air Collision (MAC) 	<ul style="list-style-type: none"> • Air proximity issues • TCAS/ACAS alerts • Loss of separation • Near collisions • Collisions between aircraft in flight



13



14



Global ORCs for 2026-2028



Points to Remember

- Ops safety risks need to be addressed to prevent accidents
- HRCs are top ops safety risks > outcomes to be avoided
- G-HRCs are defined in GASP > R-HRCs in RASP > N-HRCs in NASP
- Standardized Framework is tool to identify HRCs
- Action plan should target contributing factors





17

Facilitated Exercise I

Develop a List of Prioritized National Safety Issues (Pt. 1)

The ICAO logo is located in the bottom-left corner of the slide, consisting of a globe icon and the text 'ICAO'. In the top-right corner, the number 18 is displayed above a horizontal blue line.

18

Your Tasks

19

- Using Standardized Framework for N-HRCs + SME
 - conduct evaluation of StateX (based on Appendix A)
- Based on results of evaluation
 - compile list of identified hazards & safety deficiencies
- Discuss & select top hazards/deficiencies as national ops safety risks
 - classify them as either N-HRCs or N-ORCs
 - include reason for selecting each issue
 - as N-HRC or N-ORC
- Complete Appendix B
 - Time allocated: 2h00



19

N-HRCs	Justification

20



20

N-ORCs	Justification	21

