# **RASG-PA Safety Issue Alert**

GNSS (GPS) Interference Events – Advisory for Operations in Northern South America and Adjacent Caribbean FIRs



RASG-PA Safety Issue Alert 03 / 11 November 2025

**Subject**: GNSS (GPS) Interference Events – Advisory for Operations in Northern South America and Adjacent Caribbean FIRs

**Threat:** The alert addresses the increasing number of GNSS (GPS) interference events (jamming and/or spoofing) reported in recent weeks within this region, which may temporarily degrade navigation, surveillance, and communication systems, potentially affecting aircraft performance-based navigation (PBN) operations and situational awareness.

**Intended Audience:** This Safety Alert is intended for air operators, flight crews, dispatchers, ANSPs, and aerodrome operators involved in flight operations across the northern South American and adjacent Caribbean FIRs. It also provides guidance for Civil Aviation Authorities and regional safety bodies responsible for information sharing and risk management.

### **Background**

In recent weeks, airlines and air navigation service providers (ANSPs) have reported an increasing number of GNSS (Global Navigation Satellite System) interference events affecting aircraft operations across northern South America and the southern Caribbean region. The occurrences have been reported within the Maiquetía (Venezuela), Piarco (Trinidad and Tobago), San Juan Oceanic (Puerto Rico), Curaçao, Georgetown (Guyana), and Paramaribo (Suriname) FIRs.

These reports describe temporary or intermittent losses of GNSS signals, occasionally accompanied by navigation alerts (NAV UNABLE RNP, FMS POSITION LOST), ADS-B dropouts, or loss of datalink synchronization. The disruptions have been observed in both en-route and terminal phases of flight,

generally at cruising altitudes, and lasting from a few seconds to several minutes.

Reports from operators indicate that GNSS signal losses have, in some instances, been accompanied by the simultaneous loss of transponder data or ADS-B surveillance, resulting in temporary loss of ATC visibility. Multiple occurrences have been observed on consecutive days within affected sectors, with signals generally returning to normal after exiting those areas. While several FIRs have issued NOTAMs advising possible interference, similar disruptions have been reported in adjacent airspace where no NOTAM has been published. It is important to emphasize that the absence of a NOTAM does not imply that interference is not occurring.

This situation has prompted coordination among ICAO's South American (SAM) and North American, Central American and Caribbean (NACC) Regional Offices, together with CANSO's CADENA network, the Regional Aviation Safety Group of Pan America (RASG-PA), and several regional safety partners, to facilitate information sharing, support investigation, and promote consistent operational guidance for the region.

Although no safety incidents or accidents have been attributed to these events, the growing frequency and geographical spread of reports make this an emerging safety concern requiring continued monitoring and coordinated response.

# **Operational Implications**

GNSS interference, whether caused by intentional jamming, unintentional emissions, or other sources, can affect several key systems used in modern aviation. Reports from operators in this region have highlighted the following operational impacts:

- Loss of navigation accuracy: temporary or total loss of GNSS position data may cause the flight management system (FMS) to revert automatically to DME/DME or inertial navigation, sometimes triggering multiple alerts in the cockpit.
- <u>Performance-Based Navigation (PBN) degradation</u>: aircraft may lose RNP capability, forcing flight crews to discontinue RNP approaches or depart from planned routes requiring GNSS positioning.
- <u>Reduced situational awareness</u>: interference can interrupt ADS-B transmissions, limiting ATC's ability to track aircraft and increasing controller workload in busy sectors.
- <u>Impact on flight efficiency</u>: rerouting and altitude changes may be required to avoid affected areas, increasing fuel consumption and flight time.
- Crew workload and communication load: troubleshooting, reconfiguring navigation sources, and coordinating alternative clearances with ATC significantly increase cockpit workload.
- <u>Potential risk in critical phases</u>: during approach or departure, GNSS signal loss may cause deviations from lateral or vertical paths, emphasizing the need for alternate procedures.

## **Safety Considerations and Regional Context**

GNSS interference is not a new phenomenon; however, its geographical migration toward areas with dense air traffic in the South American and Caribbean region introduces new challenges. Historically, most GNSS anomalies were concentrated near the eastern Mediterranean, eastern Europe, or Middle East. In contrast, the current trend in the Caribbean and northern South America underscores the need for heightened regional vigilance.

Airlines operating between South America, the Caribbean, and North America have noted clusters of events when crossing or approaching the northern coast of the continent. Some carriers have implemented temporary operational advisories to their flight crews and are instructing dispatchers to verify NOTAM coverage before flight planning. Others have activated internal monitoring systems to collect positional data and correlate interference patterns.

To support regional coordination and information sharing regarding the ongoing GNSS interference events, the ICAO North American, Central American and Caribbean (NACC) and South American (SAM) Regional Offices have activated the Contingency Coordination Team (CCT). The CCT serves as a standing mechanism to facilitate communication among affected States, air navigation service providers, and industry partners; assist in the implementation of mitigation measures; support the harmonization of advisories; and ensure the availability of accurate, consolidated, and timely information for collaborative decision-making. The CCT remains available through the ICAO Regional Offices in Mexico City and Lima for any coordination or follow-up related to this matter.

The cooperation between operators and ANSPs is critical to maintain situational awareness and avoid the issuance of conflicting or delayed information.

#### **Recommended actions:**

## **To Air Carrier Operators and Flight Crews:**

- Pre-flight: Ensure that flight planning tools include the latest NOTAMs related to GNSS degradation within the region. Review availability of conventional navigation procedures (ILS, VOR/DME) for destination and alternates.
- In flight: When experiencing signal loss, monitor navigation cross-checks between GNSS, DME/DME, and inertial systems. If the aircraft reverts to degraded modes, inform ATC and coordinate vectors or alternative clearances.
- Post-flight: File detailed safety reports, including time, position, flight level, and system messages, to assist in regional data analysis.
- Training: Brief crews on recognizing GNSS interference symptoms and implementing company contingency procedures (as described in EASA SIB 2022-02R3 and FAA SAFO 24002).

#### To States and ANSPs:

- Establish internal mechanisms to promptly collect and analyze GNSS interference reports from aircraft and operators.
- Issue NOTAMs immediately when interference is confirmed or suspected, even if the source is uncertain or external to the State's boundaries.

- Early notification supports flight planning and crew awareness.
- Coordinate with neighboring FIRs/ACCs to ensure consistent information dissemination and to avoid gaps across borders. ICAO regional Offices are available to assist with the said coordination and data sharing.
- Report any interference incident to your National Spectrum Authorities and follow-up and coordinate established mitigation actions.

#### **Additional References and Resources**

- ICAO Annex 10, Volume I: provisions related to the protection and monitoring of radio navigation services.
- EASA SIB 2022-02R3: operational recommendations for aircraft operating in GNSSdegraded environments.

- FAA SAFO 24002: guidance on flight operations affected by GNSS interference.
- IATA GNSS Interference Safety Risk Assessment (2024): industry practices for risk mitigation.
- EUROCONTROL Guidance: recommendations for airspace management and contingency planning in regions affected by interference.

#### Conclusion

The recurrence of GNSS interference in northern South America and adjacent Caribbean airspace highlights the importance of collective regional action. The phenomenon is not limited by borders, and its effects can extend across several FIRs within a single flight. Timely information sharing, publication of NOTAMs, and proactive coordination among States and operators are essential to preserve the safety and predictability of international air transport in the region.

About RSIAs: A RASG-PA Safety Issue Alert (RSIA) contains important safety information RASG-PA deemed important to share with the Pan-America region and may provide recommendations. The purpose of the RSIAs is to timely inform air carriers, Air Navigation Service Providers (ANSPs), Airline and Pilot associations and Civil Aviation Authorities about a potential threat to safety in the region. RSIAs are designed to be concise while RASG-PA analyzes the safety issue further to develop comprehensive recommendations. RASG-PA members are advised to take note of the Alert to evaluate the occurrence of the identified safety issue in their operations with the purpose of mitigating it.