

APPENDIX A12

REPORT FORM ON AIR NAVIGATION DEFICIENCIES IN THE AIS FIELD IN THE SAM REGION

Identification		Deficiencies			Corrective action			
Requirements	States/facilities and services	Description	Notification Date	Remarks	Description	Executing Entity	Implementation Date	Priority
AIS/MAP	SURINAME							
Annex 15; Chapter 3.2	AIS/MAP	<i>Quality System (QS) requirement and Quality Assurance (QA) procedures in AIS.</i>	01/01/98		Need to implement QS and QA in AIS.	DAC AIS	ASAP	A
Annex 15; Chapter 3.6.4 Annex 4 Chapter 2.18. DOC. 8733	AIS	<i>WGS-84 System implementation requirement.</i>	01/01/98	SAM RO Registry	Need to implement the WGS-84 system. Coordination with States to publish common coordinates FIRs boundaries.	DAC AIS/MAP	ASAP	A
Annex 15; Chapter 3.6.6 Cap 8.3 DOC. 8733	AIS	<i>Requirement for use of automated systems in AIS services.</i>	15/07/01	SAM RO Registry	NOTAM (NASCs) Data Bank implementation and AIS Data Bank, in AIS.	DAC	ASAP	A
DOC. 8733	AIS	<i>Requirement for service provision in the international NOTAM Offices, during 24 hours.</i>	25/04/96	SAM RO Registry	Need to provide the NOFs with the necessary resources for the provision of service during 24 hours.	DAC	ASAP	A

Identification		Deficiencies			Corrective action			
Requirements	States/facilities and services	Description	Notification Date	Remarks	Description	Executing Entity	Implementation Date	Priority
AIS/MAP	SURINAME							
DOC. 8733	AIS	<i>Requirement for an effective NOTAM announcement and control</i>	25/04/96	SAM RO Registry	Need to: <i>Avoid that the NOTAM remain effective for more than 3 consecutive months; utilize the starting NOTAM; and keep a better control of foreign information.</i>	AIS	ASAP	A
Annex 15; Chapter 6 DOC. 8733, Para 47-49.	AIS	<i>Requirement for an effective application of the AIRAC system.</i>	01/11/94 25/04/96	SAM RO Registry GREPECAS and AIS/SG Reports.	Need for all requirements applicable to the AIRAC system are complied in an effective way.	DAC AIS	ASAP	A
Annex 15; Chapter 8 DOC. 8733	AIS	<i>Requirement for implementation of AIS dependencies at the international aerodromes.</i>	19/05/98	SAM RO Registry	This type of facility should be implemented at the Zandery, Zorg in Hoop and Nickerie airports, as required.	DAC	ASAP	A
Annex 15; Chapter 8 DOC. 8733	AIS	<i>Requirement for pre-flight service provision at the international airports.</i>	18/09/96	SAM RO Registry	Need for an efficient provision of pre-flight information, inclusive PIB bulletins, as required.	DAC AIS	ASAP	A
Annex 15; Chapter 8.3 DOC. 8733	AIS	<i>Requirement for post-flight information availability.</i>	18/09/96	SAM RO Registry	A larger level of coordination among ATS, AIS and crews is required.	DAC	ASAP	A

A12-3

Identification		Deficiencies			Corrective action			
Requirements	States/facilities and services	Description	Notification Date	Remarks	Description	Executing Entity	Implementation Date	Priority
AIS/MAP	SURINAME							
Annex 4 Chapter 5 DOC. 8733	AIS/MAP	<i>Requirement for elaboration of ICAO Obstacle Aerodrome Chart – Type C.</i>	06/01/94	SAM RO Registry	Need for elaboration of the ICAO Obstacle aerodrome Chart – Type C, as prescribed.	DAC AIS/MAP	ASAP	B
Annex 4 Chapter 7 DOC. 8733	AIS/MAP	<i>Requirement for elaboration of ICAO En-route navigation Charts.</i>	18/09/96	SAM RO Registry	Effective application of the ICAO requirements for the elaboration of the ICAO En-route charts. Elaboration of this chart under the WGS-84, is required.	DAC AIS/MAP		B
Annex 4 Chapter 11 DOC. 8733	AIS/MAP	<i>Requirement for elaboration of the ICAO Instruments Approach Charts.</i>	06/01/94	SAM RO Registry	Need to elaborate the Instruments Approach Charts, in accordance with the ICAO specifications, under the WGS-84.	DAC AIS/MAP	ASAP	A
Annex 4 Chapter 13 DOC. 8733	AIS/MAP	<i>Requirement for elaboration of the ICAO Aerodrome / Heliport Chart.</i>	06/01/94	SAM RO Registry	Its elaboration is required to be carried out under the WGS-84. Need to include the WGS-84 geoidal undulations to these charts.	DAC AIS/MAP	ASAP	A
Annex 4 Chapter 16 y 17	AIS/MAP	<i>Requirement for elaboration of the World Aeronautical Chart</i>	06/01/94	SAM RO Registry	It is required to elaborate the WAC chart / and/or 1:500,000 under the	DAC AIS/MAP	ASAP	B

Identification		Deficiencies			Corrective action				
Requirements	States/facilities and services	Description	Notification Date		Remarks	Description	Executing Entity	Implementation Date	Priority
AIS/MAP	SURINAME								
DOC. 8733		<i>and/or the 1:500,000 scale aeronautical chart.</i>				WGS-84 and through the ICAO specifications, as well as the pages index established for each State.			