



**Cuestión 4 del
Orden del Día:**

Evaluación de los requisitos operacionales para determinar la implantación de mejoras de las capacidades de comunicaciones, navegación y vigilancia (CNS) para operaciones en ruta y área terminal

INTERCONEXIÓN DE SISTEMAS AMHS EN LA REGIÓN SAM

(Presentada por Perú)

RESUMEN	
Esta nota informativa presenta informaciones referentes a las interconexiones AMHS entre el Perú y los Estados de la Región SAM, así como, los informes y reportes que se originan.	
Referencias:	
<ul style="list-style-type: none">- Guía de Orientación para la Interconexión Operativa de Sistemas AMHS en la Región SAM.- Declaración de Bogota (diciembre-2013).- Proyecto D2 - Aplicaciones Tierra-Tierra y Aire-Tierra de la ATN SAM.	
Objetivos estratégicos de la OACI:	A – Seguridad operacional; y B – Capacidad y eficiencia de la navegación aérea.

1. Introducción

1.1 El actual Sistema de Mensajería Aeronáutica AMHS-AFTN de Perú, fue adquirido al fabricante COMSOFT, se instaló y entró en servicio en diciembre del 2008.

1.2 El suministro del Sistema, incluyó, entre otros:

- 80 terminales de usuario (Lima y provincias).
- Sistema Banco de Datos OPMET-NOTAM.
- Sistema de Gestión de Red.
- Sistema de Desarrollo (Capacitación, contingencia, evaluación y desarrollo de procedimientos y nuevas aplicaciones, Etc.).
- Actualización del software.

1.3 Las características técnicas-operativas del Sistema AMHS, son:

- Cumple con estándares y protocolos AMHS, X.400 P1/P3/P7, ATN, AFTN, Directorio ATN X.500, Soporte de AMHS Básico y Extendido de acuerdo a documentos OACI 0950 y 9880.
- Topología en configuración estrella, con servidores AMHS/AFTN: AIDA-NG, CADAS-ATS, Fax Gateway y NTP.
- Recepción, transmisión, enrutamiento, almacenamiento y estadísticas mensajes AMHS-AFTN
- Envío y recepción de archivos adjuntos.
- Uso de plantillas de mensajes: NOTAM, SNOWTAM, ASHTAM, FPL, SPL, DEP, DLA, CNA ALR, METAR, SYNOP, TEND, TEMP, PILOT, CLIMAT, SPECY.
- Alto nivel de integración AMHS-AFTN.
- Conectividad con sistemas automatizados: FDP-RADAR, Sistemas AWOS, Sistemas ATIS, Facturación, Etc.

1.4. El año 2014 se realizó un Upgrade al Sistema AMHS, a la fecha cuenta con las siguientes capacidades y configuraciones en el Sistema:

- 345 Buzones con protocolo P3.
- 1 Servidor MET con protocolo byte
- 1 Sistema WAF's con protocolo TCP
- 3 Sistemas AWOS's con protocolo byte
- 22 ATIS con protocolo TCP
- 2 AIDC con protocolo X.400
- 345 buzones con protocolo X.400
- 10 usuarios AFTN con enlaces seriales asíncronos
- 26 conexiones con protocolo TCP/IP

1.5. En la actualidad están conectados y operando 120 terminales CADAS-AMHS.

1.6. Asimismo, se ha iniciado el proyecto de renovación del Sistema AMHS, y se estima que se instale y esté operativo para el segundo semestre 2020.

2. Análisis

2.1 A partir del año 2005 se inició en la Región SAM el Plan para migrar la Red de Telecomunicaciones Fijas Aeronáuticas (AFTN) al Sistema de Manejo de Mensajes ATS (AMHS).

2.2 La Interconexión entre Sistema AMHS se realizó según el Plan Regional de la OACI, teniendo en consideración los Memorandos de Entendimiento (MoU) entre Estados y utilizando la plataforma de la REDDIG II.

2.3 El MoU representa una guía para los Estados, el cual además de considerar aspectos existentes en los documentos sobre la interconexión de Sistemas AMHS, tales como las SARP's, Documentos del Proyecto RLA/06/901 y las recomendaciones del GREPECAS, establece procedimientos estandarizados que tienen aspectos operacionales, técnicos, administrativos y financieros.

2.4 La Reunión ATN/TF/5 (2009), acordó el Plan de Direccionamiento IP4 a nivel nacional e interregional, para que los Estados implanten el AMHS basados en IP, como aplicación tierra-tierra de la ATN en un dominio intrarregional.

2.5 Uso del documento “Guía de Orientación para la Interconexión de Sistemas AMHS, distribuido por la Regional de la OACI.

2.6 La Interconexión AMHS entre Estados es la plataforma utilizada para la implementación del AIDC, como aplicación tierra-tierra de la ATN.

2.7 En Dic-2010 el Perú logró con Colombia la Primera Interconexión AMHS en la Región SAM, posteriormente se interconecta con Ecuador en Julio de 2012, dando grandes avances en estas actividades.

2.8 Las Autoridades de Aviación Civil de Sudamérica, en su Décimo Tercera Reunión, en Bogotá, Colombia, del 4 al 6 de diciembre de 2013 (convocada por la Oficina Regional OACI) y con la participación de 13 Estados y 8 organizaciones internacionales e industria, Declaró su compromiso en alcanzar la siguiente meta regional para el 2016: ***“Interconexión AMHS 100% de interconexiones del Sistema de Tratamiento de Mensajes ATS (AMHS) a nivel Regional implementado”***.

3. Estatus del Intercambio de Mensajes AMHS

3.1 La interconexión AMHS a nivel intra e inter-regional de los sistemas AMHS utiliza circuitos que permiten la transmisión de una gran cantidad de información (Datos ATS) a una mayor velocidad.

3.2 Si bien es cierto que el sistema de mensajería AMHS permite el intercambio de mensajes más confiable, es importante se tenga en cuenta los diferentes informes que genera los sistemas AMHS.

3.3 Los informes que se generan en los sistemas AMHS deben ser analizados con el propósito de que se realicen las modificaciones que fueran necesarias con el fin que la conmutación de mensajes entre MTA’s se efectúe en forma exitosa y sean entregados al usuario final.

3.4 En el Apéndice A, se presenta un muestreo de los Informes de No Entrega (NDR) que ha generado el Sistema AMHS del Perú, existiendo la posibilidad que por asuntos técnico-operativos no hayan sido atendidos oportunamente por el MTA de contraparte.

3.5 Hasta la fecha el Estatus de las Interconexiones AMHS del Perú con los Estados de la Región SAM (en orden cronológico), es:

▪ Colombia (Bogotá)	Conexión AMHS-P1	Migrado en Nov-2010
▪ Ecuador (Guayaquil)	Conexión AMHS-P1	Migrado en Jul-2012
▪ Brasil (Brasilia)	Conexión AMHS-P1	Migrado en Dic-2015
▪ Argentina (Ezeiza)	Conexión AFTN/AMHS	Migrado en Dic-2016
▪ Chile (Santiago)	Conexión AMHS-P1	Migrado en Dic-2016
▪ Venezuela (Maiquetía)	Conexión AMHS-P1	Migrado en Nov-2017
▪ Bolivia (La Paz)	Conexión AFTN/AMHS	En fase de pruebas AMHS

Notas:

- Las pruebas con tráfico operacional AMHS con Argentina son parciales
- A Noviembre 2017 Peru logró 86% de las interconexiones que le corresponden según el Plan Regional, debido que Bolivia aun no ha terminado de configurar su MTA para el tráfico operacional
- Estados Unidos de Norteamérica ha solicitado pruebas de interconexión AMHS, a la fecha se encuentra en etapa de coordinación.

4. Acción sugerida

4.1 Se invita a la Reunión a:

- a) Tomar nota de la información indicada en la nota informativa; y
- b) analizar el apéndice de esta nota informativa y realizar las acciones que corresponda.



APÉNDICE

NOT DELIVERY REPORT
(NDR)

MUESTREO DEL 01 AL 10.05.2018

1. BRASIL

Oss11@OpsAida: SUPER_RAUL, 15.05.2018 16:54:28

Detail

=====

OUTGOING TRANSFER OBJECT

=====

Date : 01.05.2018 00:49:02
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 00:49:00,144
Transmission Time : 642 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B19553506F8
Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/
Arrival Time : 01.05.2018 00:49:00,325
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6585747-180501.004859
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 00:49:00
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 00:49:00

=====

OUTGOING TRANSFER OBJECT

=====

Date : 01.05.2018 12:10:00
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 12:10:00,264
Transmission Time : 648 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B22D88C55F0
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 01.05.2018 12:09:58,567
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.0122901-180501.120958
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)

Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 12:09:58
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 12:09:58

OUTGOING TRANSFER OBJECT

Date : 01.05.2018 12:10:05
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 12:10:04,970
 Transmission Time : 776 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805011210040321
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 01.05.2018 12:10:04,966
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.0137601-180501.120959
 Returned Content Size: 493

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 01.05.2018 12:10:04
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 12:10:04

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
<ipm>
<heading>
<this-IPM>
<user/>
<user-relative-identifier>1525176599100</user-relative-identifier>
</this-IPM>
<originator/>
<primary-recipients>
<PrimaryRecipientsSubfield>
<formal-name>
<C>XX</C>
<A>ICAO</A>
<P>ECUADOR</P>
<O>SEFG</O>
<OU>SEQM</OU>
<ExtensionAttribute extension-attribute-type="1">
<CN>SEQMZTZX</CN>
</ExtensionAttribute>
</formal-name>
<notification-requests>nrr</notification-requests>
</PrimaryRecipientsSubfield>
</primary-recipients>
<subject>MENSAGEM</subject>
</heading>
<body>
<BodyPart>
<ia5-text>
<parameters/>
```

```

<data>(FPL-GT136-IS
-B744/H-SDE1E2FGHIJ1M1RWXYZ/LB1D1
-SBEG1250
-N0474F400 LUSUK UA566 LET UA566 IQT UM776 QIT/N0382F180 DCT
-SEQM0243 SEGU
-PBN/B3C1D1L1O1 NAV/RNVD1E2A1 SUR/260B REG/N419MC EET/SKED0120
SPIM0121 SEFG0210 SEL/HJDS CODE/A4F6A5 OPR/GTI ORGN/SBEGYOYX
RMK/TCAS II EMERG CTC 9147018045 OVRFLT PERMITS ECUADOR
DGAFN0065118 LND PERMIT ECUADOR 092016 FROM KMIA)</data>
</ia5-text>
</BodyPart>
</body>
</ipm>
</Content>

```

OUTGOING TRANSFER OBJECT

```

=====
Date : 02.05.2018 08:35:31
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 08:35:30,514
Transmission Time : 780 ms

```

```

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B33F7491FE0
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 02.05.2018 08:35:28,700
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5901301-180502.083528
Actual recipient list

```

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : content-syntax-error (12)
 - Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 08:35:28
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 08:35:28

OUTGOING TRANSFER OBJECT

```

=====
Date : 02.05.2018 08:35:32
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 08:35:31,295
Transmission Time : 753 ms

```

```

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B33F75BA6A4
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 02.05.2018 08:35:29,915
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5922301-180502.083529
Actual recipient list

```

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : content-syntax-error (12)
 - Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 08:35:29
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 08:35:29

OUTGOING TRANSFER OBJECT

=====

Date : 02.05.2018 08:35:34
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 02.05.2018 08:35:33,649
 Transmission Time : 818 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805020835330327
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 02.05.2018 08:35:33,645
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5913201-180502.083528
 Returned Content Size: 370

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 02.05.2018 08:35:33
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 08:35:33

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
<ipm>
<heading>
<this-IPM>
<user/>
<user-relative-identifier>1525250128860</user-relative-identifier>
</this-IPM>
<originator/>
<primary-recipients>
<PrimaryRecipientsSubfield>
<formal-name>
<C>XX</C>
<A>ICAO</A>
<P>ECUADOR</P>
<O>SEFG</O>
<OU>SEQM</OU>
<ExtensionAttribute extension-attribute-type="1">
<CN>SEQMZTZX</CN>
</ExtensionAttribute>
</formal-name>
<notification-requests>nrm</notification-requests>
</PrimaryRecipientsSubfield>
</primary-recipients>
<subject>MENSAGEM</subject>
</heading>
<body>
<BodyPart>
<ia5-text>
<parameters/>
<data>(FPL-LTG9836-IS
```

-B763/H-SDE1E2FGHIM1RWXYZ/S

-SBEG1055

```

-N0447F400 LUSUK UA566 IQT UM776 QIT DCT
-SEQM0256 SKBO
-PBN/A1B2B3B4C1D1O1S2 NAV/RNVDB1D1O1 DOF/180502 REG/PRABB
EET/SPIM0125 SEFG0218 SEL/ABHR CODE/E47E96 OPR/TAMCARGO
ORGN/SBSPSIGX PER/D/</data>
  </ia5-text>
</BodyPart>
</body>
</ipm>
</Content>

```

OUTGOING TRANSFER OBJECT

```

Date : 02.05.2018 08:35:38
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 08:35:37,255
Transmission Time : 846 ms

```

Transfer Object Type : Report

```

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805020835360328
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 02.05.2018 08:35:37,251
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5965601-180502.083530
Returned Content Size: 370

```

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZ/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : content-syntax-error (12)
 - Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 02.05.2018 08:35:36
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 08:35:37

===== Returned content dump =====

```

<?xml version="1.0"?>
<Content>
<ipm>
  <heading>
    <this-IPM>
      <user/>
      <user-relative-identifier>1525250130227</user-relative-identifier>
    </this-IPM>
    <originator/>
    <primary-recipients>
      <PrimaryRecipientsSubfield>
        <formal-name>
          <C>XX</C>
          <A>ICAO</A>
          <P>ECUADOR</P>
          <O>SEFG</O>
          <OU>SEQM</OU>
          <ExtensionAttribute extension-attribute-type="1">
            <CN>SEQMZTZ</CN>
          </ExtensionAttribute>
        </formal-name>
        <notification-requests>nm</notification-requests>
      </PrimaryRecipientsSubfield>
    </primary-recipients>
    <subject>MENSAGEM</subject>

```

```

</heading>
<body>
  <BodyPart>
    <ia5-text>
      <parameters/>
      <data>(FPL-LTG9836-IS
-B763/H-SDE1E2FGHIM1RWXYZ/S
-SBEG1055
-N0447F400 LUSUK UA566 IQT UM776 QIT DCT
-SEQM0256 SKBO
-PBN/A1B2B3B4C1D1O1S2 NAV/RNVDB1D1O1 DOF/180502 REG/PRABB
EET/SPIM0125 SEFG0218 SEL/ABHR CODE/E47E96 OPR/TAMCARGO
ORGN/SBSPSIGX PER/D)</data>
    </ia5-text>
  </BodyPart>
</body>
</ipm>
</Content>

```

OUTGOING TRANSFER OBJECT

=====

Date : 02.05.2018 13:19:10
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 13:19:10,243
Transmission Time : 690 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B37EDBCF097
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 02.05.2018 13:19:08,388
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.6933901-180502.131907

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 13:19:08
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 13:19:08

OUTGOING TRANSFER OBJECT

=====

Date : 02.05.2018 13:19:11
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 13:19:10,934
Transmission Time : 881 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805021319090330
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 02.05.2018 13:19:10,359
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.6941801-180502.131907

Returned Content Size: 515

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/

Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 02.05.2018 13:19:09
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 13:19:10

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
<ipm>
<heading>
<this-IPM>
<user/>
<user-relative-identifier>1525267147948</user-relative-identifier>
</this-IPM>
<originator/>
<primary-recipients>
<PrimaryRecipientsSubfield>
<formal-name>
<C>XX</C>
<A>ICAO</A>
<P>ECUADOR</P>
<O>SEFG</O>
<OU>SEQM</OU>
<ExtensionAttribute extension-attribute-type="1">
<CN>SEQMZTZ</CN>
</ExtensionAttribute>
</formal-name>
<notification-requests>nrm</notification-requests>
</PrimaryRecipientsSubfield>
</primary-recipients>
<subject>MENSAGEM</subject>
</heading>
<body>
<BodyPart>
<ia5-text>
<parameters/>
<data>(FPL-CLX769-IS
-B748/H-SDE2E3FHIJ1J4J5M1RWXYZG/LB1D1G1
-SBCT1515
-N0482F380 DCT ARPOK UZ63 GRD UZ42 CANOP/N0481F400 UZ42 CUB UA304
VIR UN420 VERDE/N0488F380 UN420 IQT UM776 QIT DCT
-SEQM0507 SKBO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/1FANS DOF/180502 REG/LXVCC
EET/SLLF0122 SBAZ0306 SPIM0400 SEFG0433 SEL/CKLQ CODE/4D0102
OPR/CARGOLUX RVR/075 ORGN/SBCTYOYX RMK/TCAS ADSB RMK/ELLXCLXO)</data>
</ia5-text>
</BodyPart>
</body>
</ipm>
</Content>
```

OUTGOING TRANSFER OBJECT

=====

Date : 02.05.2018 13:28:32
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 13:28:31,563
Transmission Time : 826 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\02051867986228
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 02.05.2018 13:28:29,619
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0205003994001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)
2. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 02.05.2018 13:28:29
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 13:28:29

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 09:35:29
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 09:35:28,484
 Transmission Time : 688 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B5D096D329A
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 04.05.2018 09:35:26,714
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.6406201-180504.093526

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 09:35:26
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 09:35:26

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 09:35:33
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 09:35:32,417
 Transmission Time : 867 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805040935310350
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 04.05.2018 09:35:32,413
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.6438601-180504.093527

Returned Content Size: 396

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 04.05.2018 09:35:31
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 09:35:32

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
  <ipm>
    <heading>
      <this-IPM>
        <user/>
        <user-relative-identifier>1525426527909</user-relative-identifier>
      </this-IPM>
      <originator/>
      <primary-recipients>
        <PrimaryRecipientsSubfield>
          <formal-name>
            <C>XX</C>
            <A>ICAO</A>
            <P>ECUADOR</P>
            <O>SEFG</O>
            <OU>SEQM</OU>
            <ExtensionAttribute extension-attribute-type="1">
              <CN>SEQMZTZX</CN>
            </ExtensionAttribute>
          </formal-name>
          <notification-requests>nrm</notification-requests>
        </PrimaryRecipientsSubfield>
      </primary-recipients>
      <subject>MENSAGEM</subject>
    </heading>
    <body>
      <BodyPart>
        <ia5-text>
          <parameters/>
          <data>(FPL-LTG8486-IS
-B763/H-SDE1E2FGHIM1RWXYZ/S
-SBEG1155
-N0450F400 DCT LUSUK UA566 IQT UM776 QIT DCT
-SEQM0306 SKBO
-PBN/A1B2B3B4C1D1O1S1 NAV/RNVDB1D1O1 DOF/180504 REG/PRACO
EET/SPIM0130 SEFG0227 SEL/CDGH CODE/E490C8 OPR/TAMCARGO
ORGN/SBSPSIGX PER/D TALT/SBBV RMK/TCAS)</data>
          </ia5-text>
        </BodyPart>
      </body>
    </ipm>
  </Content>
```

OUTGOING TRANSFER OBJECT

=====

Date : 04.05.2018 10:55:30
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 10:55:30,208
 Transmission Time : 720 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B5E279E14BD
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 04.05.2018 10:55:28,201
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.1186001-180504.105527

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 10:55:28
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 10:55:28

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 10:55:31
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 10:55:31,157
 Transmission Time : 822 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805041055300351
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 04.05.2018 10:55:31,152
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.1072801-180504.105525

Returned Content Size: 513

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 04.05.2018 10:55:30
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 10:55:31

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
<ipm>
<heading>
<this-IPM>
<user/>
<user-relative-identifier>1525431325824</user-relative-identifier>
</this-IPM>
<originator/>
<primary-recipients>
<PrimaryRecipientsSubfield>
<formal-name>
<C>XX</C>
<A>ICAO</A>
<P>ECUADOR</P>
<O>SEFG</O>
<OU>SEQM</OU>
<ExtensionAttribute extension-attribute-type="1">
<CN>SEQMZTZX</CN>
```

```

    </ExtensionAttribute>
    </formal-name>
    <notification-requests>nrm</notification-requests>
  </PrimaryRecipientsSubfield>
</primary-recipients>
<subject>MENSAGEM</subject>
</heading>
<body>
  <BodyPart>
    <ia5-text>
      <parameters/>
      <data>(FPL-GTI38-IS
-B744/H-SDE1E2FGHIJ1M1RWXYZ/LB1D1
-SBEG1200
-N0478F400 LUSUK UA566 LET UA566 IQT UM776 QIT/N0385F180 DCT
-SEQM0254 SEGU
-PBN/B3C1D1L1O1 NAV/RNVD1E2A1 SUR/260B DOF/180504 REG/N419MC
EET/SKED0123 SPIM0127 SEFG0220 SEL/HJDS CODE/A4F6A5 OPR/GTI
ORGN/SBEGYOYX RMK/EMERG CTC 9147018045 TCASII EQUIPPED OVRFLT
PERMITS ECUADOR DGAFNF0043218 LND PERMIT ECUADOR 092016 FROM KMIA)</data>
    </ia5-text>
  </BodyPart>
</body>
</ipm>
</Content>

```

OUTGOING TRANSFER OBJECT

=====

Date : 04.05.2018 11:34:15
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 11:34:14,335
Transmission Time : 712 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B5EB2282A55
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 04.05.2018 11:34:12,506
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.7314001-180504.113411

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 11:34:12
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 11:34:12

OUTGOING TRANSFER OBJECT

=====

Date : 04.05.2018 11:34:17
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 11:34:17,017
Transmission Time : 893 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805041134160352

Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 04.05.2018 11:34:17,014
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.7377901-180504.113413
 Returned Content Size: 547
 Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 04.05.2018 11:34:16
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 11:34:17

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
<ipm>
<heading>
<this-IPM>
<user/>
<user-relative-identifier>1525433653604</user-relative-identifier>
</this-IPM>
<originator/>
<primary-recipients>
<PrimaryRecipientsSubfield>
<formal-name>
<C>XX</C>
<A>ICAO</A>
<P>ECUADOR</P>
<O>SEFG</O>
<OU>SEQM</OU>
<ExtensionAttribute extension-attribute-type="1">
<CN>SEQMZTZX</CN>
</ExtensionAttribute>
</formal-name>
<notification-requests>nrm</notification-requests>
</PrimaryRecipientsSubfield>
</primary-recipients>
<subject>MENSAGEM</subject>
</heading>
<body>
<BodyPart>
<ia5-text>
<parameters/>
<data>(FPL-CLX767-IS
-B748/H-SDE2E3FHIJ1J4J5M1RWXYZG/LB1D1G1
-SBCT1345
-N0484F380 DCT ARPOK UZ63 GRD/N0483F390 UZ63 CIA/N0480F400 UM775
UGAXO/N0487F380 UM775 RCO UN420 LIMPO/N0483F400 UN420 IQT UM776 QIT
DCT
-SEQM0524 SKBO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/1FANS DOF/180504 REG/LXVCK
EET/SBAZ0123 SLLF0259 SBAZ0314 SPIM0412 SEFG0448 SEL/KLHJ
CODE/4D0114 OPR/CARGOLUX RVR/075 ORGN/SBCTYOYX RMK/TCAS ADSB
RMK/ELLXCLXO)</data>
</ia5-text>
</BodyPart>
</body>
</ipm>
</Content>
```

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 12:46:08
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 12:46:07,479
Transmission Time : 716 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B73D1144F8C
Destination : /C=XX/A=ICAO/P=GUYANA/O=SYGC/OU1=SYGC/CN=SYGCNWWX/
Arrival Time : 05.05.2018 12:46:05,612
Subject Id : /C=XX/A=ICAO/P=GUYANA/LocalID=server2.1963201-180505.124602

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMMAMX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 12:46:05
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 12:46:05

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 15:00:22
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 15:00:21,307
Transmission Time : 1006 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B75B13C633C
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 05.05.2018 15:00:21,302
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.2584401-180505.150019

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 15:00:21
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 15:00:21

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 15:00:24
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 15:00:23,813
Transmission Time : 1029 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805051500230356
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/

Arrival Time : 05.05.2018 15:00:23,809
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.2571101-180505.150018
 Returned Content Size: 386
 Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 05.05.2018 15:00:23
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 15:00:23

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
  <ipm>
    <heading>
      <this-IPM>
        <user/>
        <user-relative-identifier>1525532418859</user-relative-identifier>
      </this-IPM>
      <originator/>
      <primary-recipients>
        <PrimaryRecipientsSubfield>
          <formal-name>
            <C>XX</C>
            <A>ICAO</A>
            <P>ECUADOR</P>
            <O>SEFG</O>
            <OU>SEQM</OU>
            <ExtensionAttribute extension-attribute-type="1">
              <CN>SEQMZTZX</CN>
            </ExtensionAttribute>
          </formal-name>
          <notification-requests>nm</notification-requests>
        </PrimaryRecipientsSubfield>
      </primary-recipients>
      <subject>MENSAGEM</subject>
    </heading>
    <body>
      <BodyPart>
        <ia5-text>
          <parameters>
            <data>(FPL-LTG8488-IS
-B763/H-SDE1E2FGHIM1RWXYZ/S
-SBEG1850
-N0448F400 DCT LUSUK UA566 IQT UM776 QIT DCT
-SEQM0258 SKBO
-PBN/A1B2B3B4C1D1O1S1 NAV/RNVDB1D1O1 DOF/180505 REG/PRACO
EET/SPIM0126 SEFG0220 SEL/CDGH CODE/E490C8 OPR/TAMCARGO
ORGN/SBSPSIGX PER/D RMK/TCAS)</data>
          </ia5-text>
        </BodyPart>
      </body>
    </ipm>
  </Content>
```

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 15:45:25
 Destination LA : LA_P1_BRASILIA

Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 15:45:24,513
Transmission Time : 759 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B76523FCEC6
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 05.05.2018 15:45:22,658
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.0738201-180505.154522

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 15:45:22
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 15:45:22

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 09:31:41
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 09:31:40,264
Transmission Time : 766 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B85377E0BAC
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 06.05.2018 09:31:38,262
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5339501-180506.093137

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 09:31:38
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 09:31:38

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 09:31:47
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 09:31:46,187
Transmission Time : 825 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805060931450357
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 06.05.2018 09:31:46,182
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5357201-180506.093138
Returned Content Size: 414

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 09:31:45
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 09:31:46

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
  <ipm>
    <heading>
      <this-IPM>
        <user/>
        <user-relative-identifier>1525599098431</user-relative-identifier>
      </this-IPM>
      <originator/>
      <primary-recipients>
        <PrimaryRecipientsSubfield>
          <formal-name>
            <C>XX</C>
            <A>ICAO</A>
            <P>ECUADOR</P>
            <O>SEFG</O>
            <OU>SEQM</OU>
            <ExtensionAttribute extension-attribute-type="1">
              <CN>SEQMZTX</CN>
            </ExtensionAttribute>
          </formal-name>
          <notification-requests>nr</notification-requests>
        </PrimaryRecipientsSubfield>
      </primary-recipients>
      <subject>MENSAGEM</subject>
    </heading>
    <body>
      <BodyPart>
        <ia5-text>
          <parameters/>
          <data>(FPL-CLX761-IS
-B748/H-SDE2E3FGHIJ1J4J5M1RWXYZ/LB1D1G1
-SBEG1050
-N0483F400 DCT MNS UA566 LET UA566 IQT UM776 QIT DCT
-SEQM0243 SKBO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/1FANS DOF/180506 REG/LXVCC
EET/SKED0120 SPIM0121 SEFG0208 SEL/CKLQ CODE/4D0102 OPR/CARGOLUX
RVR/075 ORGN/SBSPSIGX)</data>
          </ia5-text>
        </BodyPart>
      </body>
    </ipm>
  </Content>
```

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 09:32:01
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 09:32:00.608
 Transmission Time : 605 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8538D2F510
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 06.05.2018 09:32:00,604
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5635601-180506.093200

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 09:32:00
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 09:32:00

OUTGOING TRANSFER OBJECT

Date : 06.05.2018 09:32:03
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 09:32:02,519
Transmission Time : 734 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805060932010358
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 06.05.2018 09:32:02,515
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5645201-180506.093200

Returned Content Size: 414

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 09:32:01
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 09:32:02

===== Returned content dump =====

```

<?xml version="1.0"?>
<Content>
<ipm>
<heading>
<this-IPM>
<user/>
<user-relative-identifier>1525599120163</user-relative-identifier>
</this-IPM>
<originator/>
<primary-recipients>
<PrimaryRecipientsSubfield>
<formal-name>
<C>XX</C>
<A>ICAO</A>
<P>ECUADOR</P>
<O>SEFG</O>
<OU>SEQM</OU>
<ExtensionAttribute extension-attribute-type="1">
<CN>SEQMZTZX</CN>

```

```

    </ExtensionAttribute>
    </formal-name>
    <notification-requests>nrn</notification-requests>
    </PrimaryRecipientsSubfield>
    </primary-recipients>
    <subject>MENSAGEM</subject>
  </heading>
</body>
  <BodyPart>
    <ia5-text>
      <parameters/>
      <data>(FPL-CLX761-IS
-B748/H-SDE2E3FGHIJ1J4J5M1RWXYZ/LB1D1G1
-SBEG1050
-N0483F400 DCT MNS UA566 LET UA566 IQT UM776 QIT DCT
-SEQM0243 SKBO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/1FANS DOF/180506 REG/LXVCC
EET/SKED0120 SPIM0121 SEFG0208 SEL/CKLQ CODE/4D0102 OPR/CARGOLUX
RVR/075 ORGN/SBSPSIGX)</data>
    </ia5-text>
  </BodyPart>
</body>
</ipm>
</Content>

```

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 09:32:04
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 09:32:03,728
 Transmission Time : 688 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805060932030359
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 06.05.2018 09:32:03,725
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5647401-180506.093200
 Returned Content Size: 414

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 09:32:03
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 09:32:03

===== Returned content dump =====

```

<?xml version="1.0"?>
<Content>
  <ipm>
    <heading>
      <this-IPM>
        <user/>
        <user-relative-identifier>1525599120558</user-relative-identifier>
      </this-IPM>
    </originator/>
    <primary-recipients>
      <PrimaryRecipientsSubfield>

```

```

<formal-name>
  <C>XX</C>
  <A>ICAO</A>
  <P>ECUADOR</P>
  <O>SEFG</O>
  <OU>SEQM</OU>
  <ExtensionAttribute extension-attribute-type="1">
    <CN>SEQMZTZ</CN>
  </ExtensionAttribute>
</formal-name>
<notification-requests>nrm</notification-requests>
</PrimaryRecipientsSubfield>
</primary-recipients>
<subject>MENSAGEM</subject>
</heading>
<body>
  <BodyPart>
    <ia5-text>
      <parameters/>
      <data>(FPL-CLX761-IS
-B748/H-SDE2E3FGHIJ1J4J5M1RWXYZ/LB1D1G1
-SBEG1050
-N0483F400 DCT MNS UA566 LET UA566 IQT UM776 QIT DCT
-SEQM0243 SKBO
-PBN/A1B1C1D1L1O1S2 NAV/RNVD1E2A1 DAT/1FANS DOF/180506 REG/LXVCC
EET/SKED0120 SPIM0121 SEFG0208 SEL/CKLQ CODE/4D0102 OPR/CARGOLUX
RVR/075 ORGN/SBSPSIGX)</data>
    </ia5-text>
  </BodyPart>
</body>
</ipm>
</Content>

```

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 09:32:06
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 09:32:05,448
Transmission Time : 637 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B85391CCD7C
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 06.05.2018 09:32:05,443
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5703701-180506.093202

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 09:32:05
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 09:32:05

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 14:21:53
Destination LA : LA_P1_BRASILIA

Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 14:21:53,007
 Transmission Time : 659 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B89455ED4DB
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 06.05.2018 14:21:50,966
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.9098201-180506.142150

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 14:21:50
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 14:21:50

OUTGOING TRANSFER OBJECT

=====
 Date : 06.05.2018 14:21:58
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 14:21:57,238
 Transmission Time : 849 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805061421560360
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 06.05.2018 14:21:57,234
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.9101301-180506.142150

Returned Content Size: 508

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 14:21:56
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 14:21:57

=====
Returned content dump
=====

```
<?xml version="1.0"?>
<Content>
<ipm>
<heading>
<this-IPM>
<user/>
<user-relative-identifier>1525616510941</user-relative-identifier>
</this-IPM>
<originator/>
<primary-recipients>
<PrimaryRecipientsSubfield>
<formal-name>
<C>XX</C>
<A>ICAO</A>
<P>ECUADOR</P>
```

```

<O>SEFG</O>
<OU>SEQM</OU>
<ExtensionAttribute extension-attribute-type="1">
  <CN>SEQMZTZ</CN>
</ExtensionAttribute>
</formal-name>
<notification-requests>nm</notification-requests>
</PrimaryRecipientsSubfield>
</primary-recipients>
<subject>MENSAGEM</subject>
</heading>
<body>
  <BodyPart>
    <ia5-text>
      <parameters/>
      <data>(FPL-GTI40-IS
-B744/H-SDE1E2E3FGHIJ7M3RWXYZ/LB1D1
-SBEG1620
-N0474F400 LUSUK UA566 LET UA566 IQT UM776 QIT/N0385F180 DCT
-SEQM0242 SEGU
-PBN/A1B3C1D1L1O1 NAV/RNVD1E2A1 SUR/260B DOF/180506 REG/N409MC
EET/SKED0121 SPIM0122 SEFG0209 SEL/RSHK CODE/A4CF26 OPR/GTI
ORGN/SBSPSIGX RMK/EMERG CTC 19147018045 TCASII EQUIPPED OVRFLT
PERMITS ECUADOR DGAFNF0065118 LND PERMIT ECUADOR 092016)</data>
    </ia5-text>
  </BodyPart>
</body>
</ipm>
</Content>

```

OUTGOING TRANSFER OBJECT

```

=====
Date       : 06.05.2018 17:21:30
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 17:21:30,053
Transmission Time : 785 ms

```

```

Transfer Object Type : Report
MTS Id       : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8BC7DA95B7
Destination  : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 06.05.2018 17:21:30,049
Subject Id   : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.9156401-180506.172129

```

```

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
  Report Type : Non-Delivery Report
  Reason Code : unable-to-transfer (1)
  Diagnostic Code : content-syntax-error (12)
  Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

```

```

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 17:21:30
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 17:21:30

```

OUTGOING TRANSFER OBJECT

```

=====
Date       : 06.05.2018 21:07:19
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 21:07:18,336

```

Transmission Time : 1073 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8EEF473CB4

Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/

Arrival Time : 06.05.2018 21:07:16,383

Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6719786-180506.210715

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 21:07:16

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 21:07:16

OUTGOING TRANSFER OBJECT

Date : 06.05.2018 21:11:50

Destination LA : LA_P1_BRASILIA

Message Type : X400

Message State : Transmitted

Transmission Start : 06.05.2018 21:11:49,377

Transmission Time : 754 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8EFF7204F6

Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/

Arrival Time : 06.05.2018 21:11:47,622

Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6719860-180506.211146

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 21:11:47

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 21:11:47

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 03:27:42

Destination LA : LA_P1_BRASILIA

Message Type : X400

Message State : Transmitted

Transmission Start : 07.05.2018 03:27:41,628

Transmission Time : 726 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B943FA5F4EE

Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBBR/CN=SBBRYOYX/

Arrival Time : 07.05.2018 03:27:39,604

Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.9359508-180507.032739

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : content-syntax-error (12)

Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 03:27:39
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 03:27:39

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 19:40:46
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 19:40:45,094
 Transmission Time : 1087 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA1D794BE53
 Destination : /C=XX/A=ICAO/P=SG/O=SGAS/CN=SGASZTZZ/
 Arrival Time : 07.05.2018 19:40:43,188
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6745645-180507.194042

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=SB/O=SBEG/OU1=SBZ/CN=SBZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 2. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 3. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKCL/CN=SKCLZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 4. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 5. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKRG/CN=SKRGZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 6. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 19:40:43
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 19:40:43

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 19:40:48
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 19:40:46,634
 Transmission Time : 1483 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=COLOMBIA/LocalID=MTA-SKBO-1.3653701-180507.194044
 Destination : /C=XX/A=ICAO/P=SG/O=SGAS/CN=SGASZTZZ/
 Arrival Time : 07.05.2018 19:40:46,626
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6745645-180507.194042

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOPVLO/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
2. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
3. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
4. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
5. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
6. Recipient : /C=XX/A=ICAO/P=SB/O=SBEG/OU1=SBBAZ/CN=SBBAZZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
7. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKCL/CN=SKCLZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
8. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
9. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKRG/CN=SKRGZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
10. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=COLOMBIA/MTA-SKBO-1-MTCU at 07.05.2018 19:40:43
2. (MTA) : /C=XX/A=ICAO/P=COLOMBIA/MTA-SKBO-1 at 07.05.2018 19:40:43
3. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 19:40:46

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 19:40:49
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 19:40:48,118
Transmission Time : 967 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=COLOMBIA/LocalID=MTA-SKBO-1.3653702-180507.194044
Destination : /C=XX/A=ICAO/P=SG/O=SGAS/CN=SGASZTZZ/
Arrival Time : 07.05.2018 19:40:47,399
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6745645-180507.194042

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKCL/CN=SKCLZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : invalid-arguments (11)
Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
2. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKCL/CN=SKCLZTZB/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : invalid-arguments (11)
Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
3. Recipient : /C=XX/A=ICAO/P=SB/O=SBEG/OU1=SBABZ/CN=SBABZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : invalid-arguments (11)
Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
4. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : invalid-arguments (11)
Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
5. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : invalid-arguments (11)
Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
6. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKRG/CN=SKRGZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : invalid-arguments (11)
Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
7. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : invalid-arguments (11)
Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=COLOMBIA/MTA-SKBO-1-MTCU at 07.05.2018 19:40:43
2. (MTA) : /C=XX/A=ICAO/P=COLOMBIA/MTA-SKBO-1 at 07.05.2018 19:40:43
3. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 19:40:47

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 19:40:50
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 19:40:49,087

Transmission Time : 1571 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=COLOMBIA/LocalID=MTA-SKBO-1.3653703-180507.194044

Destination : /C=XX/A=ICAO/P=SG/O=SGAS/CN=SGASZTZZ/

Arrival Time : 07.05.2018 19:40:48,793

Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6745645-180507.194042

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOCEAX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
2. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOPVLO/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
3. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZFZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
4. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZQZH/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
5. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZQZI/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
6. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZQZJ/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
7. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZRZA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
8. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
9. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZG/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
10. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZO/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
11. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZXOZ/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : invalid-arguments (11)
 Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
12. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZC/

- Report Type : Non-Delivery Report
- Reason Code : unable-to-transfer (1)
- Diagnostic Code : invalid-arguments (11)
- Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 13. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZG/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 14. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZP/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 15. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZS/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 16. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZT/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 17. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZU/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 18. Recipient : /C=XX/A=ICAO/P=SB/O=SBEG/OU1=SBAZ/CN=SBZZQZX/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 19. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKBO/CN=SKBOZTZX/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 20. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKCL/CN=SKCLZTZX/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 21. Recipient : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKRG/CN=SKRGZTZX/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address
- 22. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 - Report Type : Non-Delivery Report
 - Reason Code : unable-to-transfer (1)
 - Diagnostic Code : invalid-arguments (11)
 - Suppl. Info : unable to convert to AFTN due to unrecognized originator O/R address

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=COLOMBIA/MTA-SKBO-1-MTCU at 07.05.2018 19:40:43
- 2. (MTA) : /C=XX/A=ICAO/P=COLOMBIA/MTA-SKBO-1 at 07.05.2018 19:40:43
- 3. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 19:40:48

OUTGOING TRANSFER OBJECT

=====

Date : 07.05.2018 22:19:07

Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 22:19:06,650
Transmission Time : 690 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA40E08016B
Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/
Arrival Time : 07.05.2018 22:19:06,646
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6748597-180507.221905

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 22:19:06
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 22:19:06

OUTGOING TRANSFER OBJECT

=====
Date : 08.05.2018 11:57:03
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 11:57:02,886
Transmission Time : 665 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BAF7B195198
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 08.05.2018 11:57:01,137
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5484101-180508.115700

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 11:57:01
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 11:57:01

OUTGOING TRANSFER OBJECT

=====
Date : 08.05.2018 11:57:06
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 11:57:06,024
Transmission Time : 854 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805081157050367
Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
Arrival Time : 08.05.2018 11:57:06,019
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.5566101-180508.115702

Returned Content Size: 512

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 08.05.2018 11:57:05
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 11:57:06

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
  <ipm>
    <heading>
      <this-IPM>
        <user/>
        <user-relative-identifier>1525780622360</user-relative-identifier>
      </this-IPM>
      <originator/>
      <primary-recipients>
        <PrimaryRecipientsSubfield>
          <formal-name>
            <C>XX</C>
            <A>ICAO</A>
            <P>ECUADOR</P>
            <O>SEFG</O>
            <OU>SEQM</OU>
            <ExtensionAttribute extension-attribute-type="1">
              <CN>SEQMZTZX</CN>
            </ExtensionAttribute>
          </formal-name>
          <notification-requests>nrm</notification-requests>
        </PrimaryRecipientsSubfield>
      </primary-recipients>
      <subject>MENSAGEM</subject>
    </heading>
    <body>
      <BodyPart>
        <ia5-text>
          <parameters/>
          <data>(FPL-GTI36-IS
-B744/H-SDE1E2FGHIJ1M1RWXYZ/LB1D1
-SBEG1300
-N0490F360 LUSUK UA566 LET UA566 IQT UM776 QIT/N0408F180 DCT
-SEQM0237 SEGU
-PBN/B3C1D1L1O1 NAV/RNVD1E2A1 SUR/260B DOF/180508 REG/N409MC
EET/SKED0117 SPIM0118 SEFG0204 SEL/RSHK CODE/A4CF26 OPR/GTI
ORGN/SBEGYOYX RMK/EMERG CTC 9147018045 TCASII EQUIPPED OVRFLT
PERMITS ECUADOR DGAFN0065118 LND PERMIT ECUADOR 092016 FROM KMIA)</data>
          </ia5-text>
        </BodyPart>
      </body>
    </ipm>
  </Content>
```

OUTGOING TRANSFER OBJECT

=====

Date : 09.05.2018 13:27:16
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 13:27:16,254

Transmission Time : 657 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868358231

Destination : /C=XX/A=ICAO/P=SB/O=SBCT/OU1=SBCT/CN=SBCTYOYX/

Arrival Time : 09.05.2018 13:27:14,417

Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0905004199001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZPZX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 09.05.2018 13:27:13

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 13:27:14

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 19:51:05

Destination LA : LA_P1_BRASILIA

Message Type : X400

Message State : Transmitted

Transmission Start : 09.05.2018 19:51:04,958

Transmission Time : 681 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BCA38379136

Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/

Arrival Time : 09.05.2018 19:51:03,163

Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6801620-180509.195102

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 19:51:03

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 19:51:03

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 20:03:30

Destination LA : LA_P1_BRASILIA

Message Type : X400

Message State : Transmitted

Transmission Start : 09.05.2018 20:03:29,466

Transmission Time : 785 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BCA6497DF46

Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/

Arrival Time : 09.05.2018 20:03:27,672

Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6801945-180509.200326

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 20:03:27
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 20:03:27

OUTGOING TRANSFER OBJECT

=====

Date : 09.05.2018 21:34:11
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 21:34:10,791
 Transmission Time : 734 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BCBA8EB519B
 Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/
 Arrival Time : 09.05.2018 21:34:08,959
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6803685-180509.213407
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 21:34:08
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 21:34:08

OUTGOING TRANSFER OBJECT

=====

Date : 10.05.2018 13:58:45
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 13:58:44,880
 Transmission Time : 912 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD96A1E4414
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 10.05.2018 13:58:44,875
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.2487201-180510.135843
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to invalid IPM-identifier

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 13:58:44
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 13:58:44

OUTGOING TRANSFER OBJECT

=====

Date : 10.05.2018 13:58:51
 Destination LA : LA_P1_BRASILIA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 13:58:50,408
 Transmission Time : 868 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=RPT1805101358490391
 Destination : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBRJ/CN=SBRJZXNB/
 Arrival Time : 10.05.2018 13:58:50,403
 Subject Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.2526601-180510.135844

Returned Content Size: 497

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : content-syntax-error (12)
 Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 10.05.2018 13:58:49
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 13:58:50

===== Returned content dump =====

```
<?xml version="1.0"?>
<Content>
  <ipm>
    <heading>
      <this-IPM>
        <user/>
        <user-relative-identifier>1525960724806</user-relative-identifier>
      </this-IPM>
      <originator/>
      <primary-recipients>
        <PrimaryRecipientsSubfield>
          <formal-name>
            <C>XX</C>
            <A>ICAO</A>
            <P>ECUADOR</P>
            <O>SEFG</O>
            <OU>SEQM</OU>
            <ExtensionAttribute extension-attribute-type="1">
              <CN>SEQMZTZX</CN>
            </ExtensionAttribute>
          </formal-name>
          <notification-requests>nm</notification-requests>
        </PrimaryRecipientsSubfield>
      </primary-recipients>
      <subject>MENSAGEM</subject>
    </heading>
    <body>
      <BodyPart>
        <ia5-text>
          <parameters/>
          <data>(FPL-GTI38-IS
-B744/H-SDE1E2E3FGHIJ7M3RWXYZ/LB1D1
-SBEG1655
-N0474F400 LUSUK UA566 LET UA566 IQT UM776 QIT/N0385F180 DCT
-SEQM0242 SEGU
-PBN/A1B3C1D1L1O1 NAV/RNVD1E2A1 SUR/260B REG/N475MC EET/SKED0120
SPIM0121 SEFG0209 SEL/RSJM CODE/A5D4C3 OPR/GTI ORGN/SBSPSIGX
RMK/EMERG CTC 19147018045 TCASII EQUIPPED OVRFLT PERMITS ECUADOR
DGA FNF0065118 LND PERMIT ECUADOR 092016)</data>
          </ia5-text>
        </BodyPart>
      </body>
    </ipm>
  </Content>
```

OUTGOING TRANSFER OBJECT

=====
Date : 10.05.2018 15:23:36
Destination LA : LA_P1_BRASILIA
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 15:23:35,898
Transmission Time : 706 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BDA99743DE7
Destination : /C=XX/A=ICAO/P=SG/O=SGAS/OU1=SGAS/CN=SGASBAIS/
Arrival Time : 10.05.2018 15:23:34,007
Subject Id : /C=XX/A=ICAO/P=SB/LocalID=isode-br..6822437-180510.152333
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 15:23:34
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 15:23:34

2. COLOMBIA

Oss11@OpsAida: SUPER_RAUL, 15.05.2018 16:47:46
Detail

=====
OUTGOING TRANSFER OBJECT
=====

Date : 04.05.2018 06:27:41
Destination LA : LA_P1_BOGOTA
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 06:27:41,111
Transmission Time : 616 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805040627390016
Destination : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKED/CN=SKEDZQZT/
Arrival Time : 04.05.2018 06:27:41,069
Subject Id : /C=XX/A=ICAO/P=COLOMBIA/LocalID=MTA-SKBO-1.2053601-180504.062737
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error
2. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)
Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error
3. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCFZ/CN=SCFZZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : content-syntax-error (12)

Suppl. Info : unable to convert to AFTN due to ATS-Message-Header or Heading Fields syntax error

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=SC at 04.05.2018 06:27:39
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 06:27:41

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 00:41:58
 Destination LA : LA_P1_BOGOTA
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 00:41:58,138
 Transmission Time : 583 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BCE489D45ED
 Destination : /C=XX/A=ICAO/P=COLOMBIA/O=SKED/OU1=SKCL/CN=SKCLZTZB/
 Arrival Time : 10.05.2018 00:41:58,133
 Subject Id : /C=XX/A=ICAO/P=COLOMBIA/LocalID=MTA-SKBO-1.4938401-180510.004157

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 00:41:58
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 00:41:58

3. **CHILE**

Oss11@OpsAida: SUPER_RAUL, 15.05.2018 17:18:56

Detail

OUTGOING TRANSFER OBJECT

Date : 01.05.2018 02:35:23
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 02:35:22,834
 Transmission Time : 613 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B1AD1A25225
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 01.05.2018 02:35:22,830
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105006700002

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 02:35:22
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 02:35:22

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 02:37:41
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 02:37:40,594
Transmission Time : 650 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B1AD9BB6949
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 01.05.2018 02:37:38,692
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105006764002
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 02:37:38
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 02:37:38

OUTGOING TRANSFER OBJECT
=====

Date : 01.05.2018 04:19:09
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 04:19:08,777
Transmission Time : 536 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B1C44BAAE84
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 01.05.2018 04:19:08,773
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105010737002
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 04:19:08
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 04:19:08

OUTGOING TRANSFER OBJECT
=====

Date : 01.05.2018 06:04:33
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 06:04:33,209
Transmission Time : 568 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B1DBDA9ED3D
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 01.05.2018 06:04:32,685
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105014958004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 06:04:32
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 06:04:32

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 07:15:20
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 07:15:19,767
Transmission Time : 599 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B1EBAB34A5B
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 01.05.2018 07:15:17,935
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105017773001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 07:15:17
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 07:15:17

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 09:05:39
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 09:05:39,295
Transmission Time : 625 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B20455D296B
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 01.05.2018 09:05:39,290
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105021980004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 09:05:39
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 09:05:39

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 09:37:12

Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 09:37:11,905
 Transmission Time : 616 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B20B62C1641
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 01.05.2018 09:37:11,900
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105023069001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 09:37:11
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 09:37:11

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 10:24:16
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 10:24:15,762
 Transmission Time : 615 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B215E7CBD57
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 01.05.2018 10:24:15,758
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105025109001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 10:24:15
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 10:24:15

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 11:33:43
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 11:33:42,724
 Transmission Time : 688 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2256DB8600
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 01.05.2018 11:33:42,719
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105028330001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 11:33:42
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 11:33:42

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 14:38:07
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 14:38:07,168
Transmission Time : 562 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B24EA598B3A
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 01.05.2018 14:38:07,163
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105037407004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 14:38:07
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 14:38:07

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 17:04:02
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 17:04:01,535
Transmission Time : 572 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B26F4269DAE
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 01.05.2018 17:04:01,532
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105044479004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 17:04:01
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 17:04:01

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 17:05:07
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted

Transmission Start : 01.05.2018 17:05:06,742
Transmission Time : 550 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B26F8099126
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 01.05.2018 17:05:06,738
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105044647004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 17:05:06
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 17:05:06

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 21:47:08
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 21:47:07,681
Transmission Time : 620 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2AE87F8A87
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 01.05.2018 21:47:05,903
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105057667001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 21:47:05
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 21:47:05

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 22:53:00
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 22:52:59,694
Transmission Time : 638 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2BD40E4B45
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 01.05.2018 22:52:57,904
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105060609001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 22:52:57
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 22:52:57

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 23:17:46
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 23:17:45,452
Transmission Time : 625 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2C2CB867BE
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 01.05.2018 23:17:45,448
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105061816002

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KEFDZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 23:17:45
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 23:17:45

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 23:19:09
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 23:19:08,490
Transmission Time : 549 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2C31AB775D
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 01.05.2018 23:19:08,486
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0105061888002

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 23:19:08
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 23:19:08

OUTGOING TRANSFER OBJECT

=====
Date : 02.05.2018 03:01:40
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 03:01:39,557
Transmission Time : 655 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2F4D7493EE
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 02.05.2018 03:01:39,552
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0205007974004

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 03:01:39
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 03:01:39

OUTGOING TRANSFER OBJECT

=====
 Date : 02.05.2018 04:18:17
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 02.05.2018 04:18:17,362
 Transmission Time : 605 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B305F657E1D
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 02.05.2018 04:18:15,521
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0205011033004

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 04:18:15
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 04:18:15

OUTGOING TRANSFER OBJECT

=====
 Date : 02.05.2018 17:42:01
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 02.05.2018 17:42:00,722
 Transmission Time : 626 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B3B99BBC9E1
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 02.05.2018 17:41:58,895
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0205048246004

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 17:41:58
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 17:41:58

OUTGOING TRANSFER OBJECT

=====
Date : 02.05.2018 23:37:12
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 23:37:11,460
Transmission Time : 612 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B40900FA5D2
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 02.05.2018 23:37:11,455
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0205063429002

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KDFWZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 23:37:11
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 23:37:11

OUTGOING TRANSFER OBJECT

=====
Date : 03.05.2018 04:56:13
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 04:56:13,121
Transmission Time : 598 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B4504FE380A
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 03.05.2018 04:56:13,117
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305009020004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 04:56:13
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 04:56:13

OUTGOING TRANSFER OBJECT

=====
Date : 03.05.2018 08:43:51
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 08:43:50,747
Transmission Time : 548 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B48330D0AEA
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/

Arrival Time : 03.05.2018 08:43:50,742
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305019168001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 08:43:50
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 08:43:50

OUTGOING TRANSFER OBJECT

=====
 Date : 03.05.2018 09:02:41
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 03.05.2018 09:02:40,915
 Transmission Time : 618 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B48766A0E60
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 03.05.2018 09:02:40,911
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305020206001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 09:02:40
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 09:02:40

OUTGOING TRANSFER OBJECT

=====
 Date : 03.05.2018 09:56:03
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 03.05.2018 09:56:02,958
 Transmission Time : 626 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B49352B861A
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 03.05.2018 09:56:01,261
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305022904004
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 09:56:01
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 09:56:01

OUTGOING TRANSFER OBJECT

=====

Date : 03.05.2018 10:00:34
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 10:00:34,374
Transmission Time : 595 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B494572D01B
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 03.05.2018 10:00:34,369
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305023261001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 10:00:34
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 10:00:34

OUTGOING TRANSFER OBJECT

Date : 03.05.2018 10:11:03
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 10:11:02,814
Transmission Time : 672 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B496ACF4D3D
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 03.05.2018 10:11:01,187
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305023846001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 10:11:01
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 10:11:01

OUTGOING TRANSFER OBJECT

Date : 03.05.2018 11:15:04
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 11:15:04,045
Transmission Time : 536 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B4A4FDC9471
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 03.05.2018 11:15:04,040
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305027195001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 11:15:04
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 11:15:04

OUTGOING TRANSFER OBJECT

=====

Date : 03.05.2018 15:04:10
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 03.05.2018 15:04:10,199
 Transmission Time : 598 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B4D833243B9
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 03.05.2018 15:04:10,195
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305039173001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 15:04:10
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 15:04:10

OUTGOING TRANSFER OBJECT

=====

Date : 03.05.2018 17:41:30
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 03.05.2018 17:41:30,151
 Transmission Time : 583 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B4FB5BF873D
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 03.05.2018 17:41:28,248
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305046811004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 17:41:28
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 17:41:28

OUTGOING TRANSFER OBJECT

=====

Date : 03.05.2018 19:16:18
 Destination LA : LA_P1_CHILE

Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 19:16:18,199
Transmission Time : 639 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B5108CB10A1
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 03.05.2018 19:16:16,481
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305051920004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 19:16:16
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 19:16:16

OUTGOING TRANSFER OBJECT

Date : 03.05.2018 22:47:44
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 22:47:44,109
Transmission Time : 608 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B53FD08D54A
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 03.05.2018 22:47:44,104
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305061975001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 22:47:44
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 22:47:44

OUTGOING TRANSFER OBJECT

Date : 03.05.2018 23:55:03
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 23:55:02,955
Transmission Time : 605 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B54EDA9270A
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 03.05.2018 23:55:01,142
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0305065399001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 23:55:01
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 23:55:01

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 04:34:18
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 04:34:17,649
 Transmission Time : 608 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B58D46D1680
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 04.05.2018 04:34:17,645
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405012133004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 04:34:17
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 04:34:17

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 08:11:51
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 08:11:50,460
 Transmission Time : 628 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B5BDE5586BF
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 04.05.2018 08:11:48,775
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405021005001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 08:11:48
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 08:11:48

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 08:29:34
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 08:29:33,512

Transmission Time : 551 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B5C1DBFA0D3

Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/

Arrival Time : 04.05.2018 08:29:32,693

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405021555001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 08:29:32
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 08:29:32

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 10:03:47

Destination LA : LA_P1_CHILE

Message Type : X400

Message State : Transmitted

Transmission Start : 04.05.2018 10:03:47,110

Transmission Time : 584 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B5D6EC71DCE

Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/

Arrival Time : 04.05.2018 10:03:47,105

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405025302001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 10:03:47
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 10:03:47

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 14:32:21

Destination LA : LA_P1_CHILE

Message Type : X400

Message State : Transmitted

Transmission Start : 04.05.2018 14:32:20,576

Transmission Time : 713 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B612F37151C

Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/

Arrival Time : 04.05.2018 14:32:20,571

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405039800004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 14:32:20
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 14:32:20

OUTGOING TRANSFER OBJECT

=====

Date : 04.05.2018 16:57:18
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 16:57:18,157
 Transmission Time : 612 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6335A1A6F8
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 04.05.2018 16:57:18,153
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405046986004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 16:57:18
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 16:57:18

OUTGOING TRANSFER OBJECT

=====

Date : 04.05.2018 17:02:29
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 17:02:28,987
 Transmission Time : 658 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6348288CA5
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 04.05.2018 17:02:28,983
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405047363004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 17:02:28
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 17:02:28

OUTGOING TRANSFER OBJECT

=====

Date : 04.05.2018 17:10:42
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 17:10:42,137
 Transmission Time : 559 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B63658D684B
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 04.05.2018 17:10:42,132
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405047920004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 17:10:42
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 17:10:42

OUTGOING TRANSFER OBJECT

=====
Date : 04.05.2018 22:45:00
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 22:45:00,266
Transmission Time : 591 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B68111C2742
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 04.05.2018 22:45:00,260
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405062096001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 22:45:00
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 22:45:00

OUTGOING TRANSFER OBJECT

=====
Date : 04.05.2018 22:46:23
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 22:46:22,571
Transmission Time : 589 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6816040B0C
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 04.05.2018 22:46:22,566
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405062146001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLACZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 22:46:22
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 22:46:22

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 23:40:20
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 23:40:19,944
Transmission Time : 577 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B68D6F72582
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCSC/CN=SCSCYFYX/
Arrival Time : 04.05.2018 23:40:19,724
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0405064722001

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZZO/CN=NZZOYFYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 23:40:19
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 23:40:19

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 00:06:35
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 00:06:34,964
Transmission Time : 618 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6934BF5378
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 05.05.2018 00:06:33,124
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505000706002

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAUSZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 00:06:33
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 00:06:33

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 03:16:17
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 03:16:16,690
Transmission Time : 602 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6BDB42B19A
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 05.05.2018 03:16:16,686

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505008285004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 03:16:16
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 03:16:16

=====

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 04:32:31
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 04:32:31,073
 Transmission Time : 656 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6CEBEA3D1F
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 05.05.2018 04:32:31,069
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505011131004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 04:32:31
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 04:32:31

=====

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 07:40:03
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 07:40:03,408
 Transmission Time : 587 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6F8A9B3ECB
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 05.05.2018 07:40:03,403
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505018780002

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 07:40:03
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 07:40:03

=====

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 09:08:19
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 09:08:18,499
 Transmission Time : 576 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B70C62E3DD2
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 05.05.2018 09:08:17,860
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505022410001

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 09:08:17
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 09:08:17

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 09:37:10
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 09:37:10,278
 Transmission Time : 603 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B712D564F6B
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 05.05.2018 09:37:08,540
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505023435001

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 09:37:08
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 09:37:08

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 10:56:54
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 10:56:53,721
 Transmission Time : 603 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B724A8E527A
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 05.05.2018 10:56:53,717
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505026991001

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/

Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 10:56:53
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 10:56:53

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 14:21:24
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 14:21:22,612
Transmission Time : 1927 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B7525D6BFEA
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCAR/CN=SCARZPZX/
Arrival Time : 05.05.2018 14:21:22,608
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505037544001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)
2. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCZAZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 14:21:22
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 14:21:22

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 14:21:53
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 14:21:52,859
Transmission Time : 663 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B7527A444F1
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCAR/CN=SCARZPZX/
Arrival Time : 05.05.2018 14:21:52,854
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505037559001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPIM/CN=SPIMYOYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 14:21:52
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 14:21:52

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 17:25:57
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 17:25:56,758
 Transmission Time : 650 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B77B9E8CB7C
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 05.05.2018 17:25:56,754
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505046120004
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 17:25:56
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 17:25:56

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 21:54:44
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 21:54:43,913
 Transmission Time : 661 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B7B7B272EB5
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 05.05.2018 21:54:43,746
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505058401001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 21:54:43
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 21:54:43

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 21:58:57
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 21:58:57,242
 Transmission Time : 643 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B7B8A4327A9
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 05.05.2018 21:58:57,238
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505058607001
 Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 21:58:57
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 21:58:57

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 22:04:57
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 22:04:57,021
 Transmission Time : 641 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B7B9FB1966F
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 05.05.2018 22:04:56,797
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=050509094001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)
 2. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KDFWZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 22:04:56
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 22:04:56

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 22:24:02
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 22:24:01,824
 Transmission Time : 575 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B7BE3D75AB7
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 05.05.2018 22:24:00,124
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0505059920001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 22:24:00
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 22:24:00

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 05:09:38
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 05:09:38,264
Transmission Time : 630 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B818E76B342
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 06.05.2018 05:09:37,529
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605012612004
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 05:09:37
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 05:09:37

OUTGOING TRANSFER OBJECT
=====

Date : 06.05.2018 06:40:41
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 06:40:41,223
Transmission Time : 564 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B82D41FFF63
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 06.05.2018 06:40:41,219
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605016416002
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 06:40:41
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 06:40:41

OUTGOING TRANSFER OBJECT
=====

Date : 06.05.2018 09:46:26
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 09:46:26,376
Transmission Time : 600 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B856C51618A
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 06.05.2018 09:46:24,527
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605023627004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 09:46:24
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 09:46:24

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 13:26:16
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 13:26:15,598
Transmission Time : 616 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B887E705F37
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 06.05.2018 13:26:13,450
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605034589001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 13:26:13
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 13:26:13

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 14:41:44
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 14:41:43,606
Transmission Time : 554 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B898C74FF0B
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 06.05.2018 14:41:43,601
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605037883004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 14:41:43
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 14:41:43

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 17:02:31

Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 17:02:31,162
 Transmission Time : 616 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8B83F87B4F
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 06.05.2018 17:02:31,158
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605044299001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KRSWZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 17:02:31
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 17:02:31

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 17:20:39
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 17:20:38,706
 Transmission Time : 639 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8BC4AFC308
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 06.05.2018 17:20:36,911
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605045210004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 17:20:36
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 17:20:36

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 17:26:14
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 17:26:13,517
 Transmission Time : 618 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8BD8A47D65
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 06.05.2018 17:26:11,717
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605045370004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 17:26:11
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 17:26:11

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 18:59:23
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 18:59:23,068
Transmission Time : 605 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8D25CCCF9B
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 06.05.2018 18:59:21,172
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605050056003

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KZWYZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 18:59:21
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 18:59:21

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 23:12:49
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 23:12:49,081
Transmission Time : 595 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B90B029EEEE2
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 06.05.2018 23:12:47,433
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605061801001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KDFWZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 23:12:47
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 23:12:47

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 23:35:21
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted

Transmission Start : 06.05.2018 23:35:20,889
Transmission Time : 594 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B9100D5F969
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 06.05.2018 23:35:20,885
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0605062690001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 23:35:20
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 23:35:20

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 03:12:03
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 03:12:03,062
Transmission Time : 611 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B9407B7AC4B
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 07.05.2018 03:12:01,241
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705008750004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 03:12:01
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 03:12:01

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 03:12:14
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 03:12:13,507
Transmission Time : 573 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B940872C4B5
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 07.05.2018 03:12:13,503
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705008758004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 03:12:13
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 03:12:13

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 04:42:00
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 04:42:00,382
Transmission Time : 611 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B9549637D61
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 07.05.2018 04:41:57,988
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705012081004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 04:41:57
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 04:41:57

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 04:42:01
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 04:42:00,994
Transmission Time : 615 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B954976FE41
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 07.05.2018 04:41:59,266
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705012081004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 04:41:59
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 04:41:59

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 09:09:46
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 09:09:45,659
Transmission Time : 613 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B990718A0FF
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 07.05.2018 09:09:45,655
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705023198001

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 09:09:45
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 09:09:45

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 17:25:41
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 17:25:41,033
 Transmission Time : 784 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B9FF4A79AA7
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 07.05.2018 17:25:41,029
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705048528004

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 17:25:41
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 17:25:41

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 23:12:17
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 23:12:16,462
 Transmission Time : 647 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA4CC28AA2F
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 07.05.2018 23:12:16,457
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705061600001

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 23:12:16
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 23:12:16

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 23:33:51
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 23:33:50,786
 Transmission Time : 592 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA5193391B8
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 07.05.2018 23:33:49,018
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0705061939001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KEFDZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 23:33:49
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 23:33:49

OUTGOING TRANSFER OBJECT

=====
 Date : 08.05.2018 00:10:38
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 08.05.2018 00:10:37,616
 Transmission Time : 585 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA59CBB70B5
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 08.05.2018 00:10:35,737
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805000574001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 00:10:35
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 00:10:35

OUTGOING TRANSFER OBJECT

=====
 Date : 08.05.2018 04:20:02
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 08.05.2018 04:20:01,467
 Transmission Time : 538 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA918C24921
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/

Arrival Time : 08.05.2018 04:20:01,463
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805004751004
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 04:20:01
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 04:20:01

OUTGOING TRANSFER OBJECT
 =====

Date : 08.05.2018 04:20:04
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 08.05.2018 04:20:03,505
 Transmission Time : 981 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA918E16871
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 08.05.2018 04:20:03,502
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805004751004
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 04:20:03
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 04:20:03

OUTGOING TRANSFER OBJECT
 =====

Date : 08.05.2018 08:05:47
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 08.05.2018 08:05:46,389
 Transmission Time : 614 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BAC3FFE269E
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 08.05.2018 08:05:44,599
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805008441001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 08:05:44
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 08:05:44

OUTGOING TRANSFER OBJECT
 =====

Date : 08.05.2018 09:35:01
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 09:35:00,797
Transmission Time : 694 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BAD7F3F06ED
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 08.05.2018 09:35:00,793
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805009730004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 09:35:00
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 09:35:00

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 10:36:33
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 10:36:33,076
Transmission Time : 670 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BAE5B52DE94
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 08.05.2018 10:36:33,071
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805011095001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 10:36:33
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 10:36:33

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 11:40:25
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 11:40:24,440
Transmission Time : 585 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BAF3FB0DB4C
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCDA/CN=SCDAZRZX/
Arrival Time : 08.05.2018 11:40:24,435
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805013062001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 11:40:24
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 11:40:24

OUTGOING TRANSFER OBJECT

=====
 Date : 08.05.2018 13:51:12
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 08.05.2018 13:51:11,667
 Transmission Time : 597 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BB1136C078A
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 08.05.2018 13:51:11,662
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805018012004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 13:51:11
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 13:51:11

OUTGOING TRANSFER OBJECT

=====
 Date : 08.05.2018 16:56:27
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 08.05.2018 16:56:26,565
 Transmission Time : 602 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BB3A9D11487
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 08.05.2018 16:56:24,801
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805027535004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 16:56:24
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 16:56:24

OUTGOING TRANSFER OBJECT

=====
 Date : 08.05.2018 17:15:31
 Destination LA : LA_P1_CHILE

Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 17:15:30,917
Transmission Time : 573 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BB3EE2159F3
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 08.05.2018 17:15:30,913
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0805028789004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 17:15:30
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 17:15:30

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 02:52:19
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 02:52:18,565
Transmission Time : 629 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBBFCCD0BF0
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 09.05.2018 02:52:16,785
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905003294002

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 02:52:16
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 02:52:16

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 03:22:57
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 03:22:56,719
Transmission Time : 551 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBC6A5E5B42
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 09.05.2018 03:22:55,024
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905004069004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 03:22:55
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 03:22:55

OUTGOING TRANSFER OBJECT

=====
 Date : 09.05.2018 03:55:51
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 03:55:50,513
 Transmission Time : 647 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBCE01DD9F8
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 09.05.2018 03:55:50,508
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905004332001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 03:55:50
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 03:55:50

OUTGOING TRANSFER OBJECT

=====
 Date : 09.05.2018 03:56:33
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 03:56:32,413
 Transmission Time : 621 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBCE2743342
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 09.05.2018 03:56:29,722
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905004336001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 03:56:29
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 03:56:29

OUTGOING TRANSFER OBJECT

=====
 Date : 09.05.2018 04:38:39
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 04:38:39,266

Transmission Time : 602 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBD7939E94B

Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/

Arrival Time : 09.05.2018 04:38:39,261

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905004996001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PANAMA/O=MPZL/OU1=MPPA/CN=MPPAZPZX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 04:38:39

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 04:38:39

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 06:10:22

Destination LA : LA_P1_CHILE

Message Type : X400

Message State : Transmitted

Transmission Start : 09.05.2018 06:10:21,738

Transmission Time : 601 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBEC118B389

Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/

Arrival Time : 09.05.2018 06:10:20,012

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905006729004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 06:10:20

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 06:10:20

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 10:39:44

Destination LA : LA_P1_CHILE

Message Type : X400

Message State : Transmitted

Transmission Start : 09.05.2018 10:39:44,212

Transmission Time : 575 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BC2848EC280

Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/

Arrival Time : 09.05.2018 10:39:44,207

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905011592001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 10:39:44
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 10:39:44

OUTGOING TRANSFER OBJECT

=====

Date : 09.05.2018 12:09:30
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 12:09:29,776
 Transmission Time : 633 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BC3C5799072
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
 Arrival Time : 09.05.2018 12:09:28,305
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905014921001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 12:09:28
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 12:09:28

OUTGOING TRANSFER OBJECT

=====

Date : 09.05.2018 16:54:48
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 16:54:48,059
 Transmission Time : 560 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BC7C1E434F4
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 09.05.2018 16:54:48,054
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905027680004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 16:54:48
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 16:54:48

OUTGOING TRANSFER OBJECT

=====

Date : 09.05.2018 18:51:32
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 18:51:31,852
 Transmission Time : 619 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BC9633F31AB
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 09.05.2018 18:51:30,116
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905033748002

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KZWYZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 18:51:30
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 18:51:30

OUTGOING TRANSFER OBJECT

=====
Date : 09.05.2018 22:51:16
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 22:51:16,244
Transmission Time : 626 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BCCBCBA029D
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 09.05.2018 22:51:16,239
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=0905044850001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 22:51:16
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 22:51:16

OUTGOING TRANSFER OBJECT

=====
Date : 10.05.2018 00:12:02
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 00:12:01,641
Transmission Time : 766 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BCDDD88E293
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 10.05.2018 00:12:01,635
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005000880001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 00:12:01
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 00:12:01

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 00:12:51
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 00:12:50,725
Transmission Time : 532 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BCDE075DB97
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
Arrival Time : 10.05.2018 00:12:50,720
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005000911001

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 00:12:50
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 00:12:50

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 04:28:10
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 04:28:09,738
Transmission Time : 636 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD17170D6B3
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 10.05.2018 04:28:07,989
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005010254004

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 04:28:07
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 04:28:07

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 10:03:57
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 10:03:56,497
Transmission Time : 603 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD622629ABF
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 10.05.2018 10:03:56,493

Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005024324004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KLAXZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 10:03:56
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 10:03:56

=====

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 10:29:36
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 10:29:36,100
Transmission Time : 589 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD67E271435
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/
Arrival Time : 10.05.2018 10:29:36,096
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005025488001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 10:29:36
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 10:29:36

=====

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 16:46:15
Destination LA : LA_P1_CHILE
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 16:46:14,028
Transmission Time : 1161 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BDBC11818F0
Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
Arrival Time : 10.05.2018 16:46:14,024
Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005044397004

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAZRZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 16:46:14
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 16:46:14

=====

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 17:05:37
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 17:05:36,712
 Transmission Time : 651 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BDC06653E7F
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZTZF/
 Arrival Time : 10.05.2018 17:05:36,707
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005045859004

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=AUSTRALIA/O=YBBN/OU1=YSSY/CN=YSSYZRZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 17:05:36
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 17:05:36

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 18:07:55
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 18:07:54,946
 Transmission Time : 549 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BDCE5362CBC
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 10.05.2018 18:07:54,942
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005049441002

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPRU/CN=SPRUZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)
- 2. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPTN/CN=SPTNZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 18:07:54
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 18:07:54

OUTGOING TRANSFER OBJECT

Date : 10.05.2018 21:52:39
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 21:52:38,867
 Transmission Time : 651 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BE008EA7957
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZOZY/

Arrival Time : 10.05.2018 21:52:38,862
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005060308001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=NZ/O=NZCH/OU1=NZAA/CN=NZAAYSYA/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 21:52:38
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 21:52:38

OUTGOING TRANSFER OBJECT

=====
 Date : 10.05.2018 23:38:51
 Destination LA : LA_P1_CHILE
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 23:38:50,771
 Transmission Time : 616 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BE1849B24EE
 Destination : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCEL/CN=SCELZPZX/
 Arrival Time : 10.05.2018 23:38:49,005
 Subject Id : /C=XX/A=ICAO/P=SC/LocalID=1005065479001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 23:38:49
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 23:38:49

4. ECUADOR

Oss11@OpsAida: SUPER_RAUL, 15.05.2018 17:28:35

Detail

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 00:12:09
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 00:12:08,748
 Transmission Time : 1213 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805010012070006
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEMT/CN=SEMTZPZX/
 Arrival Time : 01.05.2018 00:12:08,743
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867913828

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEZF/
 Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=SC at 01.05.2018 00:12:07
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 00:12:08

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 00:55:54
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 00:55:53,087
 Transmission Time : 1209 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B196D9B28EF
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 01.05.2018 00:55:49,671
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867914891

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=MT/O=AFTN/OU1=MTCHZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 00:55:49
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 00:55:49

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 03:30:14
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 03:30:13,141
 Transmission Time : 1319 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B1B95AB1961
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 01.05.2018 03:30:11,739
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867918975

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 03:30:11
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 03:30:11

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 04:44:30
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted

Transmission Start : 01.05.2018 04:44:29,344

Transmission Time : 1199 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B1C9F5CAF52

Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/

Arrival Time : 01.05.2018 04:44:29,340

Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867920631

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZ/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 04:44:29

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 04:44:29

OUTGOING TRANSFER OBJECT

Date : 01.05.2018 13:38:44

Destination LA : LA_P1_QUITO

Message Type : X400

Message State : Transmitted

Transmission Start : 01.05.2018 13:38:43,444

Transmission Time : 1161 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2415EF6FC0

Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/

Arrival Time : 01.05.2018 13:38:43,440

Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867935601

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZ/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 13:38:43

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 13:38:43

OUTGOING TRANSFER OBJECT

Date : 01.05.2018 14:43:11

Destination LA : LA_P1_QUITO

Message Type : X400

Message State : Transmitted

Transmission Start : 01.05.2018 14:43:09,919

Transmission Time : 1205 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B24FC6528EE

Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZN/

Arrival Time : 01.05.2018 14:43:09,914

Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867938428

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZ/

Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 14:43:09
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 14:43:09

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 15:41:21
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 15:41:20,561
 Transmission Time : 1313 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B25CC3ED6D4
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 01.05.2018 15:41:17,064
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867941136

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 15:41:17
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 15:41:17

OUTGOING TRANSFER OBJECT

=====
 Date : 01.05.2018 18:22:58
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 01.05.2018 18:22:57,750
 Transmission Time : 1200 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B280E737F40
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 01.05.2018 18:22:57,746
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\01051867948397

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 18:22:57
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 18:22:57

OUTGOING TRANSFER OBJECT

=====
 Date : 02.05.2018 02:12:16
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 02.05.2018 02:12:14,931
 Transmission Time : 1192 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2E9C8C6D7B
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 02.05.2018 02:12:11,548
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\02051867966446

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 02:12:11
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 02:12:11

OUTGOING TRANSFER OBJECT

=====
 Date : 02.05.2018 03:03:26
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 02.05.2018 03:03:25,683
 Transmission Time : 1170 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2F53C7EF3E
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 02.05.2018 03:03:25,679
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\02051867967806

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 03:03:25
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 03:03:25

OUTGOING TRANSFER OBJECT

=====
 Date : 02.05.2018 03:45:31
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 02.05.2018 03:45:30,283
 Transmission Time : 1619 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2FEA424622
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 02.05.2018 03:45:30,279
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\02051867968710

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 03:45:30
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 03:45:30

OUTGOING TRANSFER OBJECT

=====

Date : 02.05.2018 04:15:44
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 04:15:43,101
Transmission Time : 1261 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B3056239021
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 02.05.2018 04:15:40,205
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\02051867969560

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZ/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 04:15:40
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 04:15:40

OUTGOING TRANSFER OBJECT

=====

Date : 02.05.2018 04:52:07
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 04:52:06,465
Transmission Time : 1235 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B30D83D9854
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 02.05.2018 04:52:02,949
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\02051867970366

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZ/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 04:52:02
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 04:52:02

OUTGOING TRANSFER OBJECT

=====

Date : 02.05.2018 22:06:12
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 22:06:11,557
Transmission Time : 1181 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B3F4AA026E1
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZXSX/

Arrival Time : 02.05.2018 22:06:11,553
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0205007961001
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCYAYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 22:06:11
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 22:06:11

OUTGOING TRANSFER OBJECT

Date : 02.05.2018 22:06:23
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 02.05.2018 22:06:22,438
Transmission Time : 1268 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B3F4B462B3D
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZXSX/
Arrival Time : 02.05.2018 22:06:22,433
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0205007961001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KJFKYAYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 02.05.2018 22:06:22
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 02.05.2018 22:06:22

OUTGOING TRANSFER OBJECT

Date : 03.05.2018 15:24:31
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 15:24:30,744
Transmission Time : 1240 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B4DCBF2493C
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 03.05.2018 15:24:30,739
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\003051868048968

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 15:24:30
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 15:24:30

OUTGOING TRANSFER OBJECT

Date : 03.05.2018 17:44:09
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 03.05.2018 17:44:08,207
 Transmission Time : 1184 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B4FBF43B4B1
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 03.05.2018 17:44:07,906
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\03051868055635

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 17:44:07
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 17:44:07

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 15:06:56
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 15:06:55,262
 Transmission Time : 1176 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B61AAE048F8
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZN/
 Arrival Time : 04.05.2018 15:06:55,257
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\04051868104075

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 15:06:55
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 15:06:55

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 15:35:37
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 15:35:36,641
 Transmission Time : 1204 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B62117A76ED
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZN/
 Arrival Time : 04.05.2018 15:35:36,637
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\04051868105434

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 15:35:36
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 15:35:36

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 18:31:18
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 18:31:16,960
 Transmission Time : 1220 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6485BAF232
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 04.05.2018 18:31:16,955
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\04051868115059

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 18:31:16
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 18:31:16

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 19:42:06
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 04.05.2018 19:42:04,461
 Transmission Time : 1709 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6582E6B1C7
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZXSX/
 Arrival Time : 04.05.2018 19:42:04,457
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0405007159001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCYAYX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 19:42:04
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 19:42:04

OUTGOING TRANSFER OBJECT

=====
 Date : 04.05.2018 19:42:16
 Destination LA : LA_P1_QUITO

Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 19:42:15,252
Transmission Time : 1406 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B65838B569A
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZXSX/
Arrival Time : 04.05.2018 19:42:15,248
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0405007159001

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KJFKYAYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 19:42:15
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 19:42:15

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 20:35:15
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 20:35:14,625
Transmission Time : 1144 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B66410CB7FB
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZXSX/
Arrival Time : 04.05.2018 20:35:14,621
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0405007600001

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCYAYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 04.05.2018 20:35:14
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 20:35:14

OUTGOING TRANSFER OBJECT

Date : 04.05.2018 21:04:17
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 21:04:15,788
Transmission Time : 1265 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=SB/LocalID=node02.amh.6500203-180504.210414
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZXSX/
Arrival Time : 04.05.2018 21:04:14,858
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0405007887002

Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=SB/O=SBBR/OU1=SBKP/CN=SBKPYAYX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Suppl. Info : /C=N=SBKPYAYX/OU=SBKP/O=SBBR/PRMD=SB/ADMD=ICAO/C=XX/: unknown X.400 user

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=SB/node02.amhs.mil.br at 04.05.2018 21:04:14
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 21:04:14

OUTGOING TRANSFER OBJECT

=====

Date : 05.05.2018 04:10:50
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 04:10:49,091
Transmission Time : 1167 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6C9E18EF1E
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 05.05.2018 04:10:45,506
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868140643

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAUSZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 04:10:45
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 04:10:45

OUTGOING TRANSFER OBJECT

=====

Date : 05.05.2018 04:18:34
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 04:18:33,565
Transmission Time : 1146 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6CB9BFC5DF
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 05.05.2018 04:18:29,425
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868140862

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 04:18:29
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 04:18:29

OUTGOING TRANSFER OBJECT

=====

Date : 05.05.2018 05:05:51
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted

Transmission Start : 05.05.2018 05:05:50,056
Transmission Time : 1261 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6D63104D2D
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZN/
Arrival Time : 05.05.2018 05:05:50,052
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868142074

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 05:05:50
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 05:05:50

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 05:38:16
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 05:38:15,059
Transmission Time : 1208 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B6DD6FEB078
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 05.05.2018 05:38:15,054
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868143030

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAUSZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 05:38:15
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 05:38:15

OUTGOING TRANSFER OBJECT

Date : 05.05.2018 13:23:11
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 13:23:10,840
Transmission Time : 1129 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805051323090021
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 05.05.2018 13:23:10,836
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868156185

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEZF/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=SC at 05.05.2018 13:23:09
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 13:23:10

OUTGOING TRANSFER OBJECT

=====
Date : 05.05.2018 16:52:06
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 16:52:04,393
Transmission Time : 1740 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B7740C558A7
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 05.05.2018 16:52:04,387
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\005051868164663

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 16:52:04
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 16:52:04

OUTGOING TRANSFER OBJECT

=====
Date : 05.05.2018 17:39:33
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 17:39:32,553
Transmission Time : 1194 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805051739310022
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 05.05.2018 17:39:32,549
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\005051868166610

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEZF/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=SC at 05.05.2018 17:39:31
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 17:39:32

OUTGOING TRANSFER OBJECT

=====
Date : 05.05.2018 18:24:59
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 18:24:57,807
Transmission Time : 1224 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B788CC5521C
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 05.05.2018 18:24:54,421
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868168825

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 05.05.2018 18:24:54
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 18:24:54

OUTGOING TRANSFER OBJECT

=====
 Date : 06.05.2018 03:38:12
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 03:38:11,432
 Transmission Time : 1161 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B804756A0B8
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 06.05.2018 03:38:09,277
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868189246

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 03:38:09
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 03:38:09

OUTGOING TRANSFER OBJECT

=====
 Date : 06.05.2018 03:39:56
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 03:39:55,140
 Transmission Time : 1157 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B804DA5E916
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 06.05.2018 03:39:55,136
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868189284

Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 03:39:55
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 03:39:55

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 03:59:49
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 03:59:48,317
Transmission Time : 1139 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8094C45598
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 06.05.2018 03:59:48,313
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\006051868189893

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 03:59:48
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 03:59:48

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 04:16:16
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 04:16:15,395
Transmission Time : 1235 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B80CF99F2BB
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 06.05.2018 04:16:15,391
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\006051868190350

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 04:16:15
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 04:16:15

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 05:14:54
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 05:14:53,460
Transmission Time : 1407 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B81A14B5BF3
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/

Arrival Time : 06.05.2018 05:14:53,456
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868191480
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZ/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 05:14:53
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 05:14:53

OUTGOING TRANSFER OBJECT
 =====

Date : 06.05.2018 08:54:37
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 08:54:35,855
 Transmission Time : 1308 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B84B306C074
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 06.05.2018 08:54:35,851
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868196726
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZ/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 08:54:35
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 08:54:35

OUTGOING TRANSFER OBJECT
 =====

Date : 06.05.2018 13:24:42
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 13:24:41,112
 Transmission Time : 1169 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805061324400023
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZN/
 Arrival Time : 06.05.2018 13:24:41,107
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868205394
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEF/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
 1. (Domain) : /C=XX/A=ICAO/P=SC at 06.05.2018 13:24:40
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 13:24:41

OUTGOING TRANSFER OBJECT
 =====

Date : 06.05.2018 13:25:43
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 13:25:41,986
Transmission Time : 1235 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805061325410024
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZN/
Arrival Time : 06.05.2018 13:25:41,982
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868205479

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEZF/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=SC at 06.05.2018 13:25:41
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 13:25:41

OUTGOING TRANSFER OBJECT

Date : 06.05.2018 13:25:44
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 13:25:43,363
Transmission Time : 1112 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805061325420025
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZN/
Arrival Time : 06.05.2018 13:25:43,359
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868205486

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEZF/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=SC at 06.05.2018 13:25:42
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 13:25:43

OUTGOING TRANSFER OBJECT

Date : 06.05.2018 13:26:37
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 13:26:36,575
Transmission Time : 1140 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805061326350026
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 06.05.2018 13:26:36,571
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868205514

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEZF/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=SC at 06.05.2018 13:26:35
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 13:26:36

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 17:39:30
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 17:39:29,005
 Transmission Time : 1141 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8C082A17D4
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 06.05.2018 17:39:29,001
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868215535

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 17:39:29
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 17:39:29

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 17:40:08
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 17:40:07,042
 Transmission Time : 1220 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8C0A6E781B
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 06.05.2018 17:40:07,037
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868215598

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 17:40:07
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 17:40:07

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 19:13:17
 Destination LA : LA_P1_QUITO

Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 19:13:15,320
Transmission Time : 1811 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B8D57441D35
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 06.05.2018 19:13:11,074
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868219498

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 06.05.2018 19:13:11
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 19:13:11

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 03:25:32
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 03:25:31,824
Transmission Time : 1165 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B9437C2BE7D
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 07.05.2018 03:25:27,273
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868237969

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 03:25:27
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 03:25:27

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 04:19:18
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 04:19:17,276
Transmission Time : 1196 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B94F813C753
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 07.05.2018 04:19:13,809
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868239417

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)

Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 04:19:13
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 04:19:13

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 05:28:07
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 05:28:05,968
 Transmission Time : 1205 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B95EE5F7261
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
 Arrival Time : 07.05.2018 05:28:05,963
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868241210

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAFWZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 05:28:05
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 05:28:05

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 07:37:26
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 07:37:25,307
 Transmission Time : 1190 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805070737190032
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 07.05.2018 07:37:21,813
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868244590

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEFZ/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=SC at 07.05.2018 07:37:19
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 07:37:21

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 11:16:33
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 11:16:32,176

Transmission Time : 1208 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805071116270033
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 07.05.2018 11:16:28,738
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868249658

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCLP/CN=SCLPZEZF/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=SC at 07.05.2018 11:16:27
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 11:16:28

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 18:03:52
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 18:03:51,387
 Transmission Time : 1186 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA07D2BA164
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 07.05.2018 18:03:51,383
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868267372

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAEXZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)
2. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KBTRZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 18:03:51
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 18:03:51

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 19:44:25
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 19:44:24,375
 Transmission Time : 1567 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA1E4C3B7E4
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 07.05.2018 19:44:24,370
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868271240

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAEXZTZX/
 Report Type : Non-Delivery Report

Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)
 2. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KBTRZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 19:44:24
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 19:44:24

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 19:46:14
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 19:46:13,456
 Transmission Time : 1105 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA1EB442382
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 07.05.2018 19:46:13,450
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868271285

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAEXZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)
 2. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KBTRZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 19:46:13
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 19:46:13

OUTGOING TRANSFER OBJECT

Date : 07.05.2018 20:42:28
 Destination LA : LA_P1_QUITO
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 20:42:27,394
 Transmission Time : 1229 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA2B45E5F26
 Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
 Arrival Time : 07.05.2018 20:42:27,389
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868273913

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KAEXZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)
 2. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KBTRZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 07.05.2018 20:42:27
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 20:42:27

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 03:38:46
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 03:38:45,298
Transmission Time : 1140 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA8852AF24E
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 08.05.2018 03:38:45,294
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868288378

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 03:38:45
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 03:38:45

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 04:43:24
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 04:43:23,638
Transmission Time : 1262 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BA96C0E57EA
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 08.05.2018 04:43:18,956
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868289923

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 04:43:18
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 04:43:18

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 15:54:58
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 15:54:57,361
Transmission Time : 1298 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BB2CDD18171
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 08.05.2018 15:54:53,842
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868311336

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 15:54:53
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 15:54:53

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 18:17:54
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 18:17:52,069
Transmission Time : 2402 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BB4CCEA0A8B
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 08.05.2018 18:17:48,607
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868319194

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 08.05.2018 18:17:48
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 18:17:48

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 03:18:19
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 03:18:18,750
Transmission Time : 1120 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBC59E6ACEE
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 09.05.2018 03:18:18,745
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868340535

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 03:18:18

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 03:18:18

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 03:37:12
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 03:37:10,883
Transmission Time : 1155 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBC9D61A8D0
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 09.05.2018 03:37:10,879
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868340773

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 03:37:10
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 03:37:10

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 05:12:21
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 05:12:20,543
Transmission Time : 1245 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BBD1B42846
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 09.05.2018 05:12:20,539
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868342936

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 09.05.2018 05:12:20
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 05:12:20

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 09:32:04
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 09:32:03,120
Transmission Time : 1109 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805090931580037

Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 09.05.2018 09:31:59,484
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868348336

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCKL/CN=SCKLZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=SC at 09.05.2018 09:31:58
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 09:31:59

OUTGOING TRANSFER OBJECT

=====
Date : 09.05.2018 10:15:32
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 10:15:31,632
Transmission Time : 1212 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=SC/LocalID=RPT1805091015300038
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 09.05.2018 10:15:31,628
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868349482

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=SC/O=SCSC/OU1=SCKL/CN=SCKLZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=SC at 09.05.2018 10:15:30
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 10:15:31

OUTGOING TRANSFER OBJECT

=====
Date : 10.05.2018 03:35:56
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 03:35:55,414
Transmission Time : 1166 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD0B6B976F5
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 10.05.2018 03:35:55,409
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868395939

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KDALZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 03:35:55
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 03:35:55

OUTGOING TRANSFER OBJECT

=====
Date : 10.05.2018 04:26:20
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 04:26:19,574
Transmission Time : 1153 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD16AFA81ED
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 10.05.2018 04:26:19,571
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868397193
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 04:26:19
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 04:26:19

OUTGOING TRANSFER OBJECT
=====

Date : 10.05.2018 04:44:51
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 04:44:50,223
Transmission Time : 1114 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD1AD2DA203
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZPZX/
Arrival Time : 10.05.2018 04:44:50,218
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868397587
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=K/O=AFTN/OU1=KMCOZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS
1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 04:44:50
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 04:44:50

OUTGOING TRANSFER OBJECT
=====

Date : 10.05.2018 15:27:25
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 15:27:24,005
Transmission Time : 1198 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BDAA729AAC1
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 10.05.2018 15:27:24,000
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868420024

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 15:27:23
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 15:27:23

OUTGOING TRANSFER OBJECT

=====
Date : 10.05.2018 17:33:09
Destination LA : LA_P1_QUITO
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 17:33:08,413
Transmission Time : 1250 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BDC68D834A7
Destination : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZPZX/
Arrival Time : 10.05.2018 17:33:08,408
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\010051868426273

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=TJ/O=AFTN/OU1=TJBQZTZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 17:33:08
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 17:33:08

5. VENEZUELA

Oss11@OpsAida: SUPER_RAUL, 15.05.2018 17:03:46

Detail

=====
OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 19:01:02
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 19:01:01,526
Transmission Time : 666 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2896932EDB
Destination : /C=XX/A=ICAO/P=SV/O=SVZM/OU1=SVMI/CN=SVMIZPZX/
Arrival Time : 01.05.2018 19:01:01,523
Subject Id : /C=XX/A=ICAO/P=SV/LocalID=MTA-SVZM-1.1767301-180501.190101

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 19:01:01
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 19:01:01

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 20:41:07
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 20:41:06,389
Transmission Time : 681 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B29FC7E173F
Destination : /C=XX/A=ICAO/P=SV/O=SVZM/OU1=SVMI/CN=SVMIZPZX/
Arrival Time : 01.05.2018 20:41:06,385
Subject Id : /C=XX/A=ICAO/P=SV/LocalID=MTA-SVZM-1.1653201-180501.204105
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 20:41:06
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 20:41:06

OUTGOING TRANSFER OBJECT

=====
Date : 01.05.2018 22:18:27
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 01.05.2018 22:18:26,612
Transmission Time : 773 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B2B5898CEE7
Destination : /C=XX/A=ICAO/P=SV/O=SVZM/OU1=SVMI/CN=SVMIZTZX/
Arrival Time : 01.05.2018 22:18:26,607
Subject Id : /C=XX/A=ICAO/P=SV/LocalID=MTA-SVZM-1.1029901-180501.221826
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 01.05.2018 22:18:26
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 01.05.2018 22:18:26

OUTGOING TRANSFER OBJECT

=====
Date : 03.05.2018 19:38:14
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 03.05.2018 19:38:13,511
Transmission Time : 913 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B51574B4AF4
 Destination : /C=XX/A=ICAO/P=SV/O=SVZM/OU1=SVMI/CN=SVMIZPZX/
 Arrival Time : 03.05.2018 19:38:13,507
 Subject Id : /C=XX/A=ICAO/P=SV/LocalID=MTA-SVZM-1.0273001-180503.193813

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 19:38:13
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 19:38:13

OUTGOING TRANSFER OBJECT

=====
 Date : 03.05.2018 22:42:10
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 03.05.2018 22:42:10,133
 Transmission Time : 702 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B53E920C6FB
 Destination : /C=XX/A=ICAO/P=SV/O=SVZM/OU1=SVMG/CN=SVMGYFYX/
 Arrival Time : 03.05.2018 22:42:10,129
 Subject Id : /C=XX/A=ICAO/P=SV/LocalID=MTA-SVZM-1.0051001-180503.224209

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPUC/CN=SPUCZTZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 22:42:10
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 22:42:10

OUTGOING TRANSFER OBJECT

=====
 Date : 03.05.2018 23:26:06
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 03.05.2018 23:26:05,459
 Transmission Time : 635 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22B548634A80A
 Destination : /C=XX/A=ICAO/P=SV/O=SVZM/OU1=SVMI/CN=SVMIZTZX/
 Arrival Time : 03.05.2018 23:26:05,454
 Subject Id : /C=XX/A=ICAO/P=SV/LocalID=MTA-SVZM-1.2317701-180503.232604

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPJC/CN=SPJCZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

- 1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 03.05.2018 23:26:05
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 03.05.2018 23:26:05

OUTGOING TRANSFER OBJECT

=====
Date : 04.05.2018 18:59:26
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 18:59:26,014
Transmission Time : 698 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\04051868116561
Destination : /C=XX/A=ICAO/P=GERMANY/O=EDGG/OU1=EDDF/CN=EDDFQTRX/
Arrival Time : 04.05.2018 18:59:26,010
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0405006852001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 04.05.2018 18:59:25
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 18:59:26

OUTGOING TRANSFER OBJECT

=====
Date : 04.05.2018 22:39:14
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 04.05.2018 22:39:13,320
Transmission Time : 718 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\04051868128313
Destination : /C=XX/A=ICAO/P=GERMANY/O=EDGG/OU1=EDDF/CN=EDDFTAMX/
Arrival Time : 04.05.2018 22:39:13,316
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0405008604001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 04.05.2018 22:39:12
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 04.05.2018 22:39:13

OUTGOING TRANSFER OBJECT

=====
Date : 05.05.2018 05:19:41
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 05.05.2018 05:19:40,895
Transmission Time : 705 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868142393
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/

Arrival Time : 05.05.2018 05:19:40,890
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0505001549001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS
 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 05.05.2018 05:19:39
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 05:19:40

OUTGOING TRANSFER OBJECT
 =====

Date : 05.05.2018 08:32:42
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 08:32:41,685
 Transmission Time : 828 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868146889
 Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
 Arrival Time : 05.05.2018 08:32:41,681
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0505002381001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS
 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 05.05.2018 08:32:41
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 08:32:41

OUTGOING TRANSFER OBJECT
 =====

Date : 05.05.2018 14:31:08
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 05.05.2018 14:31:07,498
 Transmission Time : 705 ms

Transfer Object Type : Report
 MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\05051868158783
 Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
 Arrival Time : 05.05.2018 14:31:07,493
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0505004451001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS
 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 05.05.2018 14:31:06
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 05.05.2018 14:31:07

OUTGOING TRANSFER OBJECT
 =====

Date : 06.05.2018 05:03:34
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 05:03:32,782
Transmission Time : 1447 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868191235
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 06.05.2018 05:03:32,777
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0605001411001
Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 05:03:31
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 05:03:32

OUTGOING TRANSFER OBJECT

Date : 06.05.2018 07:43:50
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 07:43:49,899
Transmission Time : 671 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868195544
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 06.05.2018 07:43:49,895
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0605002176001
Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 07:43:49
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 07:43:49

OUTGOING TRANSFER OBJECT

Date : 06.05.2018 08:45:45
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 08:45:45,083
Transmission Time : 728 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868196508
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 06.05.2018 08:45:45,078
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0605002395001
Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 08:45:44
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 08:45:45

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 14:45:57
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 14:45:57,026
 Transmission Time : 647 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868208287
 Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
 Arrival Time : 06.05.2018 14:45:57,009
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0605004428001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 14:45:56
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 14:45:57

OUTGOING TRANSFER OBJECT

=====

Date : 06.05.2018 16:30:35
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 06.05.2018 16:30:34,616
 Transmission Time : 847 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868212510
 Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
 Arrival Time : 06.05.2018 16:30:34,611
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0605005109001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)
 2. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 16:30:33
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 16:30:34

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 18:48:53
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 18:48:52,558
Transmission Time : 675 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868218319
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 06.05.2018 18:48:52,549
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0605006073001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 18:48:51
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 18:48:52

OUTGOING TRANSFER OBJECT

=====
Date : 06.05.2018 23:41:25
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 06.05.2018 23:41:24,696
Transmission Time : 703 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\06051868231189
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 06.05.2018 23:41:24,691
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0605008025001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 06.05.2018 23:41:24
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 06.05.2018 23:41:24

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 06:15:01
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 06:15:01,110
Transmission Time : 707 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868242912
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 07.05.2018 06:15:01,103
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705001876001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 06:15:00
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 06:15:01

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 07:09:46
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 07:09:45,762
Transmission Time : 688 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868244049
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 07.05.2018 07:09:45,758
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705002072001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 07:09:44
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 07:09:45

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 08:27:31
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 08:27:31,026
Transmission Time : 887 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868245350
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 07.05.2018 08:27:31,022
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705002366001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 08:27:30
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 08:27:31

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 10:28:50

Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 10:28:50,186
Transmission Time : 709 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868248015
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 07.05.2018 10:28:50,164
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705002922001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 10:28:49
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 10:28:50

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 11:58:44
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 11:58:43,379
Transmission Time : 848 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868251985
Destination : /C=XX/A=ICAO/P=GERMANY/O=EDGG/OU1=EDDF/CN=EDDFAEAX/
Arrival Time : 07.05.2018 11:58:43,375
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705003573001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)
2. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 11:58:42
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 11:58:43

OUTGOING TRANSFER OBJECT

=====
Date : 07.05.2018 13:53:40
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 07.05.2018 13:53:39,653
Transmission Time : 727 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868256551
Destination : /C=XX/A=ICAO/P=GERMANY/O=EDGG/OU1=EDDF/CN=EDDFQTRX/
Arrival Time : 07.05.2018 13:53:39,648

Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705004259001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 13:53:38
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 13:53:39

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 22:26:12
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 22:26:11,683
 Transmission Time : 682 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868278385
 Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
 Arrival Time : 07.05.2018 22:26:11,678
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705007816001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)
- 2. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 22:26:10
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 22:26:11

OUTGOING TRANSFER OBJECT

=====
 Date : 07.05.2018 22:28:39
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 07.05.2018 22:28:38,882
 Transmission Time : 873 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\07051868278464
 Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
 Arrival Time : 07.05.2018 22:28:38,877
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0705007828001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)
- 2. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZPZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 07.05.2018 22:28:38
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 07.05.2018 22:28:38

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 05:11:17
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 05:11:16,467
Transmission Time : 876 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868290673
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 08.05.2018 05:11:16,462
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0805001414001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 08.05.2018 05:11:15
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 05:11:16

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 07:49:18
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 07:49:17,665
Transmission Time : 668 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868293947
Destination : /C=XX/A=ICAO/P=GERMANY/O=EDGG/OU1=EDDF/CN=EDDFQTRX/
Arrival Time : 08.05.2018 07:49:17,660
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0805002041001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 08.05.2018 07:49:16
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 07:49:17

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 08:39:20
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 08:39:19,855
Transmission Time : 689 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868294585
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 08.05.2018 08:39:19,850
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0805002208001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 08.05.2018 08:39:19
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 08:39:19

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 11:59:16
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 11:59:15,493
Transmission Time : 706 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868301052
Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
Arrival Time : 08.05.2018 11:59:15,488
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0805003335001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 08.05.2018 11:59:14
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 11:59:15

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 14:27:15
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 14:27:14,875
Transmission Time : 648 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868307295
Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
Arrival Time : 08.05.2018 14:27:14,871
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0805004394001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 08.05.2018 14:27:14

2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 14:27:14

OUTGOING TRANSFER OBJECT

Date : 08.05.2018 18:44:22
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 08.05.2018 18:44:21,852
Transmission Time : 697 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\08051868320145
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 08.05.2018 18:44:21,847
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0805006409001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 08.05.2018 18:44:21
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 08.05.2018 18:44:21

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 05:12:17
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 05:12:16,774
Transmission Time : 688 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868342933
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 09.05.2018 05:12:16,769
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0905001491001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 09.05.2018 05:12:16
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 05:12:16

OUTGOING TRANSFER OBJECT

Date : 09.05.2018 07:08:01
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 07:08:00,670
Transmission Time : 593 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868345671

Destination : /C=XX/A=ICAO/P=GERMANY/O=EDGG/OU1=EDDF/CN=EDDFQTRX/
 Arrival Time : 09.05.2018 07:08:00,666
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0905002012001
 Actual recipient list
 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 09.05.2018 07:07:59
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 07:08:00

OUTGOING TRANSFER OBJECT

=====

Date : 09.05.2018 07:56:41
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 07:56:40,320
 Transmission Time : 858 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868346449
 Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
 Arrival Time : 09.05.2018 07:56:40,316
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0905002171001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 09.05.2018 07:56:39
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 07:56:40

OUTGOING TRANSFER OBJECT

=====

Date : 09.05.2018 08:44:33
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 09.05.2018 08:44:32,494
 Transmission Time : 686 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868347325
 Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
 Arrival Time : 09.05.2018 08:44:32,484
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0905002353001

Actual recipient list

- 1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

- 1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 09.05.2018 08:44:31
- 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 08:44:32

OUTGOING TRANSFER OBJECT

=====
Date : 09.05.2018 12:04:38
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 12:04:36,796
Transmission Time : 1573 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868354290
Destination : /C=XX/A=ICAO/P=GERMANY/O=EDGG/OU1=EDDF/CN=EDDFAEAX/
Arrival Time : 09.05.2018 12:04:36,791
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0905003616001
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEGU/CN=SEGUZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)
2. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQU/CN=SEQUZPZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS
1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 09.05.2018 12:04:36
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 12:04:36

OUTGOING TRANSFER OBJECT
=====

Date : 09.05.2018 14:00:32
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 09.05.2018 14:00:31,380
Transmission Time : 673 ms

Transfer Object Type : Report
MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\09051868359899
Destination : /C=XX/A=ICAO/P=EH/O=EH/OU1=EHAM/CN=EHAMKLMF/
Arrival Time : 09.05.2018 14:00:31,376
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-0905004441001
Actual recipient list
1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS
1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 09.05.2018 14:00:30
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 09.05.2018 14:00:31

OUTGOING TRANSFER OBJECT
=====

Date : 10.05.2018 03:40:06
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 03:40:05,932
Transmission Time : 670 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=PERU/LocalID=aida-mta-MTCU:00E22BD0C5A8154D
 Destination : /C=XX/A=ICAO/P=SV/O=SVZM/OU1=SVCA/CN=SVCAITYX/
 Arrival Time : 10.05.2018 03:40:05,928
 Subject Id : /C=XX/A=ICAO/P=SV/LocalID=MTA-SVZM-1.0181101-180510.034005

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=PERU/O=SPIM/OU1=SPXX/CN=SPXXXXXX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : unrecognised-OR-name (0)

Path through MHS

1. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta-MTCU at 10.05.2018 03:40:05
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 03:40:05

OUTGOING TRANSFER OBJECT

=====
 Date : 10.05.2018 05:57:02
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 05:57:01,085
 Transmission Time : 1507 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868399927
 Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
 Arrival Time : 10.05.2018 05:57:01,080
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1-1005001857001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 10.05.2018 05:57:00
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 05:57:01

OUTGOING TRANSFER OBJECT

=====
 Date : 10.05.2018 08:36:45
 Destination LA : LA_P1_CARACAS
 Message Type : X400
 Message State : Transmitted
 Transmission Start : 10.05.2018 08:36:44,376
 Transmission Time : 878 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868402785
 Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
 Arrival Time : 10.05.2018 08:36:44,371
 Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1-1005002408001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
 Report Type : Non-Delivery Report
 Reason Code : unable-to-transfer (1)
 Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 10.05.2018 08:36:43
 2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 08:36:44

OUTGOING TRANSFER OBJECT

=====
Date : 10.05.2018 18:48:34
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 18:48:34,225
Transmission Time : 722 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868430097
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 10.05.2018 18:48:34,221
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-1005006941001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 10.05.2018 18:48:33
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 18:48:34

OUTGOING TRANSFER OBJECT

=====
Date : 10.05.2018 23:32:20
Destination LA : LA_P1_CARACAS
Message Type : X400
Message State : Transmitted
Transmission Start : 10.05.2018 23:32:19,650
Transmission Time : 700 ms

Transfer Object Type : Report

MTS Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTA-SEGU-1\0\10051868444375
Destination : /C=XX/A=ICAO/P=EUROPE/O=EUROCONTROL-NMH/OU1=EUCH/CN=EUCHZMFP/
Arrival Time : 10.05.2018 23:32:19,646
Subject Id : /C=XX/A=ICAO/P=ECUADOR/LocalID=MTCU-SEGU-1-1005009114001

Actual recipient list

1. Recipient : /C=XX/A=ICAO/P=ECUADOR/O=SEFG/OU1=SEQM/CN=SEQMZQZX/
Report Type : Non-Delivery Report
Reason Code : unable-to-transfer (1)
Diagnostic Code : loop-detected (3)

Path through MHS

1. (Domain) : /C=XX/A=ICAO/P=ECUADOR at 10.05.2018 23:32:19
2. (MTA) : /C=XX/A=ICAO/P=PERU/aida-mta at 10.05.2018 23:32:19