



PPT/ 06

Table PMP III-4 – Performance baseline within the CAR/SAM Region

Fernando Hermoza
ATM/SAR Officer
ICAO SAM Regional Office

**CAR/SAM Regional Workshop for the Preparation of Vol. III of the Regional Air
Navigation Plan**

Online from 9 to 12 May 2022





Performance baseline in the (NAME) Region

3.4 The only way of knowing an operational environment and identifying the existence of a problem is by collecting, processing and analysing data. The value of these indicators would be your performance baseline. The performance baseline for the (NAME) Region can be found in **Table PMP III-4**.



KPI01

Departure punctuality



KPI02

Taxi-out additional time



KPI03

ATFM slot adherence



KPI04

Filed flight plan en-route extension



KPI05

Actual en-route extension



KPI06

En-route airspace capacity



KPI07

En-route ATFM delay





KPI08 Additional time in terminal airspace



KPI09 Airport peak capacity



KPI10 Airport peak throughput



KPI11 Airport throughput efficiency



KPI12 Airport/Terminal ATFM delay



KPI13 Taxi-in additional time



KPI14 Arrival punctuality



KPI15 Flight time variability



KPI16 Additional fuel burn





KPI17

Level-off during climb



KPI18


Level capping during cruise



KPI19

Level-off during descent







ICAO | CAPACITY & EFFICIENCY



GRACIAS