民航處 CIVIL AVIATION DEPARTMENT



# Follow-up on Recommendations of AN-Conf/12

Presented by Australia, Hong Kong China and Singapore

for ICAO SEA/BOB ADS-B WG9 30 Oct – 1 Nov 2013







- ADS-B SITF/12 (April 2013) reviewed outcomes of AN-Conf/12 (total 56 nos. recommendations), and identified recommendations related to ADS-B SITF
- The Chairman of TF and the Meeting agreed to further study on recommendations for implementation in APAC
- Australia, Hong Kong China and Singapore volunteered to take lead in preparing WP with list of practical ADS-B related initiatives to report in next ADS-B SITF/13







- During APANPIRG/24 (June 2013), the following Conclusion/Decision related to AN-Conf/12 was endorsed
  - ✓ Conclusion 24/4 Follow-up to AN-Conf/12 Recommendations by States and International Organizations

"That, the States and International Organizations, on the basis of analysis contained in the Appendix A to Report on Agenda Item 2, takes follow-up action as appropriate on the applicable recommendations of the AN-Conf/12"

 ✓ Decision 24/5 — Follow-up to AN-Conf/12 Recommendations by APANPIRG

"That the subgroups of APANPIRG study the recommendations of the AN-Conf/12, initiate appropriate follow-up actions and submit a report on the outcomes of these actions to APANPIRG/25"







- Having conducted a review on the 56 nos. of AN-Conf/12 recommendations, it is proposed that the ADS-B SITF to provide response and actions to the following 16 nos. of AN-Conf/12 recommendations :
  - Recommendations 1/2, 1/7, 1/9, 1/11\*, 1/12, 2/2, 4/1, 4/2\*, 4/3, 4/5, 4/6\*, 6/1, 6/2, 6/6\*, 6/10\* & 6/12
     (\*): actions required by ADS-B SITF
- The proposed response and actions are given below. Actions required from ADS-B SITF are highlighted in yellow for consideration

Recommendations Adopted by AN-CONF/12	Proposed Response/Actions by ADS-B SITF
Recommendation 1/2 – Implementation That ICAO:	APANPIRG has already, and will continue, to provide guidance and practical assistance to States in our region regarding planning and implementation of ASBU modules related to ADS-B OUT an ADS-B IN.
a) through its regional offices, <b>provide guidance and</b> <b>practical assistance to States</b> and regions and sub- regions when they decide to implement individual blocks or modules of the aviation system block upgrades;	Since 2002, APANPIRG has established the "ADS-B Study & Implementation Task Force" (ADS-B SITF) which has been providing comprehensive guidance materials for ADS-B and numerous seminars and workshops on ADS-B before each meeting.
<ul> <li>b) establish a group and improved mechanism for interregional cooperation to ensure harmonization of air traffic management; and</li> <li>c) assist States and regions in training and capacity-</li> </ul>	APANPIRG has already proposed early implementation of ADS- OUT technology and will continue to do so. This has been reflected in the Asia/Pacific Regional Surveillance Strategy document.
<b>building towards implementation</b> of the relevant modules of the aviation system block upgrades.	B0-ASUR on "Initial Capability For Ground Surveillance" and B0 SNET on "Increased Effectiveness of Ground Based Safety Nets" which are dependent on ADS-B OUT technology, are amongst the highest priority ASBU implementation in the Asia Pacific region.

0.00

<b>Recommendations Adopted by AN-CONF/12</b>	Proposed Response/Actions by ADS-B SITF	
Recommendation 1/7 – Automatic dependent surveillance – broadcast	APANPIRG has already proposed early implementation of ADS-B OUT technology, and will continue to do so.	
<ul> <li>That States:</li> <li>a) recognize the effective use of automatic dependent surveillance — broadcast (ADS-B) and associated communication technologies in bridging surveillance gaps and its role in supporting future trajectory-based air traffic management operating concepts, noting that the full potential of ADS-B has yet to be fully realized; and</li> <li>b) recognize that cooperation between States is key towards improving flight efficiency and enhancing safety involving the use of automatic dependent surveillance — broadcast technology;</li> </ul>	APANPIRG has encouraged ADS-B data sharing among States. Conclusions have been adopted under APANPIRG to urge States to share their ADS-B data and DCPC facilities. ADS-B data sharing is already operational in the region and further deployments are being planned. Besides, APANPIRC has also encouraged harmonized ADS-B implementation among States. Templates for harmonized ADS-B implementation, promulgation of harmonized ADS-B avionic equipage requirements, and guidelines for airworthiness and operational approval, have been developed and published. The dates of ADS-B mandates in many sub-regions were also aligned to take effect from 12 December 2013.	
<ul> <li>That ICAO:</li> <li>c) urge States to share automatic dependent surveillance – broadcast (ADS-B) data to enhance safety, increase efficiency and achieve seamless surveillance and to work closely together to harmonize their ADS-B plans to optimize benefits.</li> </ul>	APANPIRG has developed and published guidance materials on ADS-B data sharing and harmonized ADS-B implementation, and will continue to promote it at each APANPIRG and its contributory bodies' meetings.	

Recommendations Adopted by AN-CONF/12	<b>Proposed Response/Actions by ADS-B SITF</b>
Recommendation 1/9 – Space-based automatic dependent surveillance — broadcast	APANPIRG noted the development of space-based ADS-B.
<ul> <li>That ICAO:</li> <li>a) support the inclusion in the Global Air Navigation Plan, development and adoption of space-based automatic dependent surveillance — broadcast surveillance as a surveillance enabler;</li> <li>b) develop Standards and Recommended Practices and guidance material to support space-based automatic dependent surveillance — broadcast as appropriate; and</li> </ul>	<ul> <li>APANPIRG suggests that the highest cost benefit for this technology will be in the NAT region. We also note that the cost to ANSPs and the applicable lateral separations are not yet clear and that the technology is, as yet, unproven.</li> <li>However, APANPIRG sees enormous potential for space-based ADS-B across the oceans of the region. The strategy being adopted by the region is to keep an eye on its development until there is clarity about technical success and about the cost of the services before committing to this technology.</li> </ul>
<ul> <li>c) facilitate needed interactions among stakeholders, if necessary, to support this technology.</li> </ul>	The Asia/Pacific Seamless ATM Plan has identified space-based ADS-B as one of the key areas that should be researched for future development, in order to continue pursuance of seamless ATM beyond ASBU Block 0 implementations and global interoperability.

Recommendations Adopted by AN- CONF/12	Proposed Response/Actions by ADS-B SITF	Comments
<ul> <li>Recommendation 1/11 – Automation roadmap</li> <li>That ICAO: <ul> <li>a) develop a global roadmap for the evolution of ground air traffic management automation systems in line with aviation system block upgrade implementation; and</li> </ul> </li> <li>b) develop performance-based system requirements for air traffic management automation systems so that: <ul> <li>1) where necessary these systems are interoperable across States and regions; and</li> <li>2) the function and operation of these systems will result in consistent and predictable air traffic management system performance across States and regions.</li> </ul> </li> </ul>	APANPIRG should encourage States to ensure that all newly deployed air traffic management automation systems should support all applicable ICAO adopted surveillance technologies such as ADS-B / MLAT and Mode S DAPS (Mode S Enhanced Surveillance), and that when appropriate, existing air traffic management automation systems will be upgraded to have such capabilities. Besides, capabilities to allow ADS-B data sharing should be included. Depending on whether there will be operational benefits to States and the region, APANPIRG could consider to promulgate a time line of expected ADS-B / MLAT / Mode S DAPS capabilities in their air traffic management automation systems by say November 2018 (in line with the "Preferred ATM Service Levels" PASL Phase II in Asia/Pacific Seamless ATM Plan). Guidance materials regarding appropriate ADS-B / MLAT / Mode S DAPS functionalities are available in the published guidance documents including guidance on sharing of ADS-B data. However, guidance materials for ADS-B implementation in complex radar airspaces are yet to be developed. ADS-B SITF to consider enhancing guidance materials for implementation of Mode S DAPS, as well as ADS-B implementation in radar airspace if needed.	Singapore: On "MLAT": This may not be required by all States. It is subject to the needs and the potential benefits to individual State (Hong Kong: proposed to add text in blue to address) Singapore: On "Mode S DAPS": Not sure whether there are sufficient guidance documents for these technologies, in particular, the Mode-S DAPS.

<b>Recommendations Adopted by AN-CONF/12</b>	Proposed Response/Actions by ADS-B SITF
Recommendation 1/12 – Development of the aeronautical	
frequency	With the deployment of ADS-B consideration should be
spectrum resource	given to the decommissioning of radars to reduce
That States and stakeholders:	frequency spectrum utilization. The sharing of DCPC facilities to support ADS-B operations could also lead to decommissioning of certain HF stations and thus releasing the associated HF frequencies.
a) recognize that a prerequisite for the deployment of	the associated in frequencies.
systems and technologies is the availability of adequate and appropriate radio spectrum to support aeronautical safety services;	High ADS-B fitment rates may lead to the removal of primary radars in some states.
b) work together to deliver efficient aeronautical frequency management and "best practices" to demonstrate the effectiveness and relevance of the industry in spectrum management;	The Regional Surveillance Strategy has encouraged State to reduce dependence on primary radars for area surveillance.
2) demonstrate efficient use of the spectrum allocated through efficient frequency management and use of best practises;	

Rec	commendations Adopted by AN-CONF/12	Proposed Response/Actions by ADS-B SITF
Rec	commendation 2/2 – Development of ICAO provisions for	
rem	notely operated air traffic services	Due to the high Mode-S and ADS-B fitment and usage in
That	t ICAO provide:	the APAC region, trials of remotely operated ATS may be practical within the region earlier than other regions. APAC states should be encouraged to support these
a)	updates on additional guidelines for surveillance and air and ground communications systems;	activities.
b)	requirements for the use of sensors and display technologies to replace visual observation to air traffic in the provision of air traffic services; and	
101 12		
1		

<b>Recommendations Adopted by AN-CONF/12</b>	Proposed Response/Actions by ADS-B SITF
Recommendation 4/1 – Efficient management of airspace and improved flow performance through collaborative decision- making That States:	CDM in some environments may be improved by separate organisations having a common view of the traffic. ADS-B data sharing between organisations may support
<ul> <li>h) accelerate the implementation of collaborative decision- making processes in the provision of services at the regional level, being guided by the principles set forth in the Manual on Collaborative Air Traffic Flow Management (Doc 9971) and the Manual on Flight and Flow – Information for a Collaborative Environment (Doc 9965);</li> <li>i) according to their operational needs, implement the aviation system block upgrade modules relating to network operations included in Block 0.</li> </ul>	better CDM.
	10

Recommendations Adopted by AN-CONF/12	Proposed Response/Actions by ADS-B SITF
<ul> <li>Recommendation 4/2 – ICAO aviation system block upgrades</li> <li>relating to ground surveillance using automatic dependent</li> <li>surveillance – broadcast / multilateration, air traffic situational</li> <li>awareness, interval management and airborne separation.</li> <li>That the Conference:</li> <li>a) endorse the aviation system block upgrade modules relating to</li> <li>interval management included in Block 1 and recommend that</li> <li>ICAO use them as the basis of its work programme on the</li> <li>subject;</li> </ul>	APANPIRG supports and prioritizes deployment of ASBU B0-ASBU (Initial Capability for Ground Surveillance) using ADS-B OUT technology. Initially, this serves the needs of ground surveillance but will place the region in a good position for ADS-B IN applications listed in Block 0 and Block 1. APANPIRG could consider to further enhance the region's preparedness by all States agreeing that all <u>NEW</u> aircraft registrations must have ADS-B OUT capability in our region by say 2017.
<ul> <li>b) agree in principle to the aviation system block upgrade modules relating to airborne separation included in Block 2 as the strategic direction for this subject;</li> <li>That States:</li> <li>h) according to their operational needs, to implement the aviation system block upgrade modules relating to ground surveillance, improved air traffic situational awareness and improved access to optimum flight levels included in Block 0.</li> </ul>	<ul> <li>APANPIRG could consider to enhance safety &amp; efficiency in the region by supporting further deployment ADS-B IN capabilities available in Block 0, including :</li> <li>B0-ASEP Air Traffic Situational Awareness (ATSA)</li> <li>B0-OPFL Improved Access to Optimum Flight Levels Through Climb/Descent Procedures Using ADS-B (ITP)</li> </ul>

Recommendations Adopted by AN- CONF/12	Proposed Response/Actions by ADS-B SITF	Comments
Recommendation 4/3 – ICAO aviation system block upgrades relating to airborne collision avoidance systems and ground-based safety nets	Depending on whether there will be operational benefits for States and the region, APANPIRG could further improve safety in the region by encouraging States in the region to implement : B0-SNET Increased Effectiveness of Ground Based Safety Nets	Singapore: On "encouraging States in the region to implement": Should it be based on individual State's
<ul> <li>That the Conference:</li> <li>a) endorse the aviation system block upgrade module relating to ground-based safety nets included in Block 1 and recommend that ICAO use it as the basis of its work programme on the subject;</li> <li>b) agree in principle to the aviation system block upgrade module relating to airborne collision avoidance systems included in Block 2, as the basis of the strategic direction for this subject;</li> <li>g) incorporate the new generation of airborne collision avoidance system (ACAS X) into its work programme;</li> <li>That States:</li> <li>i) according to their operational needs, to implement the aviation system block upgrade modules relating to airborne collision avoidance systems and ground based safety nets included in Block 0.</li> </ul>	<ul> <li>States in the region could agree, based on ALARP principles, to replace / upgrade their ATC systems to include :</li> <li>Short-term conflict alert (STCA) using data from available surveillance sensors such as Radar, WAM and ADS-B</li> <li>Area proximity warning (APW)</li> <li>Minimum safe altitude warning (MSAW)</li> <li>Route adherence monitoring (RAM)</li> <li>Cleared level adherence monitoring (CLAM)</li> <li>Selected level mismatch (using Mode C, Mode S and ADS-B data)</li> <li>The Asia/Pacific Seamless ATM Plan has set target date for implementation of the ground-based safety nets by PASL Phase II (expected implementation by November 2018).</li> <li>This could be done at the same time as upgrading the ATC system to support ADS-B.</li> </ul>	operational needs as recommended by the Conference? (Hong Kong: proposed to add text in blue to address) Singapore: On "ADS-B data": Need to make it clear whether geometric heights could be used. How about measured heights from MLAT/WAM?

That States: a) planning and implementation regional groups, and ICAO to analyse the benefits that could be achieved through improved civil/military cooperation and sharing of the airspace serving international traffic flows and express the results of this analysis in terms of: 1) capacity increases and reduction in routine between civilian and military authorities, including those from neighbouring States, to support a common view of the airspace Engagement of the military in ADS-B could lead to improve co-ordination and increased airspace sharing. Use of ADS-B provided by the civilian authority could fill surveillance gap the military system (at least as far as civilian traffic is concerned).	<b>Recommendations Adopted by AN-CONF/12</b>	Proposed Response/Actions by ADS-B SITF
<ul> <li>delays as measured by traffic volumes on major traffic flows;</li> <li>2) document fuel savings and emission reductions through the use of the fuel savings estimation tools; and</li> </ul>	coordination/cooperation and sharing of airspace That States: a) planning and implementation regional groups, and ICAO to analyse the benefits that could be achieved through improved civil/military cooperation and sharing of the airspace serving international traffic flows and express the results of this analysis in terms of:	
through the use of the fuel savings estimation tools; and		Guidance materials on advice to military authorities regarding ADS-B data sharing has been developed and published.
3) other additional benefits;.		
	3) other additional benefits;.	

Recommendations Adopted by AN-CONF/12	Proposed Response/Actions by ADS-B SITF	Comments
Recommendation 4/6 – ICAO aviation system block upgrades relating to integration of remotely piloted aircraft into non- segregated airspace	A key to the support of remotely piloted aircraft in civilian airspace is surveillance. It could be appropriate to insist that all <b><u>new</u></b> registered remotely piloted aircraft operating in	Singapore: On "New registered": For safety reason, the existing ones should be retrofitted too.
<ul><li>That the Conference:</li><li>a) endorse the aviation system block upgrade</li></ul>	civilian airspace are required to have appropriate ADS-B OUT or Mode-S capability.	Singapore: On "appropriate ADS-B OUT or Mode-S":
module relating to remotely piloted aircraft included in Block 1 and recommend that ICAO use it as the basis of its work programme on the subject;	The APANPIRG publication of such a rule could avoid the costs of an expensive retrofit in the future. The time is right for ADS-B SITF to deliberate such a strategic move.	DO260 type of ADS-B avionics may not be accepted in complex radar airspace
<ul> <li>b) agree in principle to the aviation system block upgrade modules relating to remotely piloted aircraft included in Blocks 2 and 3 as the strategic direction for this subject;</li> </ul>		

R	ecommendations Adopted by AN-CONF/12	Proposed Response/Actions by ADS-B SITF	Comments
R	ecommendation 6/1 – Regional performance		
fr	amework– planning methodologies and tools nat States and PIRGs:	APANPIRG should focus on implementing ASBU Block 0 Modules according to States' operational needs.	
a)	finalize the alignment of regional air navigation plans with the Fourth Edition of the Global Air Navigation Plan (Doc 9750, GANP) by May 2014;	ADS-B related ASBU Block 0 modules are ready for deployment including :	
b)	focus on implementing aviation system block upgrade Block 0 Modules according to their operational needs, recognizing that these modules are ready for deployment;	<ul> <li>B0-ASUR (Initial capability for ground surveillance) using ADS-B/MLAT</li> <li>B0-SNET Increased Effectiveness of Ground Based Safety Nets</li> </ul>	
c)	use the electronic regional air navigation plans as the primary tool to assist in the implementation of the agreed regional planning framework for air navigation services and facilities;	<ul> <li>B0-ASEP Air Traffic Situational Awareness (ATSA)</li> <li>B0-OPFL Improved Access to Optimum Flight Levels Through Climb/Descent</li> </ul>	Singapore: On "Through Climb/Descent Procedures Using ADS-
d)	involve regulatory and industry personnel during all stages of planning and implementation of aviation system block upgrade modules;	Procedures Using ADS-B (ITP) The Asia/Pacific Seamless ATM Plan has	B (ITP)": Must it be limited to ITP? Reducing lateral
e)	develop action plans to address the identified impediments to air traffic management modernization as part of aviation system block upgrade planning and implementation activities;	set the priorities and timeline in implementing the above modules.	separations could also result in improved access to optimum Flight Levels.

Recommendations Adopted by AN-CONF/12         Recommendation 6/2 – Guidelines on service priority         That:		Proposed Response/Actions by ADS-B SITF         APANPIRG could obtain some quick wins by promulgating a view that aircraft equipped with ADS-B have service priority over those that don't (i.e. better equipped, better served). This will increase the business case for equipage.			
			a)	ICAO develop an appropriate set of operational and economic incentive principles to allow early benefits of new technologies and procedures, as described in the aviation system block upgrade modules, to support operational improvements, while maximizing safety, capacity and overall system efficiency; and	The above has already been reflected in the ADS-B mandate published by States (e.g. non-ADS-B equipped aircraft is required to fly outside the ADS-B airspace)
			b)	States and international organizations contribute to this work.	
-					

<b>Recommendations Adopted by AN-CONF/12</b>	Proposed Response/Actions by ADS-B SITF
Recommendation 6/6 – Use of multiple constellations	
That States, when defining their air navigation strategic plans and introducing new operations:	ADS-B robustness would be improved if multiple constellations could be used.
take advantage of the improved robustness and availability made possible by the existence of multiple global navigation	APANPIRG could consider to request states to ensure that future ADS-B and GNSS mandates do not rely on a single constellation.
satellite system constellations and associated augmentation systems;	ADS-B SITF could consider to develop guidance materials for use of multiple constellations to support
b) publish information specifying the global navigation satellite system elements that are approved for use in their airspace;	ADS-B in APAC region.
c) adopt a performance-based approach with regard to the use of global navigation satellite system (GNSS), and avoid prohibiting the use of GNSS elements that are compliant with applicable ICAO Standards and Recommended Practices;	
d) carefully consider and assess if mandates for equipage or use of any particular global navigation satellite system core constellation or augmentation system are necessary or appropriate;	

Recommendations Adopted by AN-CONF/12	Proposed Response/Actions by ADS-B SITF
Recommendation 6/10 – Rationalization of terrestrial navigation aids	APANPIRG could consider to:
<ul> <li>That, in planning for the implementation of performance-based navigation, States should:</li> <li>a) assess the opportunity for realizing economic benefits by reducing the number of navigation aids through the implementation of performance-based navigation;</li> <li>b) ensure that an adequate terrestrial navigation and air traffic management infrastructure remains available to mitigate the potential loss of global navigation satellite system service in their airspace; and</li> </ul>	<ul> <li>a) publish a list of the approvals available to operators in different States. Eg: GNSS NPA approvals without requiring a conventional alternate. This could encourage other states to increase the usability of GNSS systems</li> <li>b) APANPIRG could promote the synergy between ADS-B and GNSS equipage. ADS-B requires a high performance GNSS system. The business case of ADS-B and GNSS combined is better than for either alone.</li> <li>ADS-B SITF could consider to develop guidance materials on this subject</li> </ul>
c) align performance-based navigation implementation plans with navigation aid replacement cycles, where feasible, to maximize cost savings by avoiding unnecessary infrastructure investment.	
	18

0.00

<b>Recommendations Adopted by AN-CONF/12</b>	Proposed Response/Actions by ADS-B SITF
Recommendation 6/12 – Prioritization and categorization of block upgrade modules	APAC States could agree to give higher service priority to ADS-B equipped aircraft than those that do not equip (i.e. better
That States and PIRGs: a) continue to take a coordinated approach among air traffic management stakeholders to encourage effective investment into airborne equipment and ground facilities;	service, better served). States are encouraged to take a coordinated approach to implement ADS-B/WAM to bridge the existing surveillance gaps so as to apply end to end radar liked separation along major air routes. This can improve the business case for operators to equip. The above has already been reflected in the ADS-B mandate published by States (e.g. non-ADS-B equipped aircraft is required to fly outside the ADS-B airspace)
	19



# **Action by the Meeting**



- To facilitate CNS Sub-group to submit a report to APANPIRG/25, it is recommended this ADS-B WG and TF to:
  - review and discuss the proposed response and actions by ADS-B SITF in relation to AN-Conf/12 recommendations;
  - consolidate views of members regarding the suggestion on follow-up actions under purview of ADS-B SITF; and
    - Prepare a working paper for endorsement during the forthcoming ADS-B SITF/13

民航處 CIVIL AVIATION DEPARTMENT



## Thank you

