



International Civil Aviation Organization

**THIRTEENTH MEETING OF THE ASIA/PACIFIC REGIONAL OPMET
BULLETIN EXCHANGE WORKING GROUP (ROBEX WG/13)**

Seoul, Republic of Korea, 16 – 18 March 2015

Agenda Item 3: OPMET Information

RODB TOKYO PERFORMANCE INDICES FOR METAR AND TAF

(Presented by Japan)

SUMMARY

This paper presents the Performance Indices (PIs) of METAR (SA) and TAF (FT) reports received by RODB Tokyo in January 2015.

1. INTRODUCTION

1.1 RODB Tokyo carried out the OPMET monitoring of incoming METARs (SA) and TAFs (FT) for the period of 1-31 January 2015.

2. DISCUSSION

2.1 PIs include indices of availability, compliance and regularity for SA and FT as shown in the attachment to this paper.

3. ACTION BY THE MEETING

3.1 The meeting is invited to discuss the PIs presented.

ATTACHMENT/ANNEX TO THE PAPER (IF ANY)
 Monitoring Results of PIs Measurements
 - 1-31 January 2015-

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
AE31 VTBB						
VDPP	1.00	0.79	0.48			
VDSR	1.00	0.74	0.81			
VLVT	1.00	0.67	0.90			
VTBD	1.00	0.98	0.55	1.00	1.00	0.97
VTBS	1.00	0.98	0.55	1.00	1.00	1.00
VTBU	1.00	0.98	0.68	1.00	1.00	0.74
VTCC	1.00	0.95	0.61	1.00	0.99	0.90
VTCT				1.00	0.99	0.90
VTSG				1.00	1.00	0.81
VTSP	1.00	0.94	0.65	1.00	1.00	0.87
VTSS	1.00	0.98	0.55	1.00	1.00	0.87
VTUU				1.00	1.00	0.81
VYMD	1.00	0.31	0.71			
VYYY	1.00	0.81	0.90			
AE32 VTBB						
VDPP				1.00	0.84	0.94
VDSR				1.00	0.83	0.94
VLLB	1.00	0.50	0.77			
VGHS				1.00	1.00	1.00
VLLN	1.00	0.47	0.74			
VLPS	1.00	0.50	0.81			
VLSK	1.00	0.48	0.74			
VYMD				1.00	1.00	0.97
VYYY				1.00	1.00	0.97
AE33 VTBB						
VLLB				1.00	1.00	0.81
VLLN				1.00	1.00	0.81
VLPS				1.00	1.00	0.81
VLSK				1.00	1.00	0.81
VLVT				1.00	1.00	0.81
VVTS	1.00	0.98	0.58			
VVNB	1.00	0.98	0.65			
VVDN	1.00	0.99	0.61			
VVPB	1.00	0.97	0.58			
VVCR	1.00	0.98	0.52			
VVCT	1.00	0.56	1.00			
VVPQ	1.00	0.65	0.45			
AE34 VTBB						
VVCR				1.00	1.00	0.90

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
VVDN				1.00	1.00	1.00
VVNB				1.00	1.00	1.00
VVPB				1.00	1.00	0.97
VVPQ				1.00	1.00	1.00
VVTS				1.00	0.99	1.00
VVCT				1.00	1.00	1.00
AU31 YBBN						
YBAS	1.00	0.98	0.84			
YBBN	1.00	1.00	1.00	1.00	0.89	0.74
YBCG	1.00	0.96	0.84			
YBCS	1.00	0.99	0.90			
YBTL	1.00	0.98	0.90			
YCFS	1.00	0.95	0.77			
YHID	1.00	0.94	0.39			
YMML	1.00	0.97	0.94	0.97	0.79	0.71
YPAD	1.00	0.99	0.90	1.00	0.81	0.81
YPCC	1.00	0.99	0.97			
YPDN	1.00	0.99	0.84	1.00	0.81	0.87
YPJT	1.00	0.99	0.90			
YPKU	1.00	0.94	0.65			
YPLM	1.00	0.99	0.84			
YPPH	1.00	0.98	0.90	1.00	0.91	0.74
YPTN	1.00	0.96	0.77			
YPXM	1.00	0.97	1.00			
YSCB	1.00	0.97	0.90			
YSSY	1.00	0.95	0.87	1.00	0.77	0.97
YSTW	1.00	0.99	0.94			
AU32 YBBN						
YAMB	1.00	0.98	0.97			
YBAS				1.00	0.88	0.42
YBCG				1.00	0.88	0.77
YBCS				0.97	0.82	0.94
YBHM	1.00	0.95	0.71			
YBMA	1.00	0.98	0.84			
YBRK	1.00	0.98	0.97			
YBRM	1.00	0.98	0.77			
YBTL				1.00	0.83	0.90
YCIN	1.00	0.97	0.71			
YFRT	0.97	0.93	0.90			
YGEL	1.00	0.97	0.81	1.00	1.00	0.94
YMAV	1.00	0.97	0.97	1.00	0.77	0.74
YMHB	1.00	0.98	0.87			
YMLT	1.00	0.96	0.97			
YPEA	1.00	0.94	0.65			
YPGV	1.00	0.97	0.77			
YPKG	1.00	0.98	0.94	1.00	0.96	0.68

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
YPLM				1.00	0.92	0.68
YPPD	1.00	1.00	0.97			
YPWR	1.00	0.97	0.84			
YPTN				1.00	0.85	0.65
YSCB				1.00	0.85	0.94
YSDU	1.00	0.98	1.00			
YSNF	1.00	0.94	0.84			
YSRI	1.00	0.95	0.77			
YWLM	1.00	0.97	0.87			
AU33 YBBN						
YBRK				1.00	0.85	0.61
YBRM				1.00	0.81	0.87
YCFS				1.00	0.77	0.77
YHID				1.00	0.73	0.84
YMHB				1.00	0.83	0.90
YMLT				1.00	0.86	0.61
YPCC				1.00	0.91	0.55
YPEA				1.00	0.97	0.77
YPJT				1.00	0.98	0.97
YPPD				1.00	0.92	0.77
YPWR				1.00	0.93	1.00
YPXM				1.00	0.91	0.61
YSDU				1.00	0.90	0.84
YSNF				1.00	0.82	0.68
YSRI				1.00	0.88	0.81
YSTW				1.00	0.90	1.00
YWLM				1.00	0.83	0.68
AU34 YBBN						
YAMB				1.00	0.94	0.84
YBHM				1.00	0.99	0.97
YBMA				1.00	0.97	0.81
YPGV				1.00	0.98	0.90
YPKU				1.00	0.81	0.97
AU35 YBBN						
YCIN				1.00	1.00	0.94
YFRT				1.00	1.00	1.00
BN31 OBBI						
OBBI	1.00	1.00	1.00	1.00	1.00	1.00
OEDF	0.97	0.91	0.90	1.00	0.98	0.90
OEDR	0.13	0.09	0.10	1.00	0.96	0.84
OKBK	1.00	0.99	1.00	1.00	1.00	1.00
OTBD	1.00	0.99	0.97	1.00	1.00	1.00
OTHH				1.00	0.96	0.81

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
BN32 OBBI						
OMAA	1.00	1.00	0.97	1.00	0.98	0.90
OMAD	1.00	1.00	0.87	1.00	0.98	0.90
OMAL	1.00	1.00	0.97	1.00	0.98	0.90
OMDB	1.00	1.00	0.90	1.00	0.98	0.87
OMDW	1.00	1.00	0.94	1.00	0.97	0.84
OMFJ	1.00	1.00	0.94	1.00	0.97	0.97
OMRK	1.00	1.00	1.00	1.00	0.97	0.84
OMSJ	1.00	0.98	0.77	1.00	0.97	0.84
OOMS	1.00	0.99	0.97	1.00	0.95	0.90
OOSA	1.00	0.97	0.77	0.97	0.75	0.39
CI31 ZBBB						
ZBAA	1.00	1.00	1.00	1.00	0.97	0.94
ZBSJ	1.00	1.00	1.00	1.00	0.98	1.00
ZBTJ	1.00	1.00	0.97	1.00	0.99	0.97
ZBYN	1.00	1.00	1.00	1.00	1.00	1.00
ZGGG	1.00	1.00	0.94	1.00	1.00	1.00
ZSHC	1.00	1.00	0.81	1.00	0.98	0.94
ZSPD	1.00	1.00	0.97	1.00	0.99	0.97
ZSSS	1.00	1.00	1.00	1.00	1.00	1.00
ZWSH	1.00	0.99	0.87	1.00	0.95	0.81
ZWWW	1.00	0.99	0.97	1.00	1.00	1.00
ZYTL	1.00	1.00	1.00	1.00	0.98	0.97
ZYTX	1.00	1.00	0.97	1.00	1.00	1.00
CI32 ZBBB						
ZGKL	1.00	0.99	1.00	1.00	1.00	1.00
ZGNN	1.00	1.00	1.00	1.00	1.00	1.00
ZGOW	1.00	1.00	0.97	1.00	0.99	0.97
ZGSZ	1.00	1.00	0.97	1.00	1.00	1.00
ZLXY	1.00	1.00	0.94	1.00	0.99	0.97
ZMUB	1.00	0.98	0.74	1.00	0.88	0.84
ZPPP	1.00	1.00	1.00	1.00	0.99	0.97
ZSAM	1.00	1.00	0.97	1.00	0.99	0.97
ZSFZ	1.00	1.00	1.00	1.00	1.00	1.00
ZSNB	1.00	1.00	0.90	1.00	1.00	1.00
ZSQD	1.00	1.00	1.00	1.00	1.00	1.00
ZUGY	1.00	1.00	1.00	1.00	0.99	0.97
ZUUU	1.00	1.00	0.94	1.00	0.99	0.97
CI41 ZBBB						
ZBHH	1.00	1.00	0.97	1.00	0.97	0.94
ZGHA	1.00	1.00	0.94	1.00	1.00	1.00
ZHCC	1.00	1.00	1.00	1.00	1.00	1.00
ZHHH	1.00	1.00	1.00	1.00	1.00	1.00
ZJHK	1.00	1.00	1.00	1.00	1.00	1.00
ZJSY	1.00	1.00	0.94	1.00	1.00	1.00

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
ZLLL	1.00	1.00	0.97	1.00	1.00	1.00
ZSNJ	1.00	0.99	0.87	1.00	0.99	0.97
ZSOF	1.00	1.00	1.00	1.00	1.00	1.00
ZUCK	1.00	1.00	1.00	1.00	1.00	1.00
ZYCC	1.00	1.00	1.00	1.00	1.00	1.00
ZYHB	1.00	1.00	1.00	1.00	1.00	1.00
EG31 HECA						
HEAX				1.00	1.00	0.97
HEAT				1.00	1.00	0.94
HEBL				1.00	0.98	0.97
HECA	1.00	0.98	0.90	1.00	1.00	0.97
HELX				1.00	1.00	0.97
HEMA				1.00	0.99	0.97
HESN				1.00	0.98	0.97
HETB				1.00	0.98	0.97
EG32 HECA						
HEAL	0.00	0.00	0.00	1.00	0.99	0.84
HEAR	1.00	0.77	0.97	1.00	0.97	0.84
HEAT	1.00	0.50	0.97			
HEAX	1.00	0.96	0.74			
HEBA	1.00	0.94	0.84	1.00	0.98	0.97
HEBL	1.00	0.96	1.00			
HEGN	1.00	0.96	0.74	1.00	0.94	0.90
HELX	1.00	0.96	0.77			
HEMA	1.00	0.93	0.81			
HEMM	1.00	0.96	0.74	1.00	0.99	0.81
HEPS	1.00	0.96	0.77	1.00	0.99	0.77
HESC	1.00	0.96	0.77	1.00	0.96	0.94
HESG	1.00	0.94	0.65	1.00	1.00	1.00
HESH	1.00	0.97	0.77	1.00	0.94	0.90
HESN	1.00	0.96	0.71			
HETB	0.00	0.00	0.00			
HK31 VHHH						
RCKH	1.00	0.88	0.90	1.00	0.99	0.97
RCSS	1.00	0.88	0.97	1.00	0.99	0.97
RCTP	1.00	1.00	1.00	1.00	0.98	0.94
RPLB	1.00	0.91	0.97	1.00	1.00	0.97
RPLI	1.00	0.67	0.94	1.00	1.00	0.94
RPLL	1.00	1.00	1.00	1.00	1.00	0.97
RPMD	1.00	0.74	0.74	1.00	1.00	0.94
RPMZ	1.00	0.67	0.97	1.00	1.00	0.90
RPVM	1.00	0.97	0.97	1.00	1.00	0.97
VHHH	1.00	1.00	0.87	1.00	1.00	0.97
VMMC	1.00	1.00	0.90	1.00	0.98	0.94

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
ID31 WIII						
WAAA	1.00	0.99	0.90			
WABB	0.32	0.02	0.32			
WADD	1.00	0.98	0.87			
WARR	1.00	0.92	0.84			
WIDD	1.00	0.96	0.71			
WIHH	1.00	0.42	0.94			
WIII	1.00	0.98	0.81			
WIMM	1.00	0.93	0.84			
ID32 WIII						
WADL	1.00	0.69	1.00			
WALL	1.00	0.72	0.68			
WAMM	1.00	0.84	0.90			
WAOO	1.00	0.53	0.90			
WIBB	1.00	0.80	1.00			
WIDN	0.00	0.00	0.00			
WIOO	0.29	0.01	0.29			
WIPP	1.00	0.74	0.90			
WIPT	1.00	0.77	0.90			
ID33 WIII						
WABP	1.00	0.56	0.81			
WAJJ	1.00	0.58	0.90			
WAKK	0.00	0.00	0.00			
WALR	0.00	0.00	0.00			
WAPP	0.32	0.02	0.32			
WARQ	0.71	0.11	0.45			
WARS	1.00	0.67	0.81			
WATT	1.00	0.67	0.71			
WICT						
IN31 VABB						
VAAH	1.00	0.80	0.90	1.00	1.00	0.74
VABB	1.00	0.92	0.94	1.00	1.00	0.77
VANP	1.00	0.74	1.00	1.00	1.00	0.71
VECC				1.00	1.00	0.77
VEPT				1.00	1.00	0.74
VIAR				1.00	1.00	0.77
VIBN				1.00	1.00	0.77
VIDP				1.00	1.00	0.77
VIJP				1.00	1.00	0.77
VILK				1.00	1.00	0.74
VOHS	1.00	0.85	0.90			
VOHY	1.00	0.32	0.94			
VOMM	1.00	0.89	0.77			
VOTR	1.00	0.92	1.00			
VOTV	1.00	0.79	0.97			

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
IN32 VIDP						
VIAR	1.00	0.79	0.77			
VIBN	1.00	0.38	1.00			
VIDP	1.00	0.95	1.00			
VIJP	1.00	0.61	1.00			
VILK	1.00	0.68	0.77			
IN32 VABB						
VCBI				1.00	1.00	0.97
VNKT				1.00	0.86	0.94
VOCI				1.00	1.00	0.97
VOCL				1.00	1.00	0.97
VOHS				1.00	1.00	0.97
VOHY				0.03	0.01	0.03
VOMM				1.00	1.00	0.97
VOTR				1.00	1.00	0.97
VOTV				1.00	1.00	0.97
VRMH				0.00	0.00	0.00
VRMM				0.00	0.00	0.00
IN33 VECC						
VECC	1.00	1.00	0.97			
VEPT	1.00	0.49	0.74			
VGEG	1.00	0.60	0.68			
VGHS	1.00	0.99	1.00			
VNKT	1.00	0.95	0.97			
VQPR	0.97	0.18	0.87			
IR31 OIII						
OIAW	1.00	0.54	0.52	1.00	1.00	0.97
OIFM	1.00	0.96	0.90	1.00	1.00	0.97
OIII	1.00	0.97	0.87	1.00	1.00	0.97
OIKB	1.00	0.90	1.00	1.00	1.00	0.97
OIKK	1.00	0.61	0.71	1.00	1.00	0.97
OIMM	1.00	0.95	0.87	1.00	1.00	0.97
OISS	1.00	0.97	0.94	1.00	1.00	0.94
OITT	1.00	0.79	0.90	1.00	1.00	0.97
OIZH	1.00	0.72	0.90	1.00	1.00	0.94
IR32 OIII						
OAKB						
OAKN						
OIAA	1.00	0.61	0.94	1.00	1.00	1.00
OIBK	1.00	0.51	0.84	1.00	1.00	0.97
OICC	1.00	0.76	0.74			
OIGG	1.00	0.61	1.00			
OIIE	1.00	0.71	0.94	1.00	1.00	0.97

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
OITR	1.00	0.77	0.74	1.00	1.00	0.94
OIYY	1.00	0.70	0.87			
IR33 OIII						
OIBB	1.00	0.50	0.97			
OIBL						
OIBP	0.48	0.20	0.29			
OICK	1.00	0.19	0.97			
OICS	1.00	0.26	1.00			
OIHH	0.97	0.17	0.97			
OINZ	1.00	0.52	0.94			
OISR	0.87	0.08	0.81			
OITL	1.00	0.32	1.00			
OIZC	0.06	0.00	0.00	1.00	0.98	0.71
IR34 OIII						
OIAG	1.00	0.58	0.81			
OIAM	1.00	0.98	0.58			
OICI	1.00	1.00	1.00			
OIKQ	1.00	0.77	0.94			
OINN	1.00	0.97	0.94			
OINR	1.00	0.87	0.84			
OISL	1.00	0.77	0.90			
OISY	1.00	0.99	0.77			
OITZ	1.00	0.56	0.87			
IR35 OIII						
OIAD	0.10	0.00	0.03			
OIBJ	1.00	0.55	0.97			
OIBS	1.00	0.51	0.94			
OIHR	0.00	0.00	0.00			
OIKM	0.42	0.02	0.42			
OIKR	0.42	0.07	0.42			
OING	1.00	1.00	0.87			
OIZB	1.00	0.85	0.81			
OIZI	1.00	0.90	0.81			
IR36 OIII						
OIBA	1.00	0.52	0.81			
OIBV	1.00	0.34	0.77			
OIFS	1.00	0.99	0.84			
OIIP	1.00	0.58	0.71			
OIMB	1.00	1.00	0.90			
OIMN	1.00	1.00	0.61			
OIMS	0.45	0.06	0.45			
OIMT	0.29	0.03	0.29			
OIZJ	1.00	0.58	0.74			

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
IR37 OIII						
OIBL	1.00	0.74	0.52			
OIBQ	1.00	0.56	0.87			
OIIK	1.00	0.87	0.65			
OIMC	1.00	0.45	0.90			
OIMD	1.00	0.45	0.94			
OIMQ	1.00	0.45	0.94			
OINE	1.00	0.77	1.00			
OITK	0.84	0.27	0.84			
OITM	1.00	0.77	0.90			
JD31 OJAI						
OJAI	1.00	0.92	1.00			
OJAM	1.00	0.94	0.81			
OJAQ	1.00	0.68	0.87			
JP31 RJTD						
RJAA	1.00	1.00	1.00	1.00	1.00	1.00
RJBB	1.00	1.00	1.00	1.00	1.00	1.00
RJCH				1.00	1.00	0.81
RJGG	1.00	1.00	1.00			
RJOO	1.00	0.67	0.97	1.00	1.00	0.97
RJSS				1.00	1.00	0.84
RJTT	1.00	1.00	1.00	1.00	1.00	1.00
ROAH	1.00	1.00	1.00	1.00	1.00	0.97
JP32 RJTD						
RJCC	1.00	1.00	1.00	1.00	1.00	1.00
RJCH	1.00	0.58	1.00			
RJFF	1.00	1.00	1.00	1.00	1.00	1.00
RJFK	1.00	0.67	1.00	1.00	1.00	1.00
RJFO	1.00	0.63	0.00	1.00	1.00	0.00
RJFT	1.00	0.63	1.00	1.00	1.00	0.77
RJFU	1.00	0.63	1.00	1.00	1.00	0.90
RJGG				1.00	1.00	1.00
RJNK				1.00	1.00	0.00
RJNT				1.00	1.00	0.00
RJOA	1.00	0.63	1.00	1.00	1.00	0.71
RJOB	1.00	0.63	1.00	1.00	1.00	0.58
RJOT	1.00	0.63	1.00	1.00	1.00	0.48
RJSN	1.00	0.63	1.00	1.00	1.00	1.00
RJSS	1.00	0.67	1.00			
JP38 RJTD						
RJAH	1.00	0.99	0.97	1.00	1.00	0.00
RJCB	1.00	0.54	0.00	1.00	1.00	0.00
RJCK	1.00	0.58	0.00	1.00	1.00	0.00
RJCM	1.00	0.54	0.00	1.00	1.00	0.00

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
RJEC	1.00	0.58	1.00	1.00	1.00	0.16
RJFM	1.00	0.63	1.00	1.00	1.00	0.42
RJFR	1.00	1.00	1.00	1.00	1.00	0.06
RJFS	1.00	0.88	1.00	1.00	1.00	0.00
RJNK	1.00	0.98	0.94			
RJNS	1.00	0.54	1.00	1.00	1.00	0.74
RJNT	1.00	0.63	1.00			
RJOC	1.00	0.58	0.00	1.00	1.00	0.00
RJOH	1.00	0.99	0.94	1.00	1.00	1.00
RJOK	1.00	0.58	0.97	1.00	1.00	0.52
RJOM	1.00	0.63	1.00	1.00	1.00	0.90
RJSA	1.00	0.63	1.00	1.00	1.00	1.00
RJSF	1.00	0.54	1.00	1.00	1.00	1.00
RJSK	1.00	0.63	1.00	1.00	1.00	0.94
ROIG	1.00	0.63	0.00	1.00	1.00	0.00
KO31 R KSI						
RKJB	1.00	1.00	1.00	1.00	1.00	1.00
RKNY	1.00	1.00	1.00	1.00	1.00	0.94
RKPC	1.00	1.00	0.97	1.00	1.00	1.00
RKPK	1.00	0.87	1.00	1.00	1.00	0.97
RKSI	1.00	1.00	0.94	1.00	0.98	0.94
RKSS	1.00	1.00	0.97	1.00	0.98	0.94
RKTN	1.00	0.90	0.81	1.00	1.00	1.00
RKTU	1.00	0.88	0.90	1.00	1.00	0.97
ME31 OLBA						
OJAI	1.00	0.93	0.58	1.00	0.90	0.00
OJAM	1.00	0.96	0.58	1.00	0.92	0.00
OJAQ	1.00	0.69	0.55	1.00	0.91	0.00
OLBA	1.00	0.99	0.81	1.00	0.99	0.87
OSAP	0.00	0.00	0.00	0.00	0.00	0.00
OSDI	1.00	0.68	0.87	0.97	0.82	0.81
OSLK	1.00	0.63	0.84	0.97	0.82	0.81
MS31 WMKK						
WBGG	1.00	1.00	1.00			
WBKK	1.00	0.99	0.97			
WBSB	1.00	0.96	0.77			
WMKK	1.00	1.00	0.74			
WMKP	1.00	1.00	0.94			
WSSL	1.00	1.00	0.97			
WSSS	1.00	1.00	0.97			
MS38 WMKK						
WBGB	1.00	0.99	1.00			
WBGR	1.00	0.97	1.00			
WBGS	1.00	0.98	0.94			

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
WBKL	1.00	0.98	0.90			
WBKS	1.00	0.98	1.00			
WBKW	1.00	0.99	1.00			
WMKD	1.00	0.98	1.00			
WMKL	1.00	0.98	1.00			
WMKM	1.00	0.98	1.00			
NG31 YBBN						
AGGH	1.00	0.91	0.84	1.00	0.98	1.00
ANYN				1.00	0.92	1.00
AYGN	0.68	0.08	0.52			
AYMH	0.00	0.00	0.00			
AYMO	0.68	0.07	0.58			
AYNZ	0.68	0.17	0.65			
AYPY	0.94	0.58	0.65	1.00	0.93	0.97
AYVN	0.39	0.04	0.29			
AYWK	0.84	0.13	0.71			
NZ31 NZKL						
NZAA	1.00	1.00	0.94	1.00	1.00	1.00
NZCH	1.00	1.00	1.00	1.00	1.00	1.00
NZWN	1.00	1.00	1.00	1.00	1.00	1.00
PK31 OPKC						
OPGD	0.00	0.00	0.00	1.00	1.00	0.90
OPKC	0.48	0.02	0.13	1.00	1.00	0.97
OPLA	0.90	0.19	0.84	1.00	0.90	0.84
OPNH	0.87	0.45	0.81	1.00	1.00	0.97
OPPS	1.00	0.57	0.81	1.00	1.00	0.97
OPRN	1.00	0.57	0.87	0.97	0.82	0.84
OPSK	1.00	0.47	0.74	1.00	1.00	0.94
PS31 NFFN						
NCRG	1.00	0.84	0.94	1.00	0.98	1.00
NFFN	1.00	0.93	0.77	1.00	0.94	0.97
NFNA	1.00	0.88	0.87	1.00	0.98	1.00
NFTF				1.00	0.98	0.84
NFTV						
NGTA	0.00	0.00	0.00	1.00	0.98	1.00
NGFU	1.00	0.65	0.81			
NIUE	0.94	0.23	0.84	1.00	0.98	0.87
NLWW				0.00	0.00	0.00
NSFA	1.00	0.79	0.81	1.00	0.98	0.87
NSTU	0.00	0.00	0.00	0.00	0.00	0.00
NTAA	1.00	0.95	0.84	1.00	0.98	0.94
NVSS						
NVVV						
NWWW	0.87	0.86	0.87	0.00	0.00	0.00

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
PLCH	0.29	0.04	0.29	0.87	0.78	0.74
PS32 NFFN						
NFTF	1.00	0.94	0.77			
NFTL	1.00	0.55	0.81			
NFTV	1.00	0.75	0.90			
NLWW	0.00	0.00	0.00			
NVSS	0.10	0.00	0.10			
NVVV	0.42	0.04	0.42			
SB31 VCCC						
VCBI	1.00	0.97	1.00			
VCRI	1.00	0.97	0.94			
VRMM	1.00	0.98	0.97			
SD31 OEJD						
OEDF	1.00	1.00	0.90	1.00	1.00	0.97
OEDR	0.13	0.09	0.10	1.00	1.00	0.94
OEJN	1.00	1.00	0.97	1.00	0.98	0.97
OEMA	1.00	1.00	0.97	1.00	0.98	0.97
OERK	1.00	1.00	0.97	1.00	0.99	0.97
OERY	0.90	0.28	0.90			
OYAA	1.00	0.99	1.00			
OYSN	1.00	1.00	1.00	1.00	1.00	1.00
SR31 WSSS						
WAAA				1.00	0.99	0.87
WABB				1.00	0.99	0.90
WADD				1.00	0.98	0.94
WARR				1.00	1.00	0.90
WIHH				1.00	0.74	0.81
WIII				1.00	0.98	0.90
WIMM				1.00	1.00	1.00
WSAP				1.00	1.00	1.00
WSSL				1.00	1.00	1.00
WSSS				1.00	1.00	1.00
SR32 WSSS						
WMKJ				1.00	1.00	1.00
WMKK				1.00	1.00	1.00
WMKL				1.00	1.00	1.00
WMKM				1.00	1.00	1.00
WMKP				1.00	1.00	1.00
WMSA				1.00	1.00	1.00
SR33 WSSS						
WBGB				1.00	1.00	1.00
WBGG				1.00	0.99	0.97

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
WBGR				1.00	1.00	1.00
WBGS				1.00	1.00	1.00
WBKK				1.00	1.00	1.00
WBKL				1.00	1.00	0.97
WBKS				1.00	1.00	1.00
WBKW				1.00	1.00	0.97
WBSB				1.00	1.00	0.81
TH31 VTBB						
VTCH	1.00	0.59	0.94	1.00	0.95	0.94
VTCL	1.00	0.38	0.29	1.00	0.95	0.94
VTGN	1.00	0.78	0.87	1.00	0.95	0.94
VTCP	1.00	0.39	1.00	1.00	0.95	0.94
VTCT	1.00	0.86	0.74			
VTPB				1.00	0.95	0.94
VTPM				1.00	0.95	0.94
VTPH	1.00	0.55	0.55	1.00	0.98	0.84
VTPO	1.00	0.40	0.74	1.00	0.95	0.94
VTPP	1.00	0.71	0.77	1.00	0.95	0.94
VTPT				1.00	0.95	0.94
TH32 VTBB						
VTSB	1.00	0.66	0.68	1.00	1.00	0.97
VTSC	1.00	0.24	0.45	1.00	1.00	0.97
VTSE				1.00	1.00	0.97
VTSF	1.00	0.70	0.81	1.00	1.00	0.97
VTSG	1.00	0.98	0.81			
VTSH	1.00	0.43	0.87	1.00	1.00	0.97
VTSK				1.00	1.00	0.97
VTSM	1.00	0.74	0.87	1.00	1.00	0.97
VTSR	1.00	0.23	0.87	1.00	1.00	0.87
VTST	1.00	0.52	0.58	1.00	1.00	0.87
TH33 VTBB						
VTBO	1.00	0.44	0.68	1.00	1.00	0.87
VTUD	1.00	0.69	0.74	0.87	0.78	0.03
VTUI	1.00	0.41	0.84	0.81	0.78	0.03
VTUJ				1.00	0.73	0.68
VTUK	1.00	0.85	0.58	0.87	0.78	0.03
VTUL	1.00	0.31	0.84	0.81	0.78	0.03
VTUO	1.00	0.18	0.48	1.00	0.73	0.68
VTUQ	0.00	0.00	0.00	1.00	0.73	0.68
VTUU	1.00	0.99	0.84			
VTUV	1.00	0.30	0.65	1.00	0.73	0.68
VTUW	1.00	0.36	1.00	0.81	0.76	0.03
TH41 VTBB						
VTPB	0.00	0.00	0.00			

Bulletin/Aerodrome	SA			FT		
	Availability	Compliance	Regularity	Availability	Compliance	Regularity
VTPM	1.00	0.39	0.94			
VTSE	1.00	0.54	0.55			
VTSK	0.03	0.00	0.00			
VTUJ	0.00	0.00	0.00			
TM31 YBBN						
WPDL				1.00	0.76	0.97