

Extended Diversion Time Operations Workshop



ETP1

ETP2

Module 8

Implementing EDTO Regulations



ICAO

Proudly in partnership with

AIRBUS





Module 1
Course Introduction

Module 2
EDTO Foundation

Module 3
Approval Process

Module 4
Type Design & Reliability
Considerations

Module 5
Flight Operations
Considerations

Module 6
Maintenance
Considerations

Module 7
Continued Surveillance

Module 8
Implementing EDTO
Regulations

Module 9
Assessment

Module 10 – Wrap Up



At the end of this module, participants will be familiar with the process and technical considerations for implementing State EDTO regulations.



- Part I — Summary of ICAO EDTO SARPS and Guidance**
- Part II — Responsibilities of Contracting States
- Part III — Considerations for Establishing EDTO Regulations
- Part IV — EDTO Gap Assessment Worksheet
- Part V — Examples of State Implementations
- Part VI — Practical Exercise

Standards:

Annex 6, Part 1 Operation of Aircraft - International Commercial Air Transport - Aeroplanes

Chapter 1: Definitions

Section 4.7.1: Requirements for operations beyond 60 minutes to an adequate aerodrome

Section 4.7.2: Requirements for Extended Diversion Time Operations (EDTO)



Guidance Materials:

Annex 6, Part 1 Operation of Aircraft - International Commercial Air Transport - Aeroplanes

Attachment C: Guidance for operations by turbine-engine aeroplanes beyond 60 minutes to an en-route alternate aerodrome, including extended diversion time operations (EDTO)

Doc 10085 Extended Diversion Time Operations (EDTO) Manual (Attachment C content to be added in future revision)



Standards:

Annex 6, Part 1 Operation of Aircraft - International Commercial Air Transport - Aeroplanes

- Section 4.3.4: Alternate aerodromes
- Section 4.3.6: Fuel requirements
- Section 4.3.10: Time capability of cargo compartment fire suppression system
- Appendix 2: Organization and contents of an operations manual
- Appendix 6: Air operator certificate



Annex 6, Part II Operation of Aircraft - International General Aviation - Aeroplanes

- Section 4.3.4.7: Additional requirements for operations beyond 60 minutes to an en-route alternate aerodrome (*recommendation*)



Guidance Materials:

Annex 6, Part 1 Operation of Aircraft - International Air Transportation - Aeroplanes

Attachment I: Rescue and fire-fighting service (RFFS) levels

Doc 9976 Flight Planning and Fuel Management Manual (FPFMM)

Chapter 4: Understanding prescriptive compliance
(4.4, 4.6, 4.7, 4.8, 4.14, 4.15, 4.18, 4.21, 4.24, 4.27)


Chapter 5: Performance based compliance *(Appendix 1, Appendix 7)*

Chapter 6: In-flight fuel management *(6.4, 6.6)*

Doc 9760 Airworthiness Manual, Part IV - State of the Operator

Chapter 5: Airworthiness Requirements for Extended Diversion Time Operations

Chapter 6: Leasing Arrangements (6.4 - Approval for EDTO)





- Part I — Summary of ICAO EDTO SARPS and Guidance**
- Part II — Responsibilities of Contracting States**
- Part III — Considerations for Establishing EDTO Regulations**
- Part IV — EDTO Gap Assessment Worksheet**
- Part V — Examples of State Implementations**
- Part VI — Practical Exercise**



This section provides a review of ICAO contracting State responsibilities which is not unique to EDTO, but applies equally to EDTO as with all areas of the Standards related to establishing State regulations.

ICAO Doc 7300, Article 37

Adoption of international standards and procedures

Each contracting State undertakes to collaborate in securing the highest practicable degree of uniformity in regulations, standards, procedures and organization... in all matters in which such uniformity will facilitate and improve air navigation.

To this end ICAO shall adopt and amend from time to time, as may be necessary, international standards and recommended practices and procedures...



Doc 7300
Chicago Convention

ICAO Doc 7300, Article 38


Departures from international standards and procedures

Any State which finds it impractical to comply in all respects with any such international standard or procedure, or to bring its own regulations or practices into full accord... shall give immediate notification to ICAO of the differences between its own practice and that established by the international standard...

ICAO Doc 10055, 'Manual on Notification and Publication of Differences' provides additional guidance for contracting States.



Doc 7300



Doc 10055

ICAO Doc 9734 - Safety Oversight Manual, Part A

3.3 Specific Operating Regulations

3.3.1 General requirements

The State laws and regulations should be in conformity with the Annexes to the Convention. The Annex provisions are designed to provide the minimum requirements to be met by all Contracting States, regardless of the size and complexity of their civil aviation activity ...



Doc 9734, Part A

ICAO Doc 9734 - Safety Oversight Manual, Part A

3.3 Specific Operating Regulations

3.3.2 Adapting or adopting regulations from other States

To meet their requirements for regulations, Contracting States always have the option of **adopting** another Contracting State's regulations... (however) ... A better alternative would be to **adapt** the regulations to meet the aviation environment while still maintaining harmony with other States.



Doc 9734, Part A

ICAO Doc 9734 - Safety Oversight Manual, Part A

3.3 Specific Operating Regulations

3.3.3 Differences between national regulations and ICAO Standards

Article 38 of the Convention specifies that if a State finds it impracticable to comply in all respects with any international Standards... or if it deems it necessary to adopt regulations or practices differing from those established by ICAO, it shall give immediate notification...

It should be noted, however, that the filing of differences with respect to international Standards does not mean that a State can continue to do business as usual...



Doc 9734, Part A



USOAP CMA Portal <https://soa.icao.int/usoap>

ICAO Universal Safety Oversight Audit Programme (USOAP) Continuous Monitoring Approach (CMA) - STATE OPTIONS

| | | | | |
|------------------------------------|----------------------|--------------------------|--|------------------------|
| <p>State Dashboard</p> | <p>SAAQ</p> | <p>Self-Assessment</p> | | <p>CC / EFOD</p> |
| <p>User Management</p> | <p>CAP</p> | <p>PQ Findings</p> | | <p>E-Supplements</p> |
| <p>Significant Safety Concerns</p> | <p>USOAP Reports</p> | <p>USOAP Live Charts</p> | | <p>MIR</p> |
| <p>Tutorials & Help</p> | <p>CMA Library</p> | <p>Feedback</p> | | <p>CC/EFOD Reports</p> |



State Compliance Status Categories:

- No Difference
- Not Applicable
- Significant Difference
 - A) More Exacting or Exceeds
 - B) Different in character or Other means of compliance
 - C) Less protective or partially implemented or not implemented

Text fields to be provided by State

- State Reference
- Details of Difference (describe the difference clearly and concisely)
- Remarks (indicate reasons for difference and intentions including any planned implementation date)



Electronic Filing of Differences (EFOD) Example Inputs

Annex 6 OPERATION OF AIRCRAFT, ELEVENTH EDITION OF PART I - JULY 2018

Amendment 43

Definition

Filter: Search Mode

Disclaimer: Annex information displayed on the EFOD System is provided only as a reference to facilitate the filing of differences and completion of CC. ICAO publications shall continue to be the definitive source of Annex information.

SARP Reference

Extended diversion time operations (EDTO). Any operation by an aeroplane with two or more turbine engines where the diversion time to an en-route alternate aerodrome is greater than the threshold time established by the State of the Operator.

Percentage of Annex 6 CC-007 completed: 69%

Modified by: obeauliere
Date Modified: 31/01/2018

Compliance Status

- No Difference
- Less protective or partially implemented or not implemented
- Significant Difference

- A) More Exacting or Exceeds
- B) Different in character or Other means of compliance
- Not Applicable

State Comments

Text as provided by State

State Reference
UAE Civil Aviation Regulation PART I Definition

Details of Difference (Please describe the difference clearly and concisely)
No difference

Remarks (Please indicate reasons for the difference and intentions including any planned date for implementation)
N/A

English text provided as provided by State

Electronic Filing of Differences (EFOD) Report Options

Reports Filters Search Save Row Validation Pro

- Graphs & Statistical Breakdowns
 - Report on No Difference
 - Report on More Exacting or Exceeds
 - Report on Different in Character or Other Means of Compliance
 - Report on Less Protective or Partially Implemented or Not Implemented
 - Report on Not Applicable
 - Report on no Information Provided by the State
 - Report on entire Annex
 - Report on Insufficient Information Provided
 - Report on Differences - Standards Only
 - Report on Differences - Recommendations Only
 - Report on New Provisions
 - Report on Modified Provisions under current amendment
 - Generate Supplement
 - Significant Differences




Annex 6 - Operation of Aircraft, Part I International Commercial Air Transport - Aeroplanes

| No Difference | More Exacting or Exceeds | Different in Character or Other Means of Compliance | Less Protective or Partially Implemented or Not Implemented | Not Applicable | No Information Provided | Insufficient Information Provided |
|---------------|--------------------------|---|---|----------------|-------------------------|-----------------------------------|
| 360 | 2 | 14 | 22 | 102 | 25 | 0 |



| | | |
|---|------------|----------------|
| No Difference | 360 | 68.57% |
| More Exacting or Exceeds | 2 | 0.38% |
| Different in Character or Other Means of Compliance | 14 | 2.67% |
| Differences Not Yet Identified | 25 | 4.76% |
| Less Protective or Partially Implemented or Not Implemented | 22 | 4.19% |
| Not Applicable | 102 | 19.43% |
| Incomplete | 0 | 0.00% |
| Total: | 525 | 100.00% |

Differences : 38 7.24%
 Percentage Incomplete : 25 4.76%
 Percentage Complete : 500 95.24%



Note: Graph is based on guidance for the completion of the compliance checklist

11/2/2018



Q8.1 Which ICAO Critical Element (CE) of a Safety Oversight System requires contracting States to develop specific operating regulations?


- CE-3
- CE-6
- CE-5
- CE-2



Contracting State Responsibilities

Operational Approval and Oversight

Doc 9734: Safety Oversight Manual
Part 1, Chapter 3: 8 Critical Elements (CEs) of a Safety Oversight System



Doc 9734



- Part I — **Summary of ICAO EDTO SARPS and Guidance**
- Part II — **Responsibilities of Contracting States**
- Part III — **Considerations for Establishing EDTO Regulations**
- Part IV — **EDTO Gap Assessment Worksheet**
- Part V — **Examples of State Implementations**
- Part VI — **Practical Exercise**

- State rulemaking process (as per **CE-1**, Primary Aviation Legislation)
 - Industry involvement (?), Public notification/comment (?)
- ICAO SARPS gap assessment
 - Compliance checklist (CC) and filing of differences (EFOD)
- Adopting/adapting other State regulations
- Supporting guidance materials
 - Technical guidance for inspectorate staff (**CE-5**)
 - Compliance guidance for air operators and service providers
- Training (**CE-4**) and deployment (**CE-6, CE-7, CE-8**)






Establishing EDTO Regulations

State Considerations

- The ICAO EDTO provisions can not simply be ‘copied and pasted’ into State regulations
 - Critical time values need to be established (EDTO Threshold Time, Maximum Diversion Time)
 - Applicability to State aviation environment should be evaluated
 - Differences, where appropriate, should be identified
- The Annex 6 Standards provide a basic framework but do not cover detailed implementation in all areas (e.g. Approval Process)
 - States should also refer to available ICAO guidance materials (e.g. Doc 10085)
 - Other State implementations (e.g. FAA, EASA) may be consulted
 - Not all of the necessary provisions are EDTO specific (e.g. RFFS)




- EDTO threshold time values are **NOT** defined by ICAO and must be established by each Contracting State
 - Threshold times should be established for two engine aeroplanes and for aeroplanes with more than two engines
 - Generally not intended to be area, operator or aeroplane type specific
 - ICAO SARPS allow flexibility to accommodate variations for unique situations
- Considerations for alignment with other State Implementations
 - Many States have established a 60 minute threshold for two engine aeroplanes
 - EDTO Type Design Approvals for twins are based on operations beyond 60 minutes
 - A higher threshold time (e.g. 120, 180 minutes..) is typically appropriate for aeroplanes with more than two engines (Annex 6, Section 4.7.1 requirements still applicable)





Maximum Diversion Time (MDT) State Considerations

- EDTO maximum diversion time values are **NOT** defined by ICAO and must be established by each Contracting State
 - State regulations should provide for EDTO maximum diversion time capabilities to support existing and future operational needs
 - EDTO up to 180 Minutes (specific MDT levels, regional considerations, flight by flight exceptions...?)
 - EDTO beyond 180 Minutes (additional airworthiness and operational considerations)
- Criteria for operational approval should be established for each MDT level
 - Aeroplane capability / time limited systems
 - EDTO program compliance elements (flight operations, maintenance)
 - EDTO approval methodology (accelerated, service experience)




See Section 3.4 for additional guidance on establishing EDTO Maximum Diversion Times



| | |
|-------------------|---|
| Part I — | Summary of ICAO EDTO SARPS and Guidance |
| Part II — | Responsibilities of Contracting States |
| Part III — | Considerations for Establishing EDTO Regulations |
| Part IV — | EDTO Gap Assessment Worksheet |
| Part V — | Examples of State Implementations |
| Part VI — | Practical Exercise |

- An optional, structured tool to assist States with:
 - Implementing new EDTO regulations and guidance
 - Assessing compliance status of current State EDTO regulations
 - Identifying differences from ICAO EDTO Standards
- Includes all areas of ICAO EDTO Standards, Recommended Practices and Guidance Materials
 - Annex language repeated verbatim for comparison to State regulations
 - Guidance documents (9760, 9976, 10085) referenced by section/subject area
- Organized for easy transposition to ICAO USOAP CMA portal Electronic Filing of Differences (EFOD)



* *Worksheet may also be adapted for use as an operator compliance checklist*



EDTO Gap Assessment Worksheet

Format and Content

EDTO Gap Assessment State Implementation Worksheet

State:

| SECTION / PARAGRAPH | REGULATION REF | STATE IMPLEMENTATION | | REMARKS |
|--|--|----------------------|----|---|
| | | DS | DC | |
| ICAO Reference: Annex 6 Part I, Definitions <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Recommended Practice <input type="checkbox"/> Guidance Material | STATE IMPLEMENTATION Difference Status (DS): ND: No Difference, NA: Not Applicable, SD: Significant Difference Difference Categories (DC): A. More exacting or exceeds, B. Different in Character/Other means of compliance, C. Less protective/partially implemented/not implemented | | | |
| ABBREVIATIONS AND SYMBOLS EDTO – Extended diversion time operations | | | | State Differences (if any) |
| CHAPTER 1. DEFINITIONS <u>Extended diversion time operations (EDTO).</u> Any operation by an aeroplane with two or more turbine engines where the diversion time to an en-route alternate aerodrome is greater than the threshold time established by the State of the Operator. | | | | Additional acronyms, abbreviations and definitions can be found in the Glossary section of ICAO Doc 10085 |
| <u>Alternate aerodrome.</u> An aerodrome to which an aircraft may proceed when it becomes either impossible or inadvisable to proceed to or to land at the aerodrome of intended landing where the necessary services and facilities are available, where aircraft performance requirements can be met and which is operational at the expected time of use. Alternate aerodromes include the following: <u>En-route alternate.</u> An alternate aerodrome at which an aircraft would be able to land in the event that a diversion becomes necessary while en route. | | | | ICAO Reference Guidance / State Remarks |

ANNEX 6



EDTO Gap Assessment Worksheet

Format and Content (Cont'd)


EDTO Gap Assessment State Implementation Worksheet

State:

| | | |
|---|--|---|
| ICAO Reference: DOC 10085 (EDTOM) <input type="checkbox"/> Standard <input type="checkbox"/> Recommended Practice <input checked="" type="checkbox"/> Guidance Material | STATE IMPLEMENTATION of EDTO Guidance | |
| SECTION /PARAGRAPH | REGULATION REF | REMARKS |
| Extended Diversion Time Operations (EDTO) Manual Glossary Chapter 1. Policy and general information Chapter 2. Aircraft airworthiness considerations for EDTO Chapter 3. EDTO flight operations requirements Chapter 4. EDTO maintenance and reliability requirements | | <p><i>Document 10085 deals exclusively with extended diversion time operations, and so the entire document may be used as guidance to Contracting States in implementing their own EDTO requirements. The chapter breakdown is listed for reference, however the document should be consulted for the details around each subject area.</i></p> |

D
O
C

1
0
0
8
5





EDTO Gap Assessment Worksheet

Format and Content (Cont'd)

EDTO Gap Assessment State Implementation Worksheet

State:

**D
O
C
9
9
7
6**

| ICAO Reference: DOC 9976 (FPFMM) <input type="checkbox"/> Standard <input type="checkbox"/> Recommended Practice <input checked="" type="checkbox"/> Guidance Material | STATE IMPLEMENTATION of EDTO Guidance | |
|---|--|---------|
| SECTION / PARAGRAPH | REGULATION REF | REMARKS |
| CHAPTER 4 - UNDERSTANDING PRESCRIPTIVE COMPLIANCE | | |
| 4.4 Prescriptive alternate aerodrome selection and fuel planning provisions of Annex 6, Part I 4.4.1(b), 4.4.1(g) | | |
| 4.6 Take-off alternate aerodromes – distance from aerodrome of departure 4.6.1, 4.6.2, 4.6.3 | | |
| 4.7 Takeoff alternate aerodromes – operating minima at estimated time of use 4.7.2 | | |
| 4.8 En-route alternate aerodrome selection and specification 4.8.2, 4.8.3, 4.8.4, 4.8.7, 4.8.8(c), 4.8.8(d), 4.8.8(f) | | |



EDTO Gap Assessment Worksheet

Format and Content (Cont'd)

EDTO Gap Assessment State Implementation Worksheet

State:

D
O
C


9
7
6
0

| ICAO Reference: DOC 9760, Part IV – Airworthiness Manual <input type="checkbox"/> Standard <input type="checkbox"/> Recommended Practice <input checked="" type="checkbox"/> Guidance Material | STATE IMPLEMENTATION of EDTO Guidance | |
|--|--|---|
| SECTION /PARAGRAPH | REGULATION REF | REMARKS |
| Chapter 5. Airworthiness Requirements for Extended Diversion Time Operations | | |
| 5.1 General | | |
| 5.2 Airworthiness considerations for aeroplanes with more than two turbine engines | | |
| 5.3 Airworthiness considerations for aeroplanes with two turbine engines | | |
| 5.4 Continuing surveillance | | |
| 5.5 Maintenance requirements | | |
| 5.6 Requirements for systems performance and reliability assessment | | <i>This section applies to States of Design</i> |

EDTO Gap Assessment Worksheet

Instructions

- Review content of referenced ICAO EDTO Standards, Recommended Practices and Guidance
- Identify/establish supporting State regulations and advisory materials
- Populate Gap Assessment Worksheet
 - State Identification
 - State regulation/guidance references for each item
 - Differences Status (DS) and Differences Categories (DC) as applicable
 - Remarks relative to State implementation and any differences to be filed



The image shows a stack of 'EDTO Gap Assessment State Implementation Worksheet' forms. The top form is partially filled out. It includes sections for 'ICAO Introduction', 'STATE IMPLEMENTATION', 'SECTION PARAGRAPHS', and 'CHAPTER 1. DEFINITIONS'. The 'STATE IMPLEMENTATION' section has a table with columns for 'REGULATION REF', 'DS', 'DC', and 'COMMENTS'. The 'COMMENTS' column contains the text: 'Advised against, implementation of standards can be found in the advisory material of EASA Doc. 0088'. The 'ICAO Introduction' section includes a legend for 'Difference Status (DS)' and 'Difference Categories (DC)'.

| SECTION PARAGRAPHS | REGULATION REF | DS | DC | COMMENTS |
|------------------------|----------------|----|----|--|
| CHAPTER 1. DEFINITIONS | | | | Advised against, implementation of standards can be found in the advisory material of EASA Doc. 0088 |



EDTO Gap Assessment Worksheet

Example Completion (Red Font)

EDTO Gap Assessment State Implementation Worksheet

State: **ANTARCTICA**

| ICAO Reference: Annex 6 Part I, Definitions <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Recommended Practice <input type="checkbox"/> Guidance Material | STATE IMPLEMENTATION | | | |
|---|---|-----------|--|---|
| | Difference Status (DS): ND: No Difference NA: Not Applicable SD: Significant Difference | | Difference Categories (DC): A. More exacting or exceeds B. Different in Character/Other means of compliance C. Less protective/partially implemented/not implemented | |
| SECTION /PARAGRAPH | REGULATION REF | DS | DC | REMARKS |
| ABBREVIATIONS AND SYMBOLS EDTO – Extended diversion time operations | ACAR 1.1, Definitions | ND | | Antarctica has elected to adopt the acronym 'EDTO' to replace 'ETOPS' |
| CHAPTER 1. DEFINITIONS <u>Extended diversion time operations (EDTO).</u> Any operation by an aeroplane with two or more turbine engines where the diversion time to an en-route alternate aerodrome is greater than the threshold time established by the State of the Operator. | ACAR 121.161, Aeroplane Limitations: Type of Route | ND | | <i>Additional acronyms, abbreviations and definitions can be found in the Glossary section of ICAO Doc 10085</i> |
| | | | State established threshold times: 60 minutes for aeroplanes with two engines and 120 minutes for aeroplanes with more than two engines | |
| <u>Alternate aerodrome.</u> An aerodrome to which an aircraft may proceed when it becomes either impossible or inadvisable to proceed to or to land at the aerodrome of intended landing where the necessary services and facilities are available, where aircraft performance requirements can be met and which is operational at the expected time of use. Alternate aerodromes include the following: <u>En-route alternate.</u> An alternate aerodrome at which an aircraft would be able to land in the event that a diversion becomes necessary while enroute. | ACAR 121.624, EDTO Alternate Aerodromes | SD | A | State regulation adds condition that domestic EDTO alternate aerodromes must be located on the permanent ice sheet unless seasonal variations are taken into account |



| | |
|------------------|---|
| Part I — | Summary of ICAO EDTO SARPS and Guidance |
| Part II — | Responsibilities of Contracting States |
| Part III — | Considerations for Establishing EDTO Regulations |
| Part IV — | EDTO Gap Assessment Worksheet |
| Part V — | Examples of State Implementations |
| Part VI — | Practical Exercise |

U.S. Federal Aviation Administration (FAA)



Department of Transportation

Federal Aviation Administration
14 CFR Parts 1, 21, 25, 33, 121, and 135
Extended Operations (ETOPS) of Multi-Engine Airplanes; Final Rule



Advisory Circular

Subject: Extended Operations (ETOPS) and Polar Operations)

Date: 6/13/08

AC No: 120-42B

Initiated by: AFS-220

Change:



Advisory Circular

Subject: Extended Operations (ETOPS) and Operations in the North Polar Area

Date: 6/10/08

AC No: 135-42

Initiated by: AFS-220

Change:



- Jun, 1985: AC 120-42 (120/138 Minutes)
- Dec, 1988: AC 120-42A (180 Minutes)
- Mar, 2000: EPL 20-1 (207 Minutes for the 777)
- Jun, 2000: FAA ARAC Rulemaking Effort Launched
- Jan, 2007: **14 CFR Parts 25 and 121** (240 Minutes and beyond...)

Create



Refine



Extend




ARAC: Aviation Rule Making Advisory Committee - A formal standing *advisory committee*... that provides FAA with information, advice and recommendations concerning rulemaking activity...

A
R
A
C

T
A
S
K
I
N
G

- **Review** existing FAA ETOPS policy and requirements
 - Advisory Circular (AC) 120-42A, applicable ETOPS special conditions, policy memorandums and notices....
- **Develop** comprehensive ETOPS airworthiness standards for 14 CFR Parts 25, 33, 121, and 135
 - To codify the existing policies and practices
- **Develop** ETOPS requirements for operations in excess of 180 minutes up to whatever extent may be justified
- **Develop** standardized requirements for extended range operations for all airplanes, regardless of number of engines
- **Harmonize** such standardized requirements across national boundaries and regulatory bodies



ARAC Working Group Participants:

- Airlines (U.S. and non-U.S.)
- Industry Organizations
- Airframe and Engine Manufacturers
- Pilot Associations
- Regulatory Agencies
- Other participants



- Type design and operational requirements **codified** into regulation
 - 14 CFR Parts 25, 33, 121 and 135...
- New requirements for ETOPS beyond 180 minutes
- New requirements for passenger carrying airplanes with more than two engines
 - Cargo operations with more than two engines exempted from ETOPS
- **'ETOPS'** is retained but re-defined to mean **'Extended Operations'**
 - **60 minute** threshold for two engine airplanes
 - **180 minute** threshold for passenger airplanes with more than two engines





PART 21 - Certification Procedures for Products and Parts


- Added § 21.4, ETOPS Reporting Requirements

PART 25 - Airworthiness Standards: Transport Category Airplanes

- Added § 25.3, § 25.1535 and Appendix K:
 - Requirements for two engine airplanes (K25.2) and airplanes with more than two engines manufactured after Feb 17, 2015 (K25.3)
 - Early ETOPS, Service Experience and Combined type design approval methods
 - Requirements for 'up to' and 'beyond' 180 minute ETOPS

PART 33 - Airworthiness Standards: Aircraft Engines

- Added engine specific requirements for ETOPS eligibility, including Design and Test Requirements for Early ETOPS (§ 33.201)
- AC 33.201-1, 'Extended Operations (ETOPS) Eligibility for Turbine Engines' provides supporting guidance



**E
A
R
L
Y

E
T
O
P
S**

- K25.2.2(a) Relevant Experience *
- K25.2.2(b) Propulsion Design
- K25.2.2(c) Maintenance and Operations Validation *
- K25.2.2(d) Propulsion 3000 Cycle Ground Test
- K25.2.2(e) New Technology Testing *
- K25.2.2(f) APU 3000 Cycle Ground Test *
- K25.2.2(g) Airplane Demonstration Flight Test *
- K25.2.2(h) Problem Tracking and Resolution *
- K25.2.2(i) Acceptance Criteria (Type and Frequency of Problems)

* Also applicable to K25.3.2



PART 121 - Operating Requirements: Domestic, Flag and Supplemental

- Added various paragraphs to codify ETOPS Flight Operations and Maintenance requirements and new Appendix P to define diversion time specific considerations:
 - Two engine airplanes (P121, Section I): 75 Minutes, 90 Minutes, 120 Minutes, 138 Minutes, 180 Minutes, 207 Minutes, 240 Minutes and beyond 240 Minutes
 - Airplanes with more than two engines (P121, Section II): Beyond 180 Minutes
- AC 120-42B, 'Extended Operations (ETOPS and Polar Operations)' provides supporting guidance
 - ETOPS operational approval process (Accelerated and In-service methods)

PART 135 - Operating Requirements: Commuter and On-Demand

- Appendix G and other paragraphs added to define requirements for passenger carrying airplanes above 180 minutes (ETOPS Threshold) up to a maximum of 240 minutes
- AC 135-42, 'Extended Operations (ETOPS) and Operations in the North Polar Area provides supporting guidance

14 CFR Part 121

| | |
|--|-------------------------------|
| Definitions | 121.7 |
| Passenger Protection and Recovery* | 121.97 121.135 121.415 |
| Communication facilities* | 121.99 121.122 |
| Rescue and fire fighting service* | 121.106 |
| Airplane limitations: Type of route | 121.161 |
| ETOPS type design approval basis | 121.162 |
| ETOPS maintenance program (<i>twins only</i>): | 121.374 |
| EDTO Alternate Airports | 121.624 121.625 121.631 |
| Engine Inoperative: Landing; reporting | 121.565 |
| Time limited systems* | 121.631 |
| En-route fuel supply | 121.646 |
| Dispatch/flight release | 121.687 121.689 |

Appendix P

Section I: ETOPS Approval: Airplanes with Two engines*


- 75 Minutes (Caribbean/Western Atlantic)
- 75 Minutes (Other Areas)
- 90 Minutes (Micronesia)
- 120 Minutes
- 138 Minutes
- 180 Minutes
- Greater than 180 Minutes
- 207 Minutes (North Pacific)
- 240 Minutes (North Polar, NOPAC)
- 240 Minutes (South of the Equator)
- Beyond 240 Minutes

Section II: ETOPS Approval: Passenger airplanes with more than two engines*

Section III: Polar Operations Approval

* Includes specific provisions for beyond 180 minute ETOPS

FAR Part 121, Appendix P - Section 1



Maximum Times Authorized For Specific Regions:

Up to 180 Minutes

207 Minutes (flight by flight)

- Pacific Ocean areas north of 40°N (NOPAC ATS routes and published tracks between Japan and North America)

240 Minutes (flight by flight)

- North polar area
- Pacific Ocean north of equator

240 Minutes & Beyond 240 Minutes

- Pacific Ocean area between the US west coast and Australia, New Zealand, and Polynesia
- South Atlantic oceanic area and Indian Ocean area
- Oceanic area between Australia and South America
- South polar area


* **Flight by flight exception basis:** The use of a greater ETOPS maximum diversion authority under specific, limited circumstances.... (AC 120-42B)



AC 120-42B*

| | |
|------------|---|
| Chapter 1: | General |
| Chapter 2: | Background on ETOPS |
| Chapter 3: | Requirements for ETOPS Authorization <ul style="list-style-type: none"> - ETOPS Maintenance Requirements (<i>Two Engine Airplanes</i>) - ETOPS Flight Operations Requirements |
| Chapter 4: | Applications to Conduct ETOPS |
| Chapter 5: | FAA ETOPS Approval |
| Chapter 6: | Polar Operations |

| | |
|-------------|---|
| Appendix 1: | Definitions |
| Appendix 2: | EDTO Approvals |
| Appendix 3: | EDTO Approval Methods <ul style="list-style-type: none"> - Service Experience Method (<i>Two Engine Airplanes</i>) - Accelerated Method |




Advisory Circular

| | | |
|--|------------------------------|-----------------------|
| Subject: Extended Operations (ETOPS and Polar Operations) | Date: 6/13/08 | AC No: 120-42B |
| | Initiated by: AFS-220 | Change: |

* AC 120-42C update is currently under development




European Aviation Safety Agency (EASA)*



* As implemented by EASA Member States



- | | |
|----------------|----------------|
| Austria | Lithuania |
| Belgium | Luxembourg |
| Bulgaria | Malta |
| Croatia | Netherlands |
| Cyprus | Poland |
| Czech Republic | Portugal |
| Denmark | Romania |
| Estonia | Slovakia |
| Finland | Slovenia |
| France | Spain |
| Germany | Sweden |
| Greece | United Kingdom |
| Hungary | |
| Italy | |
| Ireland | Iceland |
| Latvia | Liechtenstein |
| | Norway |
| | Switzerland |




Blue: EASA Member and EU Member

Red: EASA Member but not EU Member



- Formally established in September, 2002
 - Basic EU Regulation
- Agency active since September 28, 2003
 - Headquarters: Cologne (Germany)
- EASA has gradually superseded JAA and a proportion of activities and responsibilities of European National Aviation Authorities (NAAs)
 - Uniform rules and implementation in all EU Member States



European Union Aviation Rules

Ownership & Decision Levels (Cont'd)



Council Regulations
Binding by law



Commission Regulations
Binding by law



EASA Decisions
Standard means to show compliance with EC Regulations



Role Sharing

EASA vs EU Member State NAAs



Aircraft Design

EASA

EASA



Production

EASA

NAA (EASA for Airbus POA)



Maintenance

EASA

NAA (EASA for Airbus MOA)



Operations & Licensing

EASA

NAA




ATC & Airports

EASA

NAA

ETOPS Provisions in EASA Regulations (1 of 3)




CAT.OP.MPA.140 Maximum distance from an adequate aerodrome for two-engined aeroplanes without an ETOPS approval

CAT.OP.MPA.180 Selection of aerodromes — aeroplanes

- Applicable to twins only
- Sets the maximum distance for non-ETOPS ops
- Defines OEI speed
- Refers to Annex V (Part-SPA), Subpart F, for ETOPS operational approval
- Selection of take-off alternates for ETOPS aeroplanes

ETOPS Provisions in EASA Regulations (2 of 3)




SUBPART F
EXTENDED RANGE OPERATIONS WITH TWO-ENGINED AEROPLANES (ETOPS)

- SPA.ETOPS.100 ETOPS : sets requirement for EDTO operational approval
- SPA.ETOPS.105 ETOPS operational approval : defines main criteria for EDTO operational approval
- SPA.ETOPS.110 ETOPS en-route alternate aerodrome : sets criteria for designated EDTO ERA
- SPA.ETOPS.115 ETOPS en-route alternate aerodrome planning minima : sets planning minima for EDTO



ETOPS Provisions in EASA Regulations (3 of 3)



Acceptable Means of Compliance (AMC) and Guidance Material (GM) to Part-SPA

GM1 SPA.ETOPS.105 ETOPS operational approval
 AMC 20-6
 AMC 20-6 provides further criteria for the operational approval of ETOPS.

- GM1 SPA.ETOPS.105 : refers to AMC 20-6 for means of compliance for ETOPS approval

| AMC 20-6 rev. 2 | |
|---|-----------|
| AMC 20-6 rev. 2 Effective: 23/12/2010 | |
| Annex II to ED Decision 2010/012/R of 16/12/2010 | |
| AMC 20-6 rev. 2 | |
| Extended Range Operation with Two-Engine Aeroplanes ETOPS Certification and Operation | |
| TABLE OF CONTENTS | |
| Chapter I GENERAL CONSIDERATIONS | 3 |
| SECTION 1: PURPOSE | 3 |
| SECTION 2: RELATED REFERENCES | 3 |
| SECTION 3: ABBREVIATIONS | 3 |
| SECTION 4: TERMINOLOGY | 4 |
| SECTION 5: CONCEPTS | 7 |
| Chapter II TYPE DESIGN APPROVAL CONSIDERATIONS | 9 |
| SECTION 1: APPLICABILITY | 9 |
| SECTION 2: COMPETENT AUTHORITY | 9 |
| SECTION 3: GENERAL | 9 |
| SECTION 4: ELIGIBILITY | 9 |
| SECTION 5: REQUEST FOR APPROVAL | 9 |
| SECTION 6: VALIDATION METHODS OF THE LEVEL OF RELIABILITY | 9 |
| 6.1 METHOD 1: IN-SERVICE EXPERIENCE FOR ETOPS TYPE DESIGN APPROVAL | 10 |
| 6.2 METHOD 2: EARLY ETOPS | 10 |
| SECTION 7: EVALUATION CRITERIA OF THE ETOPS TYPE DESIGN | 10 |
| SECTION 8: ANALYSIS OF FAILURE EFFECTS AND RELIABILITY | 15 |
| SECTION 9: ASSESSMENT OF FAILURE CONDITIONS | 17 |
| SECTION 10: ISSUE OF THE ETOPS TYPE DESIGN APPROVAL | 18 |
| SECTION 11: CONTINUED AIRWORTHINESS OF THE ETOPS TYPE DESIGN APPROVAL | 18 |
| Chapter III OPERATIONAL APPROVAL CONSIDERATIONS | 20 |
| SECTION 1: APPLICABILITY | 20 |
| SECTION 2: COMPETENT AUTHORITY | 20 |
| SECTION 3: APPLICABLE OPERATIONAL REQUIREMENTS | 20 |
| SECTION 4: METHODS FOR OBTAINING ETOPS OPERATIONS APPROVAL | 20 |
| SECTION 5: ACCELERATED ETOPS APPROVAL | 20 |
| SECTION 6: IN-SERVICE ETOPS APPROVAL | 24 |
| SECTION 7: ETOPS APPROVAL CATEGORIES | 26 |
| 7.1 REQUIREMENTS COMMON TO ALL ETOPS APPROVAL CATEGORIES | 26 |
| 7.2 SPECIFIC REQUIREMENTS | 27 |
| SECTION 8: ETOPS OPERATIONS MANUAL SUPPLEMENT | 29 |
| SECTION 9: FLIGHT PREPARATION AND IN-FLIGHT PROCEDURES | 30 |
| SECTION 10: OPERATIONAL LIMITATIONS | 30 |
| SECTION 11: ETOPS EN-ROUTE ALTERNATE AERODROMES | 30 |
| SECTION 12: INITIAL/RECURRENT TRAINING | 30 |
| SECTION 13: CONTINUING SURVEILLANCE | 30 |
| APPENDIX 1 - PROPULSION SYSTEM RELIABILITY ASSESSMENT | 32 |
| 1. ASSESSMENT PROCESS | 32 |

Page 1 of 65

- AMC 20-6 was initially published in Nov. 2003
 - Content was based on previous JAA IL20 from 1995, similar to that of AC 120-42A
 - Revision of AMC 20-6 was initiated in 2006, further to FAA ETOPS ARAC WG activities

- AMC 20-6 revision 2 was issued in December 2010
 - Main changes are the incorporation of criteria for ETOPS>180 min
 - **AMC 20-6 Rev 2 applies to twins only**

- Layout of AMC 20-6 is improved in order to better separate the requirements for Type Design Approval (Chapter II) and Operational approval (Chapter III)
 - Criteria common to both approval processes are gathered in Chapter I

Chapter I, General Considerations

| | |
|---|----------|
| Chapter I GENERAL CONSIDERATIONS | 3 |
| SECTION 1: PURPOSE | 3 |
| SECTION 2: RELATED REFERENCES | 3 |
| SECTION 3: ABBREVIATIONS | 3 |
| SECTION 4: TERMINOLOGY | 4 |
| SECTION 5: CONCEPTS | 7 |

- Introduces main concepts and provides definitions

Chapter II, Type Design Approval Considerations

| | |
|---|----------|
| Chapter II TYPE DESIGN APPROVAL CONSIDERATIONS | 9 |
| SECTION 1: APPLICABILITY | 9 |
| SECTION 2: COMPETENT AUTHORITY | 9 |
| SECTION 3: GENERAL | 9 |
| SECTION 4: ELIGIBILITY | 9 |
| SECTION 5: REQUEST FOR APPROVAL | 9 |
| SECTION 6: VALIDATION METHODS OF THE LEVEL OF RELIABILITY | 9 |
| 6.1 METHOD 1: IN-SERVICE EXPERIENCE FOR ETOPS TYPE DESIGN APPROVAL | 10 |
| 6.2 METHOD 2: EARLY ETOPS | 10 |
| SECTION 7: EVALUATION CRITERIA OF THE ETOPS TYPE DESIGN | 10 |
| SECTION 8: ANALYSIS OF FAILURE EFFECTS AND RELIABILITY | 15 |
| SECTION 9: ASSESSMENT OF FAILURE CONDITIONS | 17 |
| SECTION 10: ISSUE OF THE ETOPS TYPE DESIGN APPROVAL | 18 |
| SECTION 11: CONTINUED AIRWORTHINESS OF THE ETOPS TYPE DESIGN APPROVAL | 18 |

- Criteria for ETOPS certification of the aeroplane
- Section 6 defines the methods of approvals (“in-service” or “Early ETOPS”)
- Appendix 1 and 2 provides further guidance for reliability assessment of engine and aircraft systems

Chapter III, Operational Approval Considerations

- Criteria for ETOPS operational approval of the airline
- Section 4 defines the methods for obtaining ETOPS Operations Approval
 - Section 5 details the “Accelerated ETOPS Approval” and Section 6 the “In-Service ETOPS Approval”
- Section 7 lists the ETOPS Approval Categories and their associated criteria:
 - Section 7.1: Common Requirements (*all approval categories*)
 - Section 7.2.1: 90 Minutes or Less Diversion Time
 - Section 7.2.2: Above 90 Minutes up to 180 Minutes (*including provisions for a 15% operational extension*)
 - Section 7.2.3: Above 180 Minutes

| | |
|--|-----------|
| Chapter III OPERATIONAL APPROVAL CONSIDERATIONS | 20 |
| SECTION 1: APPLICABILITY | 20 |
| SECTION 2: COMPETENT AUTHORITY | 20 |
| SECTION 3: APPLICABLE OPERATIONAL REQUIREMENTS | 20 |
| SECTION 4: METHODS FOR OBTAINING ETOPS OPERATIONS APPROVAL | 20 |
| SECTION 5: ACCELERATED ETOPS APPROVAL | 20 |
| SECTION 6: IN-SERVICE ETOPS APPROVAL | 24 |
| SECTION 7: ETOPS APPROVAL CATEGORIES | 26 |
| 7.1 REQUIREMENTS COMMON TO ALL ETOPS APPROVAL CATEGORIES: | 26 |
| 7.2 SPECIFIC REQUIREMENTS: | 27 |
| SECTION 8: ETOPS OPERATIONS MANUAL SUPPLEMENT | 29 |
| SECTION 9: FLIGHT PREPARATION AND IN-FLIGHT PROCEDURES | 30 |
| SECTION 10: OPERATIONAL LIMITATIONS | 30 |
| SECTION 11: ETOPS EN-ROUTE ALTERNATE AERODROMES | 30 |
| SECTION 12: INITIAL/RECURRENT TRAINING | 30 |
| SECTION 13: CONTINUING SURVEILLANCE | 30 |



Chapter III, Operational Approval Considerations (cont'd)

| | |
|--|-----------|
| Chapter III OPERATIONAL APPROVAL CONSIDERATIONS | 20 |
| SECTION 1: APPLICABILITY | 20 |
| SECTION 2: COMPETENT AUTHORITY | 20 |
| SECTION 3: APPLICABLE OPERATIONAL REQUIREMENTS | 20 |
| SECTION 4: METHODS FOR OBTAINING ETOPS OPERATIONS APPROVAL | 20 |
| SECTION 5: ACCELERATED ETOPS APPROVAL | 20 |
| SECTION 6: IN-SERVICE ETOPS APPROVAL | 24 |
| SECTION 7: ETOPS APPROVAL CATEGORIES | 26 |
| 7.1 REQUIREMENTS COMMON TO ALL ETOPS APPROVAL CATEGORIES: | 26 |
| 7.2 SPECIFIC REQUIREMENTS: | 27 |
| SECTION 8: ETOPS OPERATIONS MANUAL SUPPLEMENT | 29 |
| SECTION 9: FLIGHT PREPARATION AND IN-FLIGHT PROCEDURES | 30 |
| SECTION 10: OPERATIONAL LIMITATIONS | 30 |
| SECTION 11: ETOPS EN-ROUTE ALTERNATE AERODROMES | 30 |
| SECTION 12: INITIAL/RECURRENT TRAINING | 30 |
| SECTION 13: CONTINUING SURVEILLANCE | 30 |

- Appendix 3 to 8 provides further guidance related to ETOPS

Operational approval:

- Appendix 3: Operational Limitations (*area of operations, approved diversion time*)
- Appendix 4: Flight preparation and In-flight procedures (*fuel supply, communication, ...*)
- Appendix 5: En-route alternate aerodromes (*selection, dispatch minima*)
- Appendix 6: ETOPS Training program
- Appendix 7: Typical ETOPS Operations Manual supplement
- Appendix 8: Continuing Airworthiness (*maintenance program, service check, reliability program, ...*)



| | |
|------------|---|
| Part I — | Summary of ICAO EDTO SARPS and Guidance |
| Part II — | Responsibilities of Contracting States |
| Part III — | Considerations for Establishing EDTO Regulations |
| Part IV — | EDTO Gap Assessment Worksheet |
| Part V — | Examples of State Implementations |
| Part VI — | Practical Exercise |



EDTO Workshop

End of Module 8 - Implementing EDTO Regulations

