

INTERNATIONAL CIVIL AVIATION ORGANIZATION


A UN SPECIALIZED AGENCY

Twenty-first Meeting of the CAR/SAM Regional Planning and Implementation Group (GREPECAS/21) P/08 Rev. Agenda Item 4 ADS-B

Presented by the Secretariat




	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	•	٠	٠	٠	•	•	٠	٠	٠	٠	•	٠	٠	
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	٠	
	•	٠	•	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	
	•	٠	٠	٠	٠	٠	•	٠	٠	٠	٠	٠	٠	
	•	٠	•	•	•	•	•	•	•	•	•	•	٠	



Mayda Alicia Ávila Regional Officer, Communications, Navigation and Surveillance International Civil Aviation Organization North American, Central American and Caribbean Regional Office

Automatic Dependent Surveillance – Broadcast (ADS-B)











Automatic Dependent Surveillance – Broadcast (ADS-B)

Main purpose



To support the provision of Air Traffic Services and operational applications at reduced cost and increased surveillance coverage.



The why: summary of the essence of the element. For operational elements this should have a direct relationship with performance.





Automatic Dependent Surveillance – Broadcast (ADS-B) New Capabilities

★ADS-B provides precise position/velocity information in all airspace (accuracy not range-dependent as with radar). It also provides aircraft call sign and precise position/velocity information to nearby aircraft with ADS-B-In receivers.

★ADS-B can also support State aircraft airspace access, however it should, when possible, leverage benefits from dual-use of State aircraft capabilities to reduce cost and technical impact.


> The What: Description of what the stakeholders can do with this element that could not be done before. This section is not meant to describe performance improvement or benefits.



Automatic Dependent Surveillance – Broadcast (ADS-B) Description

ADS-B provides an aircraft's identification,
 position, altitude, velocity, and other information
 to any receiver (airborne or ground) within range.
 The broadcasted aircraft position/velocity is
 normally based on the global navigation satellite
 system (GNSS) and transmitted at least once per
 second.

The How: Additional information to improve understanding of the element.



Automatic Dependent Surveillance – Broadcast (ADS-B)

ENABLERS

<image>









Automatic Dependent Surveillance – Broadcast (ADS-B)

ENABLERS

Ground system infrastructure

Enabler Category: Ground system infrastructure

Enabler Type: Surveillance

Enabler Name: ADS-B ground stations

Description / References:

ADS-B ground stations receive information from aircraft and transmit it to one or more Service Delivery Points.

Reference material: Technical standards and guidance material:

□ ICAO Annex 10 Volume IV Chapter 2,3 and 5

- ICAO Doc. 9871 Technical Provisions for Mode S Services and Extended Squitter
- RTCA/EUROCAE MOPS: DO-260/ED-102, DO-260A, or DO-260B/ED-102A EUROCAE ED-129, ED-129A or ED-129B ICAO Doc. 9924 Aeronautical Surveillance Manual

Automatic Dependent Surveillance – Broadcast (ADS-B)

ENABLERS

Ground system infrastructure

Enabler Category: Ground system infrastructure

Enabler Type: Surveillance

Enabler Name: Service Delivery Point(s) for ADS-B information

Description / References:

Service Delivery Point(s) receive ADS-B information provides it to ATC automation for processing and display to controller Reference material: Guidance material: ICAO Doc. 9924 Aeronautical Surveillance Manual Enabler Category: Ground system infrastructure

Automatic Dependent Surveillance – Broadcast (ADS-B)

ENABLERS

Ground system infrastructure

Enabler Type: Technical systems

Enabler Name: HMI that supports controller awareness

Description / References:

Human Machine Interface (HMI) of the Air Traffic Controller Working Position (ATCo CWP) Reference: Guidance material:

Automatic Dependent Surveillance – Broadcast (ADS-B) ENABLERS: Airborne system capability

Enabler Category: Airborne system capability

Enabler Type: Surveillance

Enabler Name: SSR Mode S transponder with extended squitter version 0, version 1 and version 2*

Description / References:

Technical standards and guidance material: ICAO Annex 10 Volume IV Chapter 2,3 and 5 ICAO Doc. 9871 Technical Provisions for Mode S Services and Extended Squitter RTCA/EUROCAE MOPS: DO-260/ED-102, DO-260A, or DO-260B/ED-102A ICAO Doc. 9924 Aeronautical Surveillance Manual





Automatic Dependent Surveillance – Broadcast (ADS-B) ENABLERS: Airborne system capability

Enabler Category: Airborne system capability

Enabler Type: Navigation

Enabler Name: Basic Aviation GNSS receiver with RAIM

Description / References:

Position source. Basic Aviation GNSS receiver with RAIM. Such a receiver must comply with the technical performance requirements of either [E]TSO-C129, or [E]TSO-C196, or [E]TSO-C145/-C146. (Note that the US/Europe and equivalent ADS-B mandates require more – see FAA AC 20-165 or EASA CS-ACNS).





Automatic Dependent Surveillance – Broadcast (ADS-B) ENABLERS: Training

Enabler Category: Training

Enabler Name: Training requirements ADS-B implementation

Description / References:

Depending on the ANSP implementation, some controller training on new symbology may be required. If phraseology is changed by an ANSP, then controller and pilot training on the new phraseology is required. If new ANSP equipment is installed, then training for maintenance personnel may be required (see ICAO Doc 8071).



13



Automatic Dependent Surveillance – Broadcast (ADS-B) ENABLERS: Legislation/regulation





Stakeholders




ICAO

ANSP: AIR NAVIGATION SERVICE PROVIDER

AIRCRAFT MANUFACTURER

AIRCRAFT OPERATOR


OTHERS



Conclusion of the Eighth North American, Central American and Caribbean Working Group Meeting (NACC/WG/8)

The following are priorities to implement:

- 1. The regional implementation of ADS-B and ensuring surveillance data coverage throughout the region.
- 2. The AMHS aeronautical messaging system (Almost implemented in the entire region)
- 3. Strengthen and ensure the communications infrastructure for the exchange of information between the NAM/CAR States and other regions.
- 4. Desirable: NAM/ICD and AIDC, provided that the necessary surveillance infrastructure is in place to support this implementation. 5. Go integrating the MET and AIM information





DOCUMENTATION: THE AUTOMATIC DEPENDENT SURVEILLANCE – BROADCAST (ADS-B) OPERATIONAL CONCEPT

The purpose of this document is to facilitate coordination between stakeholders who will be involved in, or affected by, the implementation of services using ADS-B. This concept of operations was developed to assist ICAO CAR region States considering the use of ADS-B as part of an ATS Surveillance System as defined in ICAO's Procedures for Air Navigation Services - Air Traffic Management (PANS-ATM, Doc 4444). Individual CAR region States may develop complementary implementation documents as needed to reflect their unique operating environments.



DOCUMENTATION: *PARAMETERS TO MONITOR THE PERFORMANCE OF ADS-B SYSTEMS FIRST EDITION*

The purpose of this document is to identify the general parameters to evaluate the performance of the Automatic Dependent Surveillance - Broadcast (ADS-B OUT) and to perform statistical analyses of the ADS-B information provided by aircraft using a performance monitoring system.



PREVIOUS ADS-B ACTIVITIES

□ Automatic Dependent Surveillance – Broadcast OUT Technical On-Line Workshop for the NAM/CAR Regions (ADS-B/OUT/W) 26 to 29 January 2021 from 9 AM to 12 PM, UTC-6.

https://www.icao.int/NACC/Pages/meetings-2021-adsb.aspx

Technical Assistance Mission Meeting of the Surveillance Task Force (SURV), of the Air Navigation Services (ANS), Mexico City, Mexico, 13 to 15 July 2022

https://www.icao.int/NACC/Pages/meetings-2022-tfm.aspx

NAM/CAR/SAM Workshop on the Development of the regulation for the implementation of Automatic Dependent Surveillance – Broadcast (ADS-B) (ADS-B-Imp) ICAO NACC Regional Office, Mexico City, Mexico, 17 to 21 July 2023

https://www.icao.int/NACC/Pages/meetings-2023-adsb.aspx



	Enabler Category	Enabler Type	Enabler Name	Stakeholders	State Status implementation
	Ground system infrastructure	Surveillance	ADS-B ground stations		
	Ground system infrastructure	Surveillance	Service Delivery Point(s) for ADS-B information		
)RK	Ground system infrastructure	Technical systems	HMI that supports controller awareness		
RTICIPANTS' WORK	Airborne system capability	Surveillance	SSR Mode S transponder with extended squitter version 0, version 1 and version 2		
TICII	Airborne system capability	Navigation	Basic Aviation GNSS receiver with RAIM		
PAR	Training		Training requirements ADS-B implementation		



