
International Civil Aviation Organization





WORKING PAPER

DANGEROUS GOODS PANEL (DGP) WORKING GROUP MEETING (DGP-WG/17)

Montreal, 24 to 28 April 2017

Agenda Item 2:Development of recommendations for amendments to the Technical Instructions
for the Safe Transport of Dangerous Goods by Air (Doc 9284) for incorporation in
the 2019-2020 Edition20Device

2.8: Part 8 — Provisions Concerning Passengers and Crew

REVISION TO PART 8

(Presented by M. Paquette)

SUMMARY

This working paper proposes revisions to the provisions of Part 8. The purpose is to simplify the provisions.

Action by the DGP: The DGP is invited to consider the proposed amendment to Part 8 as shown in the appendix to this working paper.

1. **INTRODUCTION**

1.1 A working paper presented at the last Dangerous Goods Panel Working Group Meeting (DGP-WG/16-WP/38, see 3.2.8.3 of the DGP-WG/16 report) proposed to simplify the provisions of Part 8. It proposed to group entries according to their hazard and function in order to limit the number of specific entries. This allowed for the removal of redundant text that had been repeated in the existing provisions.

1.2 There was support for the approach taken in developing the proposed amendment. A number of suggestions for improvement were discussed. The majority of these suggestions are incorporated in this proposal.

1.3 The principle behind Part 8 is that dangerous goods not covered in Table 8-1 are forbidden to be carried by passengers and crew either in carry-on baggage, as checked baggage, or on their person.

1.4 Table 8-1 presents constant challenges as more items containing dangerous goods enter the market and, unless they meet the provisions in the existing entries, they cannot be carried in baggage. For this reason the Dangerous Goods Panel has frequently amended Table 8-1 to introduce new items. In addition, some entries are long and repetitious (e.g., the reference to the 38.3 tests for lithium batteries is repeated 7 times in Table 8-1).

1.5 It is proposed to simplify Table 8-1 to introduce generic groupings by danger/hazard/function rather than listing each type of item that contains dangerous goods. These include:

- Batteries;
- Battery powered mobility aids;
- Fire/flame/fuel sources/extreme heat generation;
- Gases in cylinders and cartridges;
- Radioactive materials;
- Mercury; and
- Other dangerous goods.

1.6 Some provisions of Table 8-1 do not impose limits on the quantities of items that can be carried. Salespersons/retailers have been observed bringing large quantities of items such as lithium batteries contained in equipment in their baggage. We propose to modify Part 8;1.1.2 to specify that the dangerous goods permitted in Table 8-1 are to be carried by passengers or crew for personal use only.

1.7 The lithium battery entry includes any equipment (e.g., portable electronic devices, medical equipment, toys, power tools, etc.) that contains lithium batteries.

1.8 References to "on the person" were removed from Part 8. The only time "on the person" is considered is in the case of lighters and matches. The restrictions for lighters and matches specify that the lighter or small packet of safety matches must be carried on the person.

1.9 Three (3) entries were grouped together as all their conditions are identical and their total net quantity is limited. These include "non-radioactive medicinal articles (including aerosols)", "toiletry articles (including aerosols)" and "aerosols in Division 2.2, with no subsidiary risk, for sporting or home use". Condition 17) c) was added since a Division 2.2 aerosol for home and sporting use could be animal deterrent spray. As a result, aerosols in 2.2 are allowed in cabin.

1.10 We have also introduced a new Table 8-2 that contains instruments that are meant to be carried by the Organization for the Prohibition of Chemical Weapons and government. These entries are therefore removed from Table 8-1 as they are quite specific in use.

2. **ACTION BY THE DGP-WG**

2.1 The DGP-WG is invited to consider the proposed amendment to Part 8 as shown in the appendix to this working paper.

APPENDIX

PROPOSED AMENDMENT TO PART 8 OF THE TECHNICAL INSTRUCTIONS

Part 8

PROVISIONS CONCERNING PASSENGERS AND CREW

Chapter 1

PROVISIONS FOR DANGEROUS GOODS CARRIED BY PASSENGERS OR CREW

• • •

1.1 DANGEROUS GOODS CARRIED BY PASSENGERS OR CREW

1.1.1 Except as otherwise provided in 1.1.2, dangerous goods, including excepted packages of radioactive material, must not be carried by passengers or crew members, either as or in carry-on baggage or checked baggage or on their person. Except as provided for in Table 8-1, -3123), security type equipment such as attaché cases, cash boxes, cash bags, etc., incorporating dangerous goods, for example lithium batteries or pyrotechnic material, are totally forbidden; see entry in Table 3-1. -Personal medical oxygen devices that utilize liquid oxygen are forbidden either as or in carry-on baggage or checked baggage or on the person. Electroshock weapons (e.g. tasers) containing dangerous goods such as explosives, compressed gases, lithium batteries, etc., are forbidden in carry-on baggage or checked baggage or on the person. The following dangerous goods may be commonly carried by passengers on other modes of transport; however, they are prohibited either as or in carry-on baggage or checked baggage.

a) personal medical oxygen devices that utilize liquid oxygen;

b) electroshock weapons (e.g. tasers) containing dangerous goods such as explosives, compressed gases, lithium batteries, etc.;

c) "strike anywhere" matches;

d) lighter fuel and lighter refills; and

e) premixing burner lighter (see the Glossary of Terms in Attachment 2) without a means of protection against unintentional activation

1.1.2 Notwithstanding any additional restrictions which may be implemented by States in the interests of aviation security, except for the incident reporting provisions of 7;4.4 or 7;4.5, as applicable, the provisions of these Instructions do not apply to the dangerous goods listed in Table 8-1 when carried by passengers or crew members for personal use only or in baggage that has been separated from its owner during transit (e.g. lost baggage or improperly routed baggage) or in excess baggage carried as cargo as permitted by 1;1.1.5.1 g):

<u>Note.— Exceptions found in these Instructions are not reproduced in Table 8-1. The following dangerous goods are not subject to these Instructions:</u>

a) radio-pharmaceuticals contained within the body of a person must be as the result of medical treatment; and

b) energy efficient lamps when in retail packaging and intended for personal or home use (see 1;2.6).

1.1.3 Carry-on baggage includes any dangerous goods listed in Table 8-1 carried "on the person". Carry-on baggage must be carried inside the cabin. Any baggage or item that is not carried inside the cabin must follow the restrictions for

A-2

checked baggage. This includes baggage intended as carry-on but that is taken at the gate or planeside by the operator and placed into the cargo hold for carriage.

1.1.4 The entry in Table 8-1 that most appropriately describes the item or article must be selected. For instance, electronic cigarettes must meet the requirements of the entry for "Battery powered portable electronic smoking devices" not the entries for lithium batteries or non-spillable batteries.

1.1.35 Any organization or enterprise other than an operator (such as a travel agent), involved in the air transport of passengers, should provide passengers with information about the types of dangerous goods which they are forbidden to transport aboard an aircraft. This information should consist of, as a minimum, notices at those locations where there is an interface with the passengers.

Renumber subsequent paragraphs accordingly

• • •

Table 8-1. Provisions for dangerous goods carried by passengers or crew

Replace Table 8-1 with the following:

| | Locai | tion | e | - rst | |
|----------------------|--------------------|---------------------|---|--|---|
| Items or articles | Checked baggage | Carry-on baggage | Approval of the operator(s) is required | The pilot-in- command must be informed | Restrictions |
| Batteries | | | | | |
| 1) Lithium batteries | Yes (see h)) | Yes | (see c) and d)) | No | a) each battery must be of a type which meet the requirements of each test in the U <i>Manual of Tests and Criteria</i>, Part II subsection 38.3; b) each battery must not exceed the following: i) for lithium metal batteries, a lithium content of 2 grams; or ii) for lithium ion batteries, a Watt-hour rating of 100 Wh; c) each battery may exceed 100 Wh but not exceed 160 Wh Watt-hour rating for lithium ion with the approval of the operator; d) each battery may exceed 2 grams but not exceed 8 grams lithium content for lithium metal for portable medical electronic devices with the approval of the operator; each spare battery must be individual protected so as to prevent short circuits (b placement in original retail packaging or botherwise insulating terminals, e.g. by tapin over exposed terminals or placing each battery in a separate plastic bag of protective pouch); f) no more than two spare batteries exceeding 2 grams lithium content for lithium metal or Watt-hour rating exceeding 100 Wh for lithium ion may be carried per person; |

| | | Loca | tion | e | _ ist _ | |
|------|--|--------------------|---------------------|---|--|--|
| | Items or articles | Checked baggage | Carry-on baggage | Approval of the operator(s) is required | The pilot-in- command must be informed | Restrictions |
| | | | | | | g) batteries contained in equipment should be carried as carry-on baggage; and |
| | | | | | | h) each spare battery must be carried as carry on baggage. |
| 2) | Non-spillable batteries | Yes | Yes | No | No | a) must meet the requirements of Specia Provision A67; |
| | | | | | | b) each battery must not exceed a voltage o 12 volts and a Watt-hour rating of 100 Wh; |
| | | | | | | c) each battery must be protected from shor circuit by the effective insulation of exposed terminals; |
| | | | | | | d) no more than two spare batteries per person; and |
| | | | | | | e) if contained in equipment, the equipmen must be either protected from inadverten activation, or each battery must be disconnected and its exposed terminals insulated. |
| 3) | Battery-powered portable electronic smoking devices (e.g. e-cigarettes, e-cigs, ecigars, e-pipes, personal | No | Yes | No | No | a) if powered by lithium batteries, each battery must comply with restrictions of 1) a), b), e) and |
| | vaporizers, electronic nicotine delivery systems) | | | | | recharging of the devices and/or batteries or board the aircraft is not permitted. |
| 4) | Battery-powered equipment capable of generating extreme heat, which could cause a fire if activated (e.g. underwater high intensity lamps) | Yes | Yes | Yes | No | a) each battery must be removed from the equipment and be protected against short circuit (by placement in original retail packaging or by otherwise insulating terminals, e.g. by taping over exposed terminals or placing each battery in a separate plastic bag or protective pouch); and b) if powered by lithium batteries, each battery |
| | | | | | | must comply with restrictions of 1) a), b) and h). |
| 5) | Battery-powered mobility aids (e.g. wheelchairs) | | | Dis | scussed under | DG-WG/17-WP/34 |
| Fire | e/flame/fuel sources/extreme hea | it generatio | n | | | |
| 6) | Small cigarette lighter | No | Yes | No | No | a) no more than one per person; |
| | Small packet of safety matches | | | | | b) must be carried on the person; |
| | Premixing burner lighter (see the Glossary of Terms in Attachment 2) with a means of protection against unintentional activation | | | | | c) intended for use by an individual; and d) does not contain unabsorbed liquid fue (other than liquefied gas). |

| | | Locat | ion | ЭС | - rst | |
|----|---|--------------------|---------------------|---|--|---|
| | Items or articles | Checked baggage | Carry-on baggage | Approval of the operator(s) is required | The pilot-in- command must be informed | Restrictions |
| 7) | Alcoholic beverages containing | Yes | Yes | No | No | a) must be in retail packagings; |
| | more than 24 per cent but not more than 70 per cent alcohol by volume | | | | | b) no more than 5 L per individual receptacle; and |
| | | | | | | c) no more than 5 L total net quantity per person for such beverages. |
| | | | | | | Note.— Alcoholic beverages containing not more than 24 per cent alcohol by volume are not subject to any restrictions. |
| 8) | Internal combustion engines or fuel cell engines | Yes | No | No | No | Must comply with Special Provision A70. |
| 9) | Fuel cells | No | Yes | No | No | a) fuel cell cartridges may only contain flammable liquids, corrosive substances, liquefied flammable gas, water reactive substances or hydrogen in metal hydride; |
| | Spare fuel cell cartridges | Yes | Yes | No | No | b) refuelling of fuel cells on board an aircraft is not permitted except that the installation of a spare cartridge is allowed; |
| | | | | | | c) the maximum quantity of fuel in any fuel cell or fuel cell cartridge must not exceed: |
| | | | | | | — for liquids 200 mL; |
| | | | | | | for solids 200 grams; |
| | | | | | | for liquefied gases, 120 mL for non- metallic fuel cell cartridges or 200 mL for metal fuel cell or fuel cell cartridges; and |
| | | | | | | for hydrogen in metal hydride, the fuel cell or fuel cell cartridges must have a water capacity of 120 mL or less; |
| | | | | | | each fuel cell and each fuel cell cartridge must conform to IEC 62282-6-100 Ed. 1, including Amendment 1, and must be marked with a manufacturer's certification that it conforms to the specification. In addition, each fuel cell cartridge must be marked with the maximum quantity and type of fuel in the cartridge; |
| | | | | | | e) fuel cell cartridges containing hydrogen in metal hydride must comply with the requirements in Special Provision A162; |
| | | | | | | f) no more than two spare fuel cell cartridges may be carried by a passenger; |
| | | | | | | g) fuel cells containing fuel are permitted in carry-on baggage only; |
| | | | | | | h) interaction between fuel cells and integrated batteries in a device must conform to IEC 62282-6-100 Ed. 1, including Amendment 1. Fuel cells whose sole function is to charge a |

| A-5 | -5 |
|-----|----|
|-----|----|

| | Loca | tion | ЭС | - st | |
|---|--------------------|---------------------|---|--|--|
| Items or articles | Checked baggage | Carry-on baggage | Approval of the operator(s) is required | The pilot-in- command must be informed | Restrictions |
| | | | | | battery in the device are not permitted; |
| | | | | | i) fuel cells must be of a type that will charge batteries when the porta electronic device is not in use and must durably marked by the manufactu "APPROVED FOR CARRIAGE AIRCRAFT CABIN ONLY" to so indica and j) in addition to the languages which may required by the State of Origin for |
| | | | | | markings specified above, English should used. |
| Gases in cylinders and cartridges | | | I | | |
| 10) Oxygen or air cylinders | Yes | Yes | Yes | Yes | a) no more than 5 kg gross mass per cylinde |
| required for medical use | | | | | b) cylinders, valves and regulators, wh fitted, must be protected from damage wh could cause inadvertent release of contents; |
| | | | | | c) advance arrangements recommended; ar |
| | | | | | the pilot-in-command must be informed the number of oxygen or air cylinders loa on board the aircraft and their load location(s). |
| 11) Cartridges of Division 2.2 worn for the operation of mechanical limbs | Yes | Yes | No | No | Spare cartridges of a similar size are a allowed, if required, to ensure an adequ supply for the duration of the journey. |
| 12) Cartridge of hydrocarbon gas | Yes | Yes | No | No | a) must be contained in hair styling equipme |
| | | | | | b) no more than one per person; |
| | | | | | c) the safety cover must be securely fitted of the heating element; and |
| | | | | | d) spare cartridges must not be carried. |
| 13) Cartridges of Division 2.2 with no subsidiary risk | Yes | Yes | Yes | No | If fitted into a self-inflating personal safety dev such as a life-jacket or vest: |
| | | | | | a) no more than one personal safety device person; |
| | | | | | b) the personal safety device must be pac in such a manner that it cannot accidentally activated; |
| | | | | | c) must be for inflation purposes; |
| | | | | | the device must be fitted with no more t two small cartridges; and |
| | | 1 | | | e) no more than two spare cartridges. |

| A- | 5 |
|----|---|
|----|---|

| | | Loca | tion | he | - rst | |
|------|---|--------------------|---------------------|---|--|--|
| | Items or articles | Checked baggage | Carry-on baggage | Approval of the operator(s) is required | The pilot-in- command must be informed | Restrictions |
| | | | | | | If not fitted into a self-inflating personal safe |
| | | | | | | device such as a life-jacket or vest: |
| | | | | | | a) no more than four small cartridges preson; and |
| | | | | | | b) the water capacity of each cartridge mu not exceed 50 mL. |
| | | | | | | Note.— For carbon dioxide, a gas cartrid with a water capacity of 50 mL is equivalent to 28 g cartridge. |
| 14) | Cylinder of Division 2.2 without subsidiary risk contained in an | Yes | Yes | Yes | No | a) no more than one per person; |
| | avalanche rescue backpack | | | | | b) may contain a pyrotechnic trigg mechanism which must not contain more than 200 mg net of Division 1.4S; |
| | | | | | | c) the backpack must be packed in such manner that it cannot be accidental activated; and |
| | | | | | | d) the airbags within the backpack must b fitted with pressure relief valves. |
| Rad | ioactive material | | | | | 1 |
| 15) | Radioisotopic cardiac pacemakers or other medical devices | n/a | Yes | No | No | Must be implanted into a person or fitte externally as the result of medical treatment. |
| Mero | cury | | | 1 | | |
| 16) | Small medical or clinical thermometer which contains | Yes | No | No | No | a) no more than one per person; and |
| | mercury | | | | | b) must be in its protective case. |
| Othe | er dangerous goods | | | | | |
| 17) | Non-radioactive medicinal articles (including aerosols), toiletry articles (including | Yes | Yes | No | No | a) no more than 0.5 kg or 0.5 L total n quantity per single article; |
| | aerosols) and aerosols in Division 2.2 with no subsidiary risk | | | | | b) release valves on aerosols must the protected by a cap or other suitable mean to prevent inadvertent release of the contents; |
| | | | | | | c) the release of gas must not cause extrem annoyance or discomfort to crew membe so as to prevent the correct performance assigned duties; and |
| | | | | | | no more than 2 kg or 2 L total net quantity all articles (e.g. four aerosol cans of 500 n each) per person. |
| 18) | Dry ice | Yes | Yes | Yes | No | a) no more than 2.5 kg per person; |
| | | | | | | b) used to pack perishables that are not subject to these Instructions; |
| | | | | | | c) the package must permit the release carbon dioxide gas; and |

| | | Loca | tion | he | - rst | |
|-----|--|--------------------|---------------------|---|--|--|
| | Items or articles | Checked baggage | Carry-on baggage | Approval of the operator(s) is required | The pilot-in- command must be informed | Restrictions |
| | | | | | | d) when carried in checked baggage, each package must be marked: i) "DRY ICE" or "CARBON DIOXIDE, SOLID"; and ii) the net weight of dry ice or an indication that the net weight is 2.5 kg or less. |
| 19) | Cartridges in Division 1.4S (UN 0012 or UN 0014 only) | Yes | No | Yes | No | a) no more than 5 kg gross mass per person; b) must be securely packaged; c) must not include ammunition with explosive or incendiary projectiles; and d) allowances for more than one person must not be combined into one or more packages. |
| 20) | Permeation devices for calibrating air quality monitoring equipment | Yes | No | No | No | Must comply with Special Provision A41 |
| 21) | Non-infectious specimens in flammable solutions | Yes | Yes | No | No | Must comply with Special Provision A180 |
| 22) | Refrigerated liquid nitrogen contained in insulated packagings | Yes | Yes | No | No | Must comply with Special Provision A152 |
| 23) | Security-type equipment, such as attaché cases, cash boxes, cash bags, etc., incorporating dangerous goods as part of this equipment, for example, lithium batteries or pyrotechnic material | Yes | No | Yes | No | Must comply with Special Provision A178 |

Insert new Table 8-2 as follows:

Table 8-2. Provisions for instruments carried by OPCW and government agencies

| | Locat | t <u>ion</u> | a . | | |
|---|----------------------------------|----------------------------|---|--|--|
| <u>ltems or articles</u> | <u>Checked</u> <u>baggage</u> | <u>Carry-on</u> baggage | <u>Approval of th</u> <u>operator(s)</u> <u>is required</u> | <u>The pilot-in-</u> command must <u>be informed</u> | Restrictions |
| 1) Instruments containing radioactive material (i.e. chemical agent monitor (CAM) and/or rapid alarm and | <u>Yes</u> | <u>Yes</u> | <u>Yes</u> | <u>No</u> | a) the instruments must not exceed the activity limits specified in Table 2-14 of these Instructions; |
| identification device monitor (RAID-M)) | | | | | b) must be securely packed and without lithium batteries; and |
| | | | | | c) must be carried by staff members of the Organization for the Prohibition of Chemical Weapons (OPCW) on official travel. |

A-8

| | | <u>Loca</u> | <u>tion</u> | he . | | |
|---|---|----------------------------------|----------------------------|---|--|---|
| I | Items or articles | <u>Checked</u> <u>baggage</u> | <u>Carry-on</u> baggage | Approval of the operator(s) is required | <u>The pilot-in-</u> command must <u>be informed</u> | <u>Restrictions</u> |
| | 2) <u>A mercurial barometer or</u> mercurial thermometer | <u>No</u> | <u>Yes</u> | <u>Yes</u> | <u>Yes</u> | a) must be carried by a representative of a government weather bureau or similar official agency; and |
| | | | | | | b) must be packed in a strong outer packaging, having a sealed inner liner or a bag of strong leakproof and puncture-resistant material impervious to mercury, which will prevent the escape of mercury from the package irrespective of its position. |

• • •

— END —